

Series of National School Books.

FIRST BOOK
OF
ARITHMETIC.

For the Use of Schools.

—◆—
*Authorized by the Council of Public Instruction
for Upper Canada.*

—◆—
REVISED AND CORRECTED.

TORONTO:
EASTWOOD, WOODALL & Co.,
(FORMERLY BREWER, McPHAIL & Co.,)
46, KING STREET EAST.
1857.

P R E F A C E .

IN this First Book, the Practical, and not the Theoretical part of Arithmetic is treated of, but it is not intended the Theory should be separated from practice. The Teacher may, by means of a black-board and a piece of chalk, make the pupils more readily understand the rules, than could be done by any written explanation, especially at this stage of their progress.

For the Theoretical part of Arithmetic, Teachers and Monitors are referred to the second Book of Arithmetic, published by the Commissioners.

CONTENTS.

ARITHMETICAL TABLES.

<i>Page.</i>	<i>Page.</i>
Addition Table..... 1	Measures..... 4
Multiplication Table..... 2	Numeration Table..... 8
Pence Table..... 3	Roman Notation..... 8
Signs used in Arithmetic.. 4	Table of Aliquot parts of
Money Table..... 4	Money..... 4
Table of Weights and	—————of Weights..... 4

ARITHMETIC.

Numeration..... 8	Barter..... 78
Notation..... 9	Profit and Loss..... 79
Simple Addition..... 10	Partnership..... 81
———— Subtraction..... 14	Vulgar Fractions..... 83
Mixed Questions in Addition and Subtraction... 18	———— Reduction..... 84
Simple Multiplication... 19	———— Addition..... 87
———— Division..... 23	———— Subtraction..... 87
Compound Addition..... 27	———— Multiplication... 88
———— Subtraction..... 30	———— Division..... 89
———— Multiplication... 32	———— Reduction contin'd 89
———— Division..... 36	———— Promiscuous Exercises..... 92
Reduction..... 40	Decimal Fractions..... 93
Weights and Measures... 42	———— Addition..... 93
———— Reduction..... 50	———— Subtraction..... 94
Simple Proportion..... 52	———— Multiplication... 94
Compound Proportion... 55	———— Division..... 95
Bills of Parcels..... 58	———— Reduction..... 96
Bills of Book Debts.... 59	Involution..... 99
Practice..... 60	Evolution..... 99
Tare and Tret..... 67	Extraction of the Cube
Simple Interest..... 70	Root..... 100
Discount..... 73	Duodecimal Multiplication..... 102
Commission, Brokerage, Insurance, Buying and Selling Stocks..... 74	Mental Arithmetic.... 105
Compound Interest..... 77	Answers to all the Questions..... 110

ARITHMETICAL TABLES

ADDITION TABLE.

2 and 1 are 3	5 and 5 are 10	8 and 9 are 17
2 — 2 — 4	5 — 6 — 11	8 — 10 — 18
2 — 3 — 5	5 — 7 — 12	8 — 11 — 19
2 — 4 — 6	5 — 8 — 13	8 — 12 — 20
2 — 5 — 7	5 — 9 — 14	9 and 1 are 10
2 — 6 — 8	5 — 10 — 15	9 — 2 — 11
2 — 7 — 9	5 — 11 — 16	9 — 3 — 12
2 — 8 — 10	5 — 12 — 17	9 — 4 — 13
2 — 9 — 11	6 and 1 are 7	9 — 5 — 14
2 — 10 — 12	6 — 2 — 8	9 — 6 — 15
2 — 11 — 13	6 — 3 — 9	9 — 7 — 16
2 — 12 — 14	6 — 4 — 10	9 — 8 — 17
3 and 1 are 4	6 — 5 — 11	9 — 9 — 18
3 — 2 — 5	6 — 6 — 12	9 — 10 — 19
3 — 3 — 6	6 — 7 — 13	9 — 11 — 20
3 — 4 — 7	6 — 8 — 14	9 — 12 — 21
3 — 5 — 8	6 — 9 — 15	11 and 1 are 12
3 — 6 — 9	6 — 10 — 16	11 — 2 — 13
3 — 7 — 10	6 — 11 — 17	11 — 3 — 14
3 — 8 — 11	6 — 12 — 18	11 — 4 — 15
3 — 9 — 12	7 and 1 are 8	11 — 5 — 16
3 — 10 — 13	7 — 2 — 9	11 — 6 — 17
3 — 11 — 14	7 — 3 — 10	11 — 7 — 18
3 — 12 — 15	7 — 4 — 11	11 — 8 — 19
4 and 1 are 5	7 — 5 — 12	11 — 9 — 20
4 — 2 — 6	7 — 6 — 13	11 — 10 — 21
4 — 3 — 7	7 — 7 — 14	11 — 11 — 22
4 — 4 — 8	7 — 8 — 15	11 — 12 — 23
4 — 5 — 9	7 — 9 — 16	12 and 1 are 13
4 — 6 — 10	7 — 10 — 17	12 — 2 — 14
4 — 7 — 11	7 — 11 — 18	12 — 3 — 15
4 — 8 — 12	7 — 12 — 19	12 — 4 — 16
4 — 9 — 13	8 and 1 are 9	12 — 5 — 17
4 — 10 — 14	8 — 2 — 10	12 — 6 — 18
4 — 11 — 15	8 — 3 — 11	12 — 7 — 19
4 — 12 — 16	8 — 4 — 12	12 — 8 — 20
5 and 1 are 6	8 — 5 — 13	12 — 9 — 21
5 — 2 — 7	8 — 6 — 14	12 — 10 — 22
5 — 3 — 8	8 — 7 — 15	12 — 11 — 23
5 — 4 — 9	8 — 8 — 16	12 — 12 — 24

MULTIPLICATION TABLE.

Twice	3 times	4 times	5 times	6 times	7 times
1 are 2	1 are 3	1 are 4	1 are 5	1 are 6	1 are 7
2 — 4	2 — 6	2 — 8	2 — 10	2 — 12	2 — 14
3 — 6	3 — 9	3 — 12	3 — 15	3 — 18	3 — 21
4 — 8	4 — 12	4 — 16	4 — 20	4 — 24	4 — 28
5 — 10	5 — 15	5 — 20	5 — 25	5 — 30	5 — 35
6 — 12	6 — 18	6 — 24	6 — 30	6 — 36	6 — 42
7 — 14	7 — 21	7 — 28	7 — 35	7 — 42	7 — 49
8 — 16	8 — 24	8 — 32	8 — 40	8 — 48	8 — 56
9 — 18	9 — 27	9 — 36	9 — 45	9 — 54	9 — 63
10 — 20	10 — 30	10 — 40	10 — 50	10 — 60	10 — 70
11 — 22	11 — 33	11 — 44	11 — 55	11 — 66	11 — 77
12 — 24	12 — 36	12 — 48	12 — 60	12 — 72	12 — 84

8 times	9 times	10 times	11 times	12 times
1 are 8	1 are 9	1 are 10	1 are 11	1 are 12
2 — 16	2 — 18	2 — 20	2 — 22	2 — 24
3 — 24	3 — 27	3 — 30	3 — 33	3 — 36
4 — 32	4 — 36	4 — 40	4 — 44	4 — 48
5 — 40	5 — 45	5 — 50	5 — 55	5 — 60
6 — 48	6 — 54	6 — 60	6 — 66	6 — 72
7 — 56	7 — 63	7 — 70	7 — 77	7 — 84
8 — 64	8 — 72	8 — 80	8 — 88	8 — 96
9 — 72	9 — 81	9 — 90	9 — 99	9 — 108
10 — 80	10 — 90	10 — 100	10 — 110	10 — 120
11 — 88	11 — 99	11 — 110	11 — 121	11 — 132
12 — 96	12 — 108	12 — 120	12 — 132	12 — 144

EXTENDED MULTIPLICATION TABLE.

13 times	14 times	15 times	16 times	17 times	18 times	19 times
2 are 26	2 are 28	2 are 30	2 are 32	2 are 34	2 are 36	2 are 38
3 — 39	3 — 42	3 — 45	3 — 48	3 — 51	3 — 54	3 — 57
4 — 52	4 — 56	4 — 60	4 — 64	4 — 68	4 — 72	4 — 76
5 — 65	5 — 70	5 — 75	5 — 80	5 — 85	5 — 90	5 — 95
6 — 78	6 — 84	6 — 90	6 — 96	6 — 102	6 — 108	6 — 114
7 — 91	7 — 98	7 — 105	7 — 112	7 — 119	7 — 126	7 — 133
8 — 104	8 — 112	8 — 120	8 — 128	8 — 136	8 — 144	8 — 152
9 — 117	9 — 126	9 — 135	9 — 144	9 — 153	9 — 162	9 — 171

PENCE TABLE.

d.	s.	d.	d.	s.	d.	d.	s.	d.	d.	s.	d.
12 are	1	0	35 are	2	11	57 are	4	9	79 are	6	7
13 —	1	1	36 —	3	0	58 —	4	10	80 —	6	8
14 —	1	2	37 —	3	1	59 —	4	11	81 —	6	9
15 —	1	3	38 —	3	2	60 —	5	0	82 —	6	10
16 —	1	4	39 —	3	3	61 —	5	1	83 —	6	11
17 —	1	5	40 —	3	4	62 —	5	2	84 —	7	0
18 —	1	6	41 —	3	5	63 —	5	3	85 —	7	1
19 —	1	7	42 —	3	6	64 —	5	4	86 —	7	2
20 —	1	8	43 —	3	7	65 —	5	5	87 —	7	3
21 —	1	9	44 —	3	8	66 —	5	6	88 —	7	4
22 —	1	10	45 —	3	9	67 —	5	7	89 —	7	5
23 —	1	11	46 —	3	10	68 —	5	8	90 —	7	6
24 —	2	0	47 —	3	11	69 —	5	9	91 —	7	7
25 —	2	1	48 —	4	0	70 —	5	10	92 —	7	8
26 —	2	2	49 —	4	1	71 —	5	11	93 —	7	9
27 —	2	3	50 —	4	2	72 —	6	0	94 —	7	10
28 —	2	4	51 —	4	3	73 —	6	1	95 —	7	11
29 —	2	5	52 —	4	4	74 —	6	2	96 —	8	0
30 —	2	6	53 —	4	5	75 —	6	3	97 —	8	1
31 —	2	7	54 —	4	6	76 —	6	4	98 —	8	2
32 —	2	8	55 —	4	7	77 —	6	5	99 —	8	3
33 —	2	9	56 —	4	8	78 —	6	6	100 —	8	4
34 —	2	10									

EXTENDED PENCE TABLE.

d.	£	s.	d.	d.	£	s.	d.	d.	£	s.	d.	d.	£	s.	d.
140 are	0	11	0	1300 are	6	8	4	2500 are	10	8	4	3700 are	15	8	4
200 —	0	16	8	1400 —	5	16	8	2500 —	10	16	8	3800 —	15	16	8
240 —	1	0	0	1440 —	6	0	0	2640 —	11	0	0	3840 —	16	0	0
300 —	1	5	0	1500 —	6	5	0	2700 —	11	5	0	3900 —	16	5	0
400 —	1	13	4	1600 —	6	13	4	2800 —	11	13	4	4000 —	16	13	4
480 —	2	0	0	1680 —	7	0	0	2850 —	12	0	0	4050 —	17	0	0
500 —	2	1	8	1700 —	7	1	8	2900 —	12	1	8	4200 —	17	10	0
600 —	2	10	0	1900 —	7	10	0	3000 —	12	10	0	4300 —	17	18	4
700 —	2	13	4	1900 —	7	13	4	3100 —	12	13	4	4320 —	18	0	0
720 —	3	0	0	1920 —	8	0	0	3120 —	13	0	0	4400 —	18	6	8
800 —	3	6	8	2000 —	8	6	8	3200 —	13	6	8	4500 —	19	5	0
900 —	3	15	0	2100 —	8	15	0	3300 —	13	15	0	4560 —	19	0	0
960 —	4	0	0	2160 —	9	0	0	3260 —	14	0	0	4700 —	19	11	8
1000 —	4	3	4	2200 —	9	3	4	3400 —	14	3	4	4800 —	20	0	0
1100 —	4	11	8	2300 —	9	11	8	3500 —	14	11	8	4900 —	20	8	4
1200 —	5	0	0	2400 —	10	0	0	3600 —	15	0	0	5000 —	20	16	8

SIGNS USED IN ARITHMETIC.

- $+$ named plus, signifies Addition, as $4+2$ equal 6.
 $-$ named minus, signifies Subtraction, as $5-2$ equal 3.
 \times multiplied by, signifies Multiplication, as 4×2 equal 8.
 \div divided by, signifies Division, as $10\div 2$ equal 5.
 $=$ equal to, signifies Equality, as $2+4=6$
 \cdot is to }
 so is } signifies Proportion as $1 : 2 :: 3 : 6$
 $:$ to } These figures are thus read, as 1 is to 2 so is 3 to 6
 $\sqrt{\quad}$ marks the Square root, as $\sqrt{4}=2$.
 $\sqrt[3]{\quad}$ marks the Cube root, as $\sqrt[3]{8}=2$.

MONEY.

4 farthings	=	1 penny
12 pence	=	1 shilling
20 shillings	=	1 pound
21 shillings	=	1 guinea

- \pounds denotes pounds, *s.* shillings, and *d.* pence
 $\frac{1}{4}$ — one farthing, or one quarter of any thing.
 $\frac{1}{2}$ — a halfpenny, or a half of any thing
 $\frac{3}{4}$ — three farthings, or three quarters of any thing

AVOIRDUPOIS WEIGHT.

16 drams	(<i>dr</i>)	=	1 ounce	marked
16 ounces		=	1 pound	<i>oz.</i>
28 pounds		=	1 quarter	<i>lb.</i>
4 quarters or 112lb.		=	1 hundred weight	<i>qr.</i>
20 hundred weight		=	1 ton	<i>cwt.</i>
				<i>T.</i>

14 pounds make one stone, and 8 stone 1 hundred weight.

This weight is used for bread, meat, grocery, for goods in general and for all the metals except gold and silver

TROY WEIGHT.

24 grains (<i>gr.</i>)	= 1 pennyweight,	marked <i>dwt.</i>
20 pennyweights	= 1 ounce	<i>oz.</i>
12 ounces	= 1 pound	<i>lb.</i>

This weight is used for gold, silver, jewels, and liquors.

APOTHECARIES' WEIGHT.

20 grains	= 1 scruple	marked <i>scr.</i>
3 scruples	= 1 dram	<i>dr.</i>
8 drams	= 1 ounce	<i>oz.</i>
12 ounces	= 1 pound	<i>lb.</i>

Apothecaries use this weight in mixing their medicines; but they buy and sell by avoirdupois weight.

LONG MEASURE.

12 lines	= 1 inch,	marked <i>in.</i>
12 inches	= 1 foot,	<i>ft.</i>
3 feet	= 1 yard,	<i>yd.</i>
5½ yards	= 1 perch,	<i>per.</i>
40 perches	= 1 furlong,	<i>fur.</i>
8 furlongs	= 1 mile,	<i>ml.</i>
3 miles	= 1 league,	<i>lg.</i>
50 Geographical miles, or } 69½ British miles }	= 1 degree,	<i>deg.</i>
360 degrees	= the earth's circumference.	

An Inch is supposed to be equal to three barley-corns in length. Seven yards Irish, equal one perch. Eleven miles Irish are equal to fourteen miles English. 4 inches make one hand, used in measuring horses

CLOTH MEASURE.

2½ inches	= 1 nail,	marked <i>nl.</i>
4 nails	= 1 quarter,	<i>qr.</i>
4 quarters	= 1 yard,	<i>yd.</i>

The Flemish ell is ¾ of a yard, the English ell ¾ of a yard, and the French ell ¾ of a yard

ARITHMETICAL TABLES.

SQUARE OR LAND MEASURE.

		marked
44 square inches	= 1 square foot	<i>sq. ft.</i>
9 square feet	= 1 square yard	<i>sq. yd.</i>
30½ square yards	= 1 square perch	<i>sq. perch.</i>
40 square perches	= 1 rood	<i>rd.</i>
4 roods	= 1 acre	<i>ac.</i>
640 acres	= 1 square mile	<i>sq. mile.</i>

In Ireland 49 square yards make 1 square pole or perch. The square of any number is obtained by multiplying it by itself, 12 multiplied by 12 = 144, the square of 12.

CUBIC, OR SOLID MEASURE.

1728 cubic inches		= 1 cubic foot
27 cubic feet		= 1 cubic yard
40 cubic feet of rough timber, or	}	= 1 ton, or load
50 cubic feet of hewn timber		
42 cubic feet		= 1 ton of shipping

A cube is a solid figure, similar to dice, and has six equal sides. The cube of any number is obtained by multiplying it twice by itself—thus, $12 \times 12 \times 12 = 1728$, the cube of 12.

MEASURE OF CAPACITY.

		marked
4 gills	= 1 pint	<i>pt.</i>
2 pints	= 1 quart	<i>qt.</i>
4 quarts	= 1 gallon	<i>gal.</i>
2 gallons	= 1 peck	<i>pk.</i>
4 pecks	= 1 bushel	<i>bush.</i>
8 bushels	= 1 quarter	<i>qr.</i>
5 quarters	= 1 load	<i>ld.</i>

By this measure both liquids and dry goods are measured. The gill, pint, quart, gallon, are used for liquids. The peck, bushel, quarter, load are used for dry goods. The gallon contains 277.274 cubic inches.

The measure formerly called heaped measure is now, by Act of Parliament, declared illegal.

Ale, wine, and beer were formerly measured by different measures. In some places a barrel of beer contains 32, in some 34, and in others 36 gallons. A hogshead of ale was computed to contain 54 gallons, a hogshead of wine 63 gallons.

2 hogsheads make 1 pipe, or butt.
2 pipes, or butts make 1 tun.

WOOL WEIGHT.

		marked
7 pounds	= 1 clove	<i>cl.</i>
2 cloves	= 1 stone	<i>st.</i>
2 stones	= 1 tod	<i>td.</i>
6½ tods	= 1 wey	<i>wy</i>
2 weys	= 1 sack	<i>sk.</i>
2 sacks	= 1 last	<i>la.</i>

TIME.

		marked
60 seconds (<i>sec</i>)	= 1 minute	<i>min.</i>
60 minutes	= 1 hour	<i>hr.</i>
24 hours	= 1 day	<i>da.</i>
7 days	= 1 week	<i>wk.</i>
12 months, or 52 weeks and 1 day, or 365 days	} = 1 year	<i>yr.</i>
Every fourth year contains 366 days, and is called leap year.		

DAYS IN EACH MONTH.

Thirty days hath September,
 April, June, and November;
 All the rest have thirty-one
 February twenty-eight alone,
 But in Leap-Year twenty-nine

DIVISIONS OF THE CIRCLE.

60 seconds''	= 1 minute	marked
60 minutes	= 1 degree	<i>min. or ' °</i>
30 degrees	= 1 sign	<i>S.</i>
12 signs	= 1 circle of the zodiac	<i>C.</i>

QUANTITIES.

		marked
12 articles	= 1 dozen	<i>doz.</i>
20 articles	= 1 score	<i>sc.</i>
144 articles	= 1 gross	<i>gr.</i>
24 sheets paper	= 1 quire	<i>qr.</i>
20 quires	= 1 ream	<i>rm</i>

NUMERATION TABLE.

1	Units
21	Tens
, 321	Hundreds
4, 321	Thousands
54, 321	X. of Thousands
654, 321	C. of Thousands
7. 654, 321	Millions
87. 654, 321	X. of Millions
987. 654, 321	C. of Millions
1, 987. 654, 321	M. of Millions
21, 987. 654, 321	X. M. of Millions
321, 987. 654, 321	C. M. of Millions
4. 321, 987. 654, 321	Billions

ROMAN NOTATION.

M.	D.	C.	L.	X.	V.	I.
1000	500	100	50	10	5	1

EXERCISES IN NUMERATION.

Read, or write down in words the numbers signified by the following figures :

1. 1, 2, 3, 4, 5, 6, 7, 8, 9, 0.
2. 10, 11, 14, 16, 19, 20, 42, 18, 17.
3. 200, 420, 607, 986, 473, 247 364.
4. 912, 874, 783, 650, 202, 604, 510.
5. 4000, 2700, 8601, 7036, 2101, 1060.
6. 1010, 7030, 4600, 9111, 4076, 5870.
7. 26012, 70101, 42100, 36100, 90201.
8. 700000, 701020, 926427, 104206,
9. 9000000, 9764268, 8202100, 5023067.
10. 2600060, 4101010, 2004000, 1402149.
11. 40000000, 29602687, 50026017, 1670020
12. 941268767, 267602607, 401467680.
13. 296026876, 710020010, 270603050.
14. 1402360740, 3460760010, 4023601497.
15. 7042603714, 5079607906, 1704070600.
16. 81462306012, 46007687681, 94086421360
17. 14023641201, 20860002001, 40002000209.
18. 907060206204, 240026100201, 590960126020

EXERCISES IN NOTATION.

Express in Figures the following Numbers

1. Six,—seven,—nine,—eight,—five,—ten,—twelve,—fourteen,—sixteen,—eighteen,—twenty,—nineteen.
2. Seventy-four,—twenty-six,—thirty-one,—forty-nine,—fifty-eight,—sixty-two,—seventy-six,—seventy-seven,—ninety-seven,—eighty-four,—fifty-five,—ninety-nine.
3. One hundred,—one hundred and four,—two hundred and forty-four,—six hundred and ninety-one,—seven hundred and fifty,—nine hundred and nine,—nine hundred and ninety-nine,—eight hundred and two.
4. Four thousand,—four thousand two hundred,—five thousand three hundred and fifty-two,—six thousand seven hundred and five,—seven thousand and fifty,—nine thousand and two,—eight thousand and eighty,—six thousand seven hundred and seven.
5. Ten thousand—fifteen thousand five hundred and sixty,—nineteen thousand and nineteen,—twenty-six thousand five hundred and ninety five,—thirty-eight thousand and thirty-eight,—forty thousand and forty,—fifty-six thousand five hundred and two,—seventy thousand seven hundred and seventy-seven.
6. Four hundred thousand,—four hundred thousand and forty,—six hundred thousand seven hundred and seven,—nine hundred and eighty thousand,—two hundred and fifty-six thousand nine hundred and seventy-five,—seven hundred thousand seven hundred and seven,—nine hundred and sixty-four thousand two hundred and fifty-nine.
7. Six millions,—five millions four hundred and ninety-three thousand,—eight millions forty thousand four hundred and two,—seven millions four hundred and ninety-three thousand seven hundred and sixty-five,—ten millions ten thousand and ten,—twenty millions two hundred and forty thousand six hundred and six,—fifty-three millions fifty-three thousand and fifty-three,—eight hundred and fifty-three millions nine hundred and forty-eight thousand six hundred and fifty-three,—two hundred and three millions four hundred and six thousand five hundred and eight,—nine hundred and ninety-three millions.

SIMPLE ADDITION.

Addition is the method of finding one number equal to two or more numbers.

Add together 423, 134, 267.

RULE WITH EXAMPLE.—Write the numbers under each other, so that units may stand under units, tens under tens, hundreds under hundreds, &c. Draw a line under them. Add the figures in the right hand column together, thus 7 and 4 make 11, 11 and 3 make 14. Put down the figure 4 of the number 14. Take the one of the 14, and add it to the next column; thus, 1 and 6 make 7, 7 and 3 make 10, 10 and 2 make 12. Put down the figure 2 of the 12. Add the figure 1 of the 12 to the next column; thus, 1 and 2 make 3, 3 and 1 make 4, 4 and 4 make 8. Put down the 8. The number 824 is called the *Sum*.

$$\begin{array}{r} 423 \\ 134 \\ 267 \\ \hline 824 \end{array}$$

EXERCISES.

1	2	2	3	1	4	3	3
2	3	0	1	5	1	2	4
3	4	6	4	2	4	6	5
<u>6</u>	<u>9</u>	<u>8</u>	<u>8</u>	<u>8</u>	<u>9</u>	<u>11</u>	<u>12</u>
2	4	6	3	4	5	3	4
1	2	4	4	3	4	7	6
3	3	2	5	6	7	8	9
—	—	—	—	—	—	—	—
12	21	23	14	21	42		
11	12	24	35	34	23		
23	24	35	43	75	97		
<u>46</u>	<u>57</u>	<u>82</u>	<u>92</u>	<u>130</u>	<u>162</u>		
41	84	26	37	42	23		
24	24	42	25	56	59		
86	53	59	74	85	64		
—	—	—	—	—	—		

SIMPLE ADDITION.

11

(1)	(2)	(3)	(4)
412	243	623	354
346	325	146	236
427	678	579	875
<hr/>	<hr/>	<hr/>	<hr/>

(5)	(6)	(7)	(8)
264	450	547	856
368	407	653	479
752	679	865	627
865	536	276	894
<hr/>	<hr/>	<hr/>	<hr/>

(9)	(10)	(11)	(12)
246	457	47	8
78	608	602	70
604	92	68	926
40	400	720	47
7	78	79	5
<hr/>	<hr/>	<hr/>	<hr/>

(13)	(14)	(15)	(16)
5123	4268	3687	2407
7142	2426	4215	798
9687	4276	708	46
4312	8507	9362	7083
8687	2390	96	579
<hr/>	<hr/>	<hr/>	<hr/>

(17)	(18)	(19)	(20)
5126	2427	5036	780
1472	768	784	5708
6826	9412	6070	1070
9687	893	85	687
2764	4026	7507	5368
4279	475	687	759
<hr/>	<hr/>	<hr/>	<hr/>

(21)	(22)	(23)	(24)
42674	24785	48763	46537
34126	65843	86270	54263
68768	26879	4687	43986
28642	43653	578	5079
65768	68754	49060	81
74387	56287	18709	641
96728	65423	70471	98076

25. How many do 7 and 4 and 8 and 24 and 62 make ?
26. How many are 42 and 64 and 40 and 68 and 79 ?
27. How many do 67 and 79 and 93 and 104 and 65 make
28. How many do 426 and 67 and 240 and 742 make :
29. Add together 6479 and 846 and 70 and 567 and 7426.
30. Add $742+64+8+341+804+60+642+790+806$.
31. Add $7260+1404+8496+2413+46+4786+3326$.
32. Add $4126+27304+2687+426+876846+746897$.
33. Add $76876+2046+896874+6876874+4268+4276$
34. Add $367068+64768+94687+6870+2489+264$.
35. What is the amount of four hundred and sixty-three, —five thousand and sixty-four,—seventy thousand and ninety-eight,—and fifty ?
36. Add together seven hundred and ninety-six,—five thousand four hundred and forty,—nine hundred and eight,—five thousand four hundred and nine,—two hundred and two thousand and fifty,—ninety-six thousand and nine,—four hundred and one.
37. How much do the following sums of money amount to, when added together, £7966,—£864,—£46,—£2048, £46897 ?
38. I saw four large baskets full of apples ; in one of the baskets there were four hundred and ninety-four apples, in another three hundred and sixty-eight, in another nine hundred and eighty, and in another four hundred and four, how many apples were there in the four baskets ?
39. I gave John 12 apples, James 15, Patrick 20, and I had still 25 remaining : how many apples had I at first ?

40. In a school which I visited lately, there were six classes, in the first there were 23 boys, in the second 18, in the third 32, in the fourth 27, in the fifth 56, and in the sixth 48; can you tell me how many boys there were in the school?

41. A man walked 26 miles on Monday, 34 on Tuesday, 46 on Wednesday, 37 on Thursday, on Friday being unable to walk, he procured a horse and rode 41 miles, and completed his journey on Saturday, having travelled that day 67 miles; how many miles did he travel during the week?

42. A gentleman planted on his property 478 oaks, 748 beeches, 64027 firs, 409 apple trees, 1764 pear trees, 878 cherry trees, and 87 peach trees; how many trees did he plant in all?

43. If James has 74 marbles, John 213, Tom 185, Henry 309, William 834, and Patrick 648; how many have they in all?

44. A farmer laid out on oxen £348, on horses £487, on sheep £964, on cows £189 or labouring utensils £209; how much did he lay out altogether?

45. In a house there were nine windows in front, and each window had twelve panes of glass. In the rear there were six windows, and each of these windows had nine panes of glass; how many panes of glass were there in all the windows?

46. A fruiterer bought six chests of oranges. In the first chest there were 468 oranges; in the second 679; in the third 804; in the fourth 979; in the fifth 1042; in the sixth 1709; how many oranges were there in all the chests?

47. A linen draper sold 46 yards of cloth on Monday 78 on Tuesday; 65 on Wednesday; the same quantity on Thursday; 64 on Friday; and 97 on Saturday; how many yards of cloth did he sell during the week?

48. A grocer received for goods sold on Monday £4; on Tuesday £6; on Wednesday £10; on Thursday £9; on Friday £13; and on Saturday as much as he had received all the former days of the week; how much did he receive during the week for goods?

SIMPLE SUBTRACTION.

Subtraction is the method of finding the difference between two numbers.

From 6237 take 4895.

RULE WITH EXAMPLE.—Place the less number under the greater, so that units may stand under units, tens under tens, &c. Draw a line under them. Begin at the units place, that is at the 5. Take 5 from 7 and 2 remain. Put down the 2 under the 5. Go on to the next figure which is 9. Take 9 from 3; this cannot be done; when this is the case, add 10 to the upper figure, which will make it 13. Take 9 from 13 and 4 remain. Put down the 4. Whenever 10 has been added, as it was to the 3, one is to be added to the next figure. Thus, add 1 to 8 which makes 9. Take 9 from 2, it cannot be done; then as before, add 10 to the 2. Now take 9 from 12 and 3 remain. Put down the 3. Add 1 to four, it will make 5. Take 5 from 6 and 1 remains. Put down the 1. The sum 1342 is called the *Remainder*, the *Difference* or the *Excess*. The number from which the subtraction is made, viz. 6237, is called the *Minuend*. The number which is subtracted, viz. 4895, is called the *Subtrahend*.

$$\begin{array}{r} 6237 \\ 4895 \\ \hline 1342 \end{array}$$

EXERCISES.

426	647	754	827	968
214	423	621	403	412
212	224	<u>173</u>	<u>424</u>	<u>556</u>
643	498	783	869	548
411	132	172	217	213
—	—	—	—	—
423	742	834	546	643
279	489	478	298	169
<u>144</u>	<u>253</u>	<u>356</u>	<u>248</u>	<u>474</u>

SIMPLE SUBTRACTION.

15

582	715	934	604	540
496	268	748	257	76
<u>86</u>	<u>447</u>	<u>186</u>	<u>347</u>	<u>464</u>

(1)	(2)	(3)	(4)	(5)
462	623	821	602	714
278	147	479	145	178
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

(6)	(7)	(8)	(9)	(10)
643	741	610	160	101
268	278	79	4	11
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

(11)	(12)	(13)	(14)
42654	36871	73268	98643
26479	17928	47296	27896
<u> </u>	<u> </u>	<u> </u>	<u> </u>

(15)	(16)	(17)	(18)
74603	91020	41021	40000
37684	12647	768	1001
<u> </u>	<u> </u>	<u> </u>	<u> </u>

(19)	(20)	(21)	(22)
42681	42890	81000	45301
19697	27601	2641	20009
<u> </u>	<u> </u>	<u> </u>	<u> </u>

(23)	(24)	(25)
41026831	614102013	148120718
278904896	178906844	74198648
<u> </u>	<u> </u>	<u> </u>

(26)	(27)	(28)
861264981	921002461	181201041
248600989	198007049	89890122

29. 741826421741—427984642814

30. 841298471312— 71489641264

31. 812014001013—107987862141

32. 431701468642— 7126142687

33. 614214687648—196412741689

34. 419000100014— 2120101706

35. From seven hundred and nine thousand four hundred and twenty-seven, take two hundred and fifty-one thousand eight hundred and seventy-two.

36. From two millions two hundred and two thousand and two, take nine hundred and ninety-six thousand and seven.

37. What is the difference between sixty-five hundred thousand and four, and twenty nine hundred thousand seven hundred and sixty?

38. How much does sixty-four thousand two hundred and four, exceed six thousand two hundred and forty-nine?

39. John lent James £9071, of this sum he has received back £999; how much has James yet to pay?

40. On a cherry tree there were 2046 cherries, of these 1875 were gathered; how many remained?

41. Columbus discovered America in the year 1492; how many years is it from that time to 1836?

42. In a certain school there are 436 boys, of these only 264 can write; how many are unable to write?

43. In one of the National Schools there are 427 boys in another there are 249; how many more are there in the one than in the other?

44. John had 202 nuts in his pocket, but there being a hole in it, he lost 96 nuts; how many had he remaining?

45. On an apple-tree there were 165 apples, the wind blew off two dozen and a half; how many were left?

46. A draper bought 4786 yards of cloth, and sold 3987 yards; how many yards has he unsold?

47. What sum added to sixty-five thousand seven hundred and ninety-six, will make one million four hundred and fifty-two thousand three hundred and thirteen?

48. I was born in the year 1828; how old shall I be in the year 1839?

SIMPLE SUBTRACTION.

49. Ireland is about 300 miles in length, and 170 miles in breadth; how much greater is the length than the breadth?

50. Ben Nevis in Scotland, the highest mountain in the British Islands, is 4350 feet above the level of the sea; the summit of Magillicuddy's Reeks, the highest point in Ireland, is 3610; what is the difference in height between these two mountains?

51. The Shannon, the largest river in the British Isles, has a course of about 170 miles. The Amazon in South America, has a course of about 3000 miles. What is the difference in length of their course?

52. The diameter of the Sun is about 883246 miles; that of the Earth about 7912; what is the difference in the diameter of the Sun and Earth?

53. The surface of the earth is nearly 200 millions of square miles, of this it is probable that 60 millions are land; how many more square miles of water than of land are there in the earth's surface?

54. The population of London in 1831, was 1,776,566. The population of Dublin is about 203,652; how many more people are there in London than in Dublin?

55. Mont Blanc in Switzerland, is the highest mountain in Europe, being 15,680 feet above the level of the sea. Chimborazo, the highest mountain in America, is about 21,000 feet in height. What is the difference in height between these two mountains?

56. Coals were discovered at Newcastle, A. D. 1234; how long is it from that time till the year 1836?

57. Since convicts were first sent to Botany Bay, it is now, viz. 1836, about 42 years; in what year were convicts first sent?

58. Sir Isaac Newton was born A. D. 1642, and died 1727; how old was he when he died?

59. Petersburg was founded by Peter the Great, A. D. 1703; how long is it from that time till the year 1836?

60. The art of printing was discovered about the year 1449; how long is it from that time to the year 1836?

MIXED QUESTIONS.

1. Tom had 264 marbles ; he gave 64 to James, 75 to William, and 42 to John ; how many had he left ?

2. A merchant had 4268 yards of cloth, on Monday he sold 146 yards, on Tuesday 97, on Wednesday 246, on Thursday 198, on Friday 364, on Saturday 497 ; how much cloth had he remaining ?

3. Three regiments went to battle, in the first there were 968 soldiers, in the second 769, and in the third 847. There were 248 men killed in the first regiment, 368 in the second, and when the regiments returned there were only 436 men in the third ; how many returned from the battle ?

4. A man had a journey of 298 miles to make, the first day he walked 42 miles, the second 36 miles, the third 31 miles, the fourth 27 miles ; how much farther had he to go ?

5. Three vessels sailed to America with emigrants, in the first vessel there were 126 men, 96 women, and 42 children ; in the second vessel there were 93 men, 37 women, and 26 children ; in the third vessel there were 43 men, 24 women, and 8 children. In the first vessel three persons died ; in the second two were washed overboard ; the third vessel was wrecked and all on board perished ; how many got safe to America ?

6. A little boy went to the Zoological Gardens to see the animals ; he laid his hat on the ground, which contained 264 nuts ; while his attention was engaged, the monkey stole 27 of his nuts ; while he was pursuing the monkey, a squirrel made off with 16 more ; how many had he remaining ?

7. The population of Cork is about 108,000 ; of Belfast 55,000 ; of Liverpool 166,000 ; of Glasgow 203,000 ; by how much does the population of London exceed all these cities, the population of it being 1,776,556 in the year 1831 ?

8. Received on Monday 247*l.* ; paid away on Tuesday 196*l.* ; received on Wednesday 349*l.* ; paid away on Thursday 402*l.* ; received on Friday 687*l.* ; paid away on Saturday 398*l.* ; what money had I still remaining ?

SIMPLE MULTIPLICATION.

Multiplication teaches us to find what a number will amount to, when it is repeated a number of times.

CASE I.—When the Multiplier does not exceed 12.

Multiply 53 by 7.

RULE WITH EXAMPLE.—Place the number by which you are to multiply under the number to be multiplied ; then say 7 times 3 make 21. Put down the 1 under the 7. Then 7 times 5 make 35, and the 2 of the 21 make 37. Put down the 37. The 53 is called the *Multiplicand* ; the 7 is called the *Multiplier* ; and the 371 is called the *Product*. The multiplicand and the multiplier taken together are called the *Factors* ; thus 53 and 7 are factors.

EXERCISES.

$\begin{array}{r} 659 \\ 2 \\ \hline 1318 \end{array}$	$\begin{array}{r} 427 \\ 2 \\ \hline 854 \end{array}$	$\begin{array}{r} 642 \\ 2 \\ \hline 1284 \end{array}$	$\begin{array}{r} 748 \\ 2 \\ \hline 1496 \end{array}$	$\begin{array}{r} 396 \\ 2 \\ \hline 792 \end{array}$
$\begin{array}{r} 486 \\ 3 \\ \hline \end{array}$	$\begin{array}{r} 968 \\ 3 \\ \hline \end{array}$	$\begin{array}{r} 687 \\ 4 \\ \hline \end{array}$	$\begin{array}{r} 983 \\ 4 \\ \hline \end{array}$	$\begin{array}{r} 758 \\ 5 \\ \hline \end{array}$
$\begin{array}{r} 806 \\ 5 \\ \hline 4480 \end{array}$	$\begin{array}{r} 793 \\ 6 \\ \hline 4758 \end{array}$	$\begin{array}{r} 378 \\ 7 \\ \hline 2646 \end{array}$	$\begin{array}{r} 596 \\ 8 \\ \hline 4768 \end{array}$	$\begin{array}{r} 974 \\ 9 \\ \hline 8766 \end{array}$
$\begin{array}{r} 742 \\ 10 \\ \hline \end{array}$	$\begin{array}{r} 856 \\ 11 \\ \hline \end{array}$	$\begin{array}{r} 597 \\ 12 \\ \hline \end{array}$	$\begin{array}{r} 903 \\ 6 \\ \hline \end{array}$	$\begin{array}{r} 609 \\ 8 \\ \hline \end{array}$
$\begin{array}{r} (1) \\ 4276 \\ 4 \\ \hline \end{array}$	$\begin{array}{r} (2) \\ 67287 \\ 2 \\ \hline \end{array}$	$\begin{array}{r} (3) \\ 86453 \\ 5 \\ \hline \end{array}$	$\begin{array}{r} (4) \\ 75268 \\ 3 \\ \hline \end{array}$	

(5) 9468 <u> 7</u>	(6) 84076 <u> 8</u>	(7) 43256 <u> 9</u>	(8) 74879 <u> 10</u>
----------------------------	-----------------------------	-----------------------------	-----------------------------

(9) 45687 <u> 11</u>	(10) 96854 <u> 12</u>	(11) 63875 <u> 9</u>	(12) 47389 <u> 12</u>
-----------------------------	------------------------------	------------------------------	------------------------------

- | | |
|----------------------------|----------------------------|
| 13. Multiply 87546 by 4 | 22. Multiply 98327 by 2 |
| 14. — 7 | 23. — 7 |
| 15. — 9 | 24. — 4 |
| 16. — 6 | 25. — 8 |
| 17. — 3 | 26. — 6 |
| 18. — 5 | 27. — 5 |
| 19. — 10 | 28. — 9 |
| 20. — 11 | 29. — 12 |
| 21. — 12 | 30. — 11 |

CASE II.—When the Multiplier is a Composite number.*

Multiply 436 by 32.

RULE WITH EXAMPLE.—The multiplier, viz. 32, is formed by the two factors 4 and 8; therefore instead of multiplying by 32, you may multiply by 4, and obtain the product 1744. Multiply this product by the other factor, 8, and you obtain 13952, the product of the 436 multiplied by 32.

$$\begin{array}{r}
 436 \\
 \times 4 \\
 \hline
 1744 \\
 \times 8 \\
 \hline
 13952
 \end{array}$$

- | | |
|-----------------|------------------|
| 31. 426478 × 16 | 37. 368745 × 54 |
| 32. 743687 × 18 | 38. 246876 × 56 |
| 33. 968748 × 24 | 39. 784978 × 72 |
| 34. 674867 × 27 | 40. 204074 × 108 |
| 35. 643067 × 36 | 41. 436876 × 132 |
| 36. 426456 × 49 | 42. 496876 × 144 |

* A composite number is the product of two factors; thus, 16 is a composite number, because formed of the factors 2 and 8, or 4 and 4; 21 is formed of 3 and 7; 27 of 3 and 9; 36 of 4 and 9, or 6 and 6, or 1 and 12.

CASE II *When the Multiplier contains several figures.*

Multiply 3426 by 342.

RULE WITH EXAMPLE.—Place the multiplier under the multiplicand, units under units, &c. Multiply by the unit figure of the multiplier, viz. 2. Then multiply by the next figure of the multiplier, viz. 4; thus, 4 times 6 make 24, but take notice that you are to place the 4 of the 24 directly under that figure of the multiplier by which you are multiplying. Proceed in the same manner with the figure 3 of the multiplier. Then add together the products obtained.

```

3426
 342
6852
13704
10278
1171692

```

Multiply 6487 by 230.

```

      230
    -----
    194610
    12974
    -----
    1492010

```

Multiply 6487 by 203.

```

      203
    -----
    19461
    129740
    -----
    1316861

```

43. Mult. 98476 by 642

44. — 758

45. — 295

46. — 496

47. — 857

48. — 4368

49. — 7896

50. — 3654

51. Mult. 65839 by 958

52. — 627

53. — 369

54. — 426

55. — 704

56. — 8743

57. — 6007

58. — 9864

59. Multiply sixty-four thousand eight hundred and fifty-two, by nine hundred and eighty-seven.

60. Multiply four hundred and fifty-eight thousand six hundred and ninety-four, by eight thousand and seventy-six.

61. Multiply nine hundred and eighty-six thousand seven hundred and forty, by four hundred and nine.

62. There are 8766 hours in the year; how many hours are there in 20 years?

63. A grocer sells goods to the amount of £56 per week how much does he sell during the year?

64. In a flock of 648 sheep: how many feet were there?

65. Suppose the page of a book to contain 49 lines, and each line 47 letters; how many letters does the whole page contain?

66. In 264 dozen of wine, how many bottles are there?

67. A gentleman dying gave orders in his will that his fortune should be equally divided among his five children; each received £648; how much money did he leave?

68. Suppose that there were in the parish 896 houses, and that each house in the parish contained five persons; what would be the population of that parish?

69. A father has five children, their food and clothing cost him two pence each day; how many pence each does the support of the children come to in the year?

70. There were in a garden eight trees, and upon each tree there were 268 apples, how many apples were there upon all the trees?

71. There were 4768 geese plucked, and 17 quills got from each goose; how many quills were got from all?

72. There were 27 desks to be made for the school, and each desk required 29 nails; how many nails were required for all the desks?

73. In a school, there were six windows in the boys' room, and four in the girls' room; in each window there were eight panes of glass; how many panes of glass were there in all?

74. I knew two boys, one of them was lazy and lay in bed till nine, the other was an active little fellow who rose every morning at six, how many hours did the active boy gain in a year that the other lost?

75. How often does a clock strike in a year at the rate of 156 times a day?

76. How many pins may a boy point in 6 days who works 8 hours a day, and points 16,000 pins in an hour?

77. A gentleman bought an estate containing 5,968 acres, at the rate of 26*l.* per acre; how much did he pay for the estate?

78. How many miles will a person travel in 34 years, supposing he travels 5 miles per day, and there are 365 days in the year?

SIMPLE DIVISION.

Division is the method of finding how often one number is contained in another.

CASE I.—When the Divisor does not exceed 12



Divide 252 by 6.

RULE WITH EXAMPLE.—Put the numbers down according to the annexed example. Find how often 6)252 the figure by which you are to divide, viz. 6 is $\overline{42}$ contained in the first, or first and second figures; thus, 6 in 2, there are none, then 6 in 25; there are 4 sixes in 25 and 1 over. Put down the 4 under the 5. Suppose the 1 placed before the 2, which would make it 12. Say 6 in 12. There are 2 sixes in 12. Put the 2 under the 2. The number 6 is called the *Divisor*; 252 the *Dividend*; and 42 the *Quotient*.

EXERCISES.

$\begin{array}{r} 2)4628 \\ \hline 2314 \end{array}$	$\begin{array}{r} 2)6824 \\ \hline 3412 \end{array}$	$\begin{array}{r} 3)6039 \\ \hline 2013 \end{array}$	$\begin{array}{r} 4)8408 \\ \hline 2102 \end{array}$
$\begin{array}{r} 2)47658 \\ \hline 23829 \end{array}$	$\begin{array}{r} 3)76389 \\ \hline 25463 \end{array}$	$\begin{array}{r} 4)85736 \\ \hline 21434 \end{array}$	$\begin{array}{r} 6)76590 \\ \hline 12765 \end{array}$
$\begin{array}{r} (1) \\ 4)27645 \\ \hline \end{array}$	$\begin{array}{r} (2) \\ 5)68764 \\ \hline \end{array}$	$\begin{array}{r} (3) \\ 6)79687 \\ \hline \end{array}$	$\begin{array}{r} (4) \\ 7)80620 \\ \hline \end{array}$
$\begin{array}{r} (5) \\ 8)76426 \\ \hline \end{array}$	$\begin{array}{r} (6) \\ 9)28676 \\ \hline \end{array}$	$\begin{array}{r} (7) \\ 10)64268 \\ \hline \end{array}$	$\begin{array}{r} (8) \\ 11)46267 \\ \hline \end{array}$
$\begin{array}{r} (9) \\ 12)76426872 \\ \hline \end{array}$	$\begin{array}{r} (10) \\ 8)42687642 \\ \hline \end{array}$	$\begin{array}{r} (11) \\ 7)96402687 \\ \hline \end{array}$	

$$\begin{array}{r} (12) \\ 9)64268762 \\ \hline \end{array}$$

$$\begin{array}{r} (13) \\ 12)46876876 \\ \hline \end{array}$$

$$\begin{array}{r} (14) \\ 8)46876400 \\ \hline \end{array}$$

$$\begin{array}{r} (15) \\ 6)76002041 \\ \hline \end{array}$$

$$\begin{array}{r} (16) \\ 9)4302601 \\ \hline \end{array}$$

$$\begin{array}{r} (17) \\ 7)41260602 \\ \hline \end{array}$$

18. Divide 56472689 by 2	29. Divide 74968023 by 2
19. ——— — 3	30. ——— — 3
20. ——— — 4	31. ——— — 4
21. ——— — 5	32. ——— — 5
22. ——— — 6	33. ——— — 6
23. ——— — 7	34. ——— — 7
24. ——— — 8	35. ——— — 8
25. ——— — 9	36. ——— — 9
26. ——— — 10	37. ——— — 10
27. ——— — 11	38. ——— — 11
28. ——— — 12	39. ——— — 12

CASE II.—When the Divisor is a Composite number.

Divide 6789 by 28.

RULE WITH EXAMPLE.—The two factors that produce 28, are 4 and 7; divide then by 4 and by 7 as in the example. The quotient found is 242, but with two remainders, viz., 3 and 1. To obtain the complete remainder, multiply the first divisor, viz. 4, by the last remainder, viz. 3, and to the product add the first remainder, viz. 1;—thus, $4 \times 3 + 1 = 13$ the true remainder.

$$28 \left\{ \begin{array}{l} 4)6789 \\ 7)1697 \text{ remains } 1 \\ \quad \underline{242} \text{ remains } 3 \end{array} \right.$$

40. 426478 ÷ 16	46. 368745 ÷ 54
41. 743687 ÷ 18	47. 246876 ÷ 56
42. 968748 ÷ 24	48. 784978 ÷ 72
43. 674867 ÷ 27	49. 204076 ÷ 108
44. 643067 ÷ 36	50. 436876 ÷ 132
45. 426456 ÷ 49	51. 496876 ÷ 144

CASE III.—*When the Divisor contains several figures.*

Divide 431769 by 528.

RULE WITH EXAMPLE.*—Put down the sum in this form. Consider whether the divisor, viz. 528, is contained in the first three figures of the dividend, viz. 431; you see at once that it is not; mark off then four figures, viz. 4317. You are now to find how often 528 is contained in 4317; for this purpose find how often the first figure of the divisor, viz. 5, is contained in the first two figures of the dividend, viz. 43. It is contained 8 times; put the 8 on the opposite side of the dividend from the divisor. Multiply 528 by 8, and put the product under the 4317; subtract, and there remains 93; bring to this the next figure of the dividend, viz. 6. You are now to find how often the divisor, 528, is contained in your new dividend, 936; find, as you did before, how often the first figure of the divisor, 5, is contained in the first figure of the dividend, 9. It is contained once; put the one beside the 8; multiply 528 by 1, and place the product under the 936; subtract and you obtain 408; bring to this the next figure of the dividend, 9. Find, as before, how often 528 is contained in 4089. Because 5 is contained 8 times in 40, you will be inclined to try 8. Do it and you will find that you obtain the product 4224, but this is greater than the 4089 from which you have to subtract it; when this is the case you must try a smaller figure, in this case take 7.

$$\begin{array}{r}
 528)4317,69(817 \text{ quotient} \\
 \underline{4224} \\
 936 \\
 \underline{528} \\
 4089 \\
 \underline{3696} \\
 393 \text{ remainder.}
 \end{array}$$

52. Divide 74236 by 42	56. Divide 74236 by 46
53. — 43	57. — 689
54. — 41	58. — 799
55. — 45	59. — 410

* This is rather a difficult Rule to understand, and I think your Teacher could explain it to you, by means of a black board and a bit of chalk much better than I can hope to do by any written explanation; yet, if you pay attention, I shall do my best to make you understand it.

60. Divide 87403 by 611	76. 842786 ÷ 78
61. ——— 312	77. 976842 ÷ 946
62. ——— 584	78. 4201076 ÷ 438
63. ——— 708	79. 6416879 ÷ 648
64. ——— 246	80. 2864976 ÷ 396
65. ——— 357	81. 2876407 ÷ 4107
66. ——— 428	82. 6412930 ÷ 7481
67. ——— 502	83. 9800147 ÷ 3076
68. ——— 618	84. 4078948 ÷ 4278
69. ——— 736	85. 7198641 ÷ 2864
70. ——— 418	86. 3641201 ÷ 1407
71. ——— 164	87. 2480708 ÷ 2600
72. ——— 857	88. 7864126 ÷ 7410
73. ——— 521	89. 3002602 ÷ 8000
74. ——— 403	90. 4020264 — 9600
75. ——— 684	91. 9687600 — 4300

92. Divide six millions seven hundred and ninety-four thousand, by four hundred and eighty thousand six hundred and nine.

93. Divide £79648 among 274 persons.

94. What is the ninth of £6037?

95. A ship sailed in four weeks 1262 miles; how much is that per day?

96. If a vessel contains 648 gallons of water, how long will it take to discharge it all, at the rate of 18 gallons an hour?

97. The population of Ireland is about eight millions, and there are about 30,000 square miles of surface; how many persons to each mile?

98. The earth is about 93 millions of miles distant from the sun; how many days would a horse take in reaching the sun, supposing he went at the rate of 45 miles per day?

99. The rays of light come from the sun to the earth in 84 minutes, or 495 seconds; at what rate does light move per second, the distance from the sun to the earth being 95173000 miles?

100. The circumference of the earth is about 25000 miles; how long would a man take to walk round it at the rate of 27 miles per day?

COMPOUND ADDITION.

Add together the following sums of money; £64 12s. 4½d.,
£86 15s. 6½d., £14 16s. 5¾d., £34 17s. 9¼d.

RULE WITH EXAMPLE.—Place pounds under pounds, shillings under shillings, &c. and draw a line under the row of figures; first add the farthings together; thus, 3 farthings and 3 farthings make 6 farthings, 6 and 2 make 8, and 1 makes 9; but are equal to 2½. Put the ½ under the farthings, and add the 2 pence to the pence column. Then 2 pence and 9 pence make 11, and 5 make 16, and 6 make 22, and 4 make 26; but 26 pence are equal to 2 shillings and 2 pence. Put the 2 pence under the pence column and add the 2 shillings to the shilling column; then 2 shillings and 7 shillings make 9, and 6 make 15, and 5 make 20, and 2 make 22; now come down the column adding the tens, 22 and 10 (of the 12) make 32, and 10 (of the 15) make 42, and 10 make 52, and 10 make 62. 62 shillings are equal to 3 pounds 2 shillings; set the two shillings under the shilling column, and carry the three pounds to the pound column. Proceed as in Simple Addition. The principles on which the operation depend are the same as for Simple Addition; only that the columns here do not differ from each other in a tenfold degree.

£	s.	d.
64	12	4½
86	15	6½
14	16	5¾
34	17	9¼
201	2	2¼

EXERCISES.

£	s.	d.	£	s.	d.	£	s.	d.
42	14	6½	64	12	7	12	16	4¾
26	12	4½	36	18	4½	16	4	6½
34	16	7	27	14	2½	64	17	2¾
25	13	8¾	42	11	10½	43	12	7½
129	17	2½	171	17	0½	137	10	3¼
(1)			(2)			(3)		
43	16	7¾	65	12	4	36	13	4½
65	13	4	72	17	6¾	12	8	6¼
84	12	2½	13	8	7½	11	19	10½
92	11	3	16	14	8¼	17	14	8¾
41	16	6¾	72	12	4¼	28	12	6¼

(4)		
462	16	2
785	17	6 $\frac{1}{4}$
696	13	8 $\frac{1}{2}$
846	14	7 $\frac{1}{4}$
765	12	4
346	7	9 $\frac{3}{4}$

(5)		
684	14	0 $\frac{1}{2}$
273	0	4
856	12	6 $\frac{3}{4}$
276	13	7 $\frac{1}{2}$
842	15	4 $\frac{1}{4}$
687	17	7 $\frac{3}{4}$

(6)		
732	12	7 $\frac{1}{4}$
416	17	2
178	0	4 $\frac{1}{2}$
423	4	0 $\frac{3}{4}$
146	16	10 $\frac{1}{4}$
876	19	6 $\frac{1}{2}$

(7)		
623	16	4 $\frac{1}{4}$
846	14	6
764	12	7 $\frac{1}{2}$
276	11	4
876	10	5 $\frac{3}{4}$
798	4	10
473	16	11 $\frac{1}{4}$

(8)		
264	16	6
146	17	8 $\frac{1}{2}$
869	19	7 $\frac{1}{4}$
796	18	0
210	6	4
407	2	2 $\frac{3}{4}$
864	17	6 $\frac{1}{2}$

(9)		
560	16	9 $\frac{1}{4}$
206	14	4
378	12	8 $\frac{3}{4}$
924	17	1
623	9	4
146	16	7 $\frac{1}{2}$
876	11	10 $\frac{3}{4}$

(10)		
568	17	6 $\frac{1}{4}$
786	14	4
249	16	1
304	13	6 $\frac{3}{4}$
160	14	2 $\frac{1}{2}$
746	0	3 $\frac{1}{2}$
876	7	1
416	19	10 $\frac{3}{4}$

(11)		
726	16	4 $\frac{1}{2}$
894	17	6 $\frac{1}{2}$
107	14	5 $\frac{1}{2}$
645	12	10 $\frac{3}{4}$
346	16	7
568	7	1 $\frac{3}{4}$
725	16	0 $\frac{1}{2}$
268	10	6 $\frac{1}{4}$

(12)		
143	14	4
402	16	7 $\frac{1}{2}$
156	17	0 $\frac{3}{4}$
876	18	6 $\frac{1}{2}$
130	14	1
679	11	4 $\frac{1}{4}$
846	10	3 $\frac{1}{2}$
765	16	5 $\frac{3}{4}$

(13)		
	s.	d.
A pair of gloves	.. 2	6
— stockings	... 3	4
— shoes 9	6

(14)		
	s.	d.
A coat 14	
Waistcoat 5	1 $\frac{1}{2}$
Hat 10	

(15)			(16)				
	£	s. d.		£	s. d.		
For paving yard	4	7	0	40 copy books	1	4	0
—new-laying floor	2	5	6	100 slates	0	10	6
1600 bricks	1	16	0	100 slate pencils	0	0	8
For mortar	0	14	6	8 qrs. of paper	0	9	4
—hair	0	2	6	500 quills	0	7	7

17. A merchant, the first year he was in business, sold goods to the amount of 476*l.* 18*s.* 7*d.*; the second year 678*l.* 14*s.* 6½*d.*; the third year 878*l.* 7*s.* 0¾*d.*; the fourth year, 917*l.* 18*s.* 7*d.*; the fifth year 1312*l.* 19*s.* 8¾*d.*; what was the amount of goods sold during the five years?

18. Bought a quantity of goods for which I paid 496*l.* 16*s.* 6*d.*; besides this I paid for packing 6*s.* 8*d.*; for case 16*s.* 6*d.*; for cord 1*s.* 6*d.*; for portorage 4*s.*; for freight 4*l.* 11*s.* 6*d.*; carriage by wagon 13*s.*; for booking 9*d.* how much did I pay for the goods altogether?

19. A merchant purchased goods to the amount of 1468*l.* 16*s.* 7*d.*; he paid freight 27*l.* 7*s.* 6*d.*; other charges 23*l.* 14*s.* 7½*d.*; and he gained by the sale of the goods 348*l.* 19*s.* 6½*d.*; how much did he sell the goods for?

20. The expenses of building a house were as follows: architect 198*l.*; bricklayer 4762*l.*; mason 2141*l.* 16*s.* 6*d.*; carpenter 2768*l.* 17*s.* 9*d.*; plumber 896*l.* 14*s.*; glazier 478*l.* 16*s.* 6*d.*; painter 421*l.* 18*s.* 11½*d.*; and paper-hanger 243*l.* 18*s.* 1*d.*; what was the amount?

21. A merchant owes the following sums: at Liverpool 642*l.* 16*s.*; at Amsterdam 1426*l.* 18*s.* 6*d.*; at Madrid 2406*l.* 19*s.*; at Constantinople 897*l.*; at Copenhagen 786*l.* 16*s.* 8*d.*; at Lisbon 2704*l.* 17*s.* 8½*d.*; at Dresden 786*l.* 14*s.*; what was the gross amount of his debts?

22. A person went to market and laid out on the purchase of tea 2*l.* 16*s.* 7*d.*; on coffee 2*l.* 7*s.* 8¾*d.*; on sugar 3*l.* 14*s.*; on beef 2*l.* 16*s.* 6*d.*; on mutton 37*s.*; on veal 9*s.* 7½*d.*; on various other articles 3*l.* 15*s.* 7¾*d.*; how much was laid out in all?

COMPOUND SUBTRACTION.

From £64 12s. 6½*d.* take £27 18s. 8¾*d.*

RULE WITH EXAMPLES.—Place the smaller number under the greater as in Simple Subtraction. Then, 3 farthings from 2 farthings, cannot; add 4 farthings (= 1 penny,) to the 2, and 3 farthings from 6, there remain 3, place the ¾ under the farthings. Add 1 to the 8; then 9 pence from 6 pence, cannot, add 12 pence (= 1 shilling) to the 6, then 9 from 18, there remain 9, put the 9 pence under the pence. Add 1 to the 18, then 19 shillings from 12 cannot; add 20 shillings (= 1 pound) to the 12, then 19 from 32, there remain 13, place the 13 under the shillings. Carry 1 to the 7 and proceed as in Simple Subtraction.

£	s.	d.
64	12	6½
27	18	8¾
36	13	9¾

EXERCISES.

£	s.	d.
49	17	4½
17	14	2¼
32	3	2¼

£	s.	d.
64	8	3¼
27	16	7½
36	11	7¾

£	s.	d.
78	10	5½
48	18	9¾
24	11	7¾

(1)

78	14	6¼
29	17	8½

(2)

47	16	8½
28	17	6¼

(3)

86	17	4
27	19	0¾

(4)

68	13	7
28	16	10¼

(5)

94	0	0
24	17	9½

(6)

83	17	9½
47	0	0¾

(7)

88	19	8¼
7	19	8¾

(8)

17	6	7
0	19	11¼

(9)

20	11	11½
1	17	11¾

(10)

56	12	0½
17	12	0¼

(11)

24	19	8½
7	12	9

(12)

48	12	8
17	19	8½

13. From 4298*l.* 16*s.* 6½*d.* take 1490*l.* 19*s.* 8¾*d.*
14. Take 2704*l.* 19*s.* 8½*a.*, from 17024*l.* 18*s.* 0*d.*
15. How much will remain of 4968*l.* if you take away 1467*l.* 19*s.* 6¼*d.*?
16. I lent John 2046*l.* 15*s.* 0*d.*; he has paid me 1276*l.* 14*s.* 9*d.*; how much does he still owe me?
17. A person was sent to the Bank to receive 467*l.*; in returning he lost two fifty pound notes, and three ten pound notes; how much had he remaining?
18. There were two houses worth 246*l.* 18*s.* 0*d.*; one of them was sold for 121*l.* 16*s.* 6*d.*; what was the value of the other house?
19. A cow and calf were worth 16*l.* 7*s.* 10½*d.*; but the calf alone was worth 2*l.* 6*s.* 7¾*d.*; can you tell me the value of the cow?
20. A farmer owed 164*l.* 10*s.* 0*d.*; he gave to his creditors a horse worth 24*l.*; a cow worth 16*l.* 14*s.* 6*d.*, and a plough worth 13*l.* 16*s.*; how much was still due?
21. Bought a quantity of goods for 1426*l.* 16*s.*; sold them for 1537*l.* 18*s.* 6½*d.*; what was the profit?
22. A vessel, with its cargo, was worth fifty-six thousand four hundred and thirty-nine pounds; the cargo was worth thirty-four thousand nine hundred and nine pounds, eight shillings and six-pence; what was the value of the ship?
23. A tradesman borrowed 1243*l.*; in January he paid 236*l.* 15*s.*, in April 197*l.* 12*s.* 6*d.*; in August 349*l.* 18*s.* 8*d.*, and in December 283*l.*; how much does he yet owe?
24. A young man had in the Savings Bank 124*l.* 10*s.* 6*d.*. Being sick and unable to work he drew out 8*l.* 4*s.* 8*d.*. After this he went into business and laid out in the purchase of stock 42*l.* 16*s.* 6*d.*; and for fixtures 14*l.* 1*s.*; what sum had he still in the bank?
25. A merchant has in cash 568*l.* 17*s.* 6*d.*; goods valued at 4794*l.* 18*s.*; a house worth 809*l.*; a ship worth 894*l.*; debts due to him 749*l.* 16*s.* 9¾*d.*. He owes for goods 2475*l.* 16*s.*; an architect 374*l.* 19*s.*; and various other sums that come to 798*l.* 17*s.* 9½*d.*; what is his net stock?

COMPOUND MULTIPLICATION.

CASE I.—When the Multiplier does not exceed 12.

Multiply £6 12s. 4½d. by 7.

RULE WITH EXAMPLE.—Begin Multiplying the farthings by 7. Thus, 7 times ½ are 3½, set down ½ and carry 3 to the pence; 7 times 4d. are 2s. 4d., and 3 carried are 2s. 7d.; set down 7 under the pence and carry 2; 7 times 12 are 84 and 2 carried are 86s. which is equal to 4l. 6s.; set down the 6 under the shillings, and carry 4; 7 times 6 are 42 and 4 carried make 46l. Place it under the pounds.

$$\begin{array}{r}
 \text{£} \quad \text{s.} \quad \text{d} \\
 6 \quad 12 \quad 4\frac{1}{2} \\
 \hline
 46 \quad 6 \quad 7\frac{1}{2}
 \end{array}$$

EXERCISES.

$$\begin{array}{r}
 \text{£} \quad \text{s.} \quad \text{d.} \\
 64 \quad 7 \quad 4\frac{1}{2} \\
 \quad \quad \quad 2 \\
 \hline
 128 \quad 14 \quad 8\frac{1}{2}
 \end{array}$$

$$\begin{array}{r}
 \text{£} \quad \text{s.} \quad \text{d.} \\
 43 \quad 12 \quad 6\frac{1}{2} \\
 \quad \quad \quad 3 \\
 \hline
 130 \quad 17 \quad 7\frac{1}{2}
 \end{array}$$

$$\begin{array}{r}
 \text{£} \quad \text{s.} \quad \text{d.} \\
 57 \quad 16 \quad 8\frac{1}{2} \\
 \quad \quad \quad 4 \\
 \hline
 231 \quad 6 \quad 11
 \end{array}$$

$$\begin{array}{r}
 (1) \\
 79 \quad 18 \quad 4\frac{1}{2} \\
 \quad \quad \quad 5 \\
 \hline
 \end{array}$$

$$\begin{array}{r}
 (2) \\
 68 \quad 14 \quad 9\frac{1}{2} \\
 \quad \quad \quad 6 \\
 \hline
 \end{array}$$

$$\begin{array}{r}
 (3) \\
 43 \quad 14 \quad 7\frac{1}{2} \\
 \quad \quad \quad 7 \\
 \hline
 \end{array}$$

$$\begin{array}{r}
 (4) \\
 57 \quad 17 \quad 11\frac{1}{2} \\
 \quad \quad \quad 8 \\
 \hline
 \end{array}$$

$$\begin{array}{r}
 (5) \\
 14 \quad 0 \quad 6\frac{1}{2} \\
 \quad \quad \quad 9 \\
 \hline
 \end{array}$$

$$\begin{array}{r}
 (6) \\
 87 \quad 12 \quad 4\frac{1}{2} \\
 \quad \quad \quad 10 \\
 \hline
 \end{array}$$

$$\begin{array}{r}
 (7) \\
 78 \quad 16 \quad 7\frac{1}{2} \\
 \quad \quad \quad 11 \\
 \hline
 \end{array}$$

$$\begin{array}{r}
 (8) \\
 59 \quad 19 \quad 7\frac{1}{2} \\
 \quad \quad \quad 12 \\
 \hline
 \end{array}$$

$$\begin{array}{r}
 (9) \\
 67 \quad 16 \quad 10\frac{1}{2} \\
 \quad \quad \quad 9 \\
 \hline
 \end{array}$$

$$\begin{array}{r}
 (10) \\
 68 \quad 10 \quad 11\frac{1}{2} \\
 \quad \quad \quad 8 \\
 \hline
 \end{array}$$

$$\begin{array}{r}
 (11) \\
 49 \quad 18 \quad 0\frac{1}{2} \\
 \quad \quad \quad 7 \\
 \hline
 \end{array}$$

$$\begin{array}{r}
 (12) \\
 39 \quad 19 \quad 6\frac{1}{2} \\
 \quad \quad \quad 6 \\
 \hline
 \end{array}$$

CASE II.—When the Multiplier exceeds 12

Multiply £4 6s. 3d. by 23.

RULE WITH EXAMPLE.—When the multiplier, viz. 23, is under a hundred, multiply the multiplicand, 4l. 6s. 3d., by *one* ten, and the product, 43l. 2s. 6d. by the number of tens, 2; then multiply the top line, viz. 4l. 6s. 3d. by the number of units, 3; add this to the amount obtained by multiplying by the number of tens, 2; and the sum required is obtained, viz. 99l. 3s. 9d.

$$\begin{array}{r}
 \text{£ s. d.} \\
 4 \ 6 \ 3 \times 3 \\
 \hline
 10 \\
 43 \ 2 \ 6 \\
 \hline
 2 \\
 86 \ 5 \ 0 \\
 12 \ 18 \ 9 \\
 \hline
 \text{£}99 \ 3 \ 9
 \end{array}$$

Multiply 4l. 6s. 3d. by 423. When the multiplier, 423, is a hundred or above it, multiply the multiplicand, 4l. 6s. 3d. twice by 10, and the product, 43l. 5s. by the number of hundreds, 4; then multiply the product of the first 10, 43l. 2s. 6d. by the number of tens, 2; and place it under the product of the 4, under 1725l. 0s. 0d. multiply now the first line, 4l. 6s. 3d. by the number of units, viz. 3; put the product obtained under the product of the tens, and add the products of the hundreds, the tens, and the units together for the answer.—For thousands multiply by three tens, and proceed in the same manner.

$$\begin{array}{r}
 \text{£ s. d.} \\
 4 \ 6 \ 3 \times 3 \\
 \hline
 10 \\
 43 \ 2 \ 6 \times 2 \\
 \hline
 10 \\
 431 \ 5 \ 0 \\
 \hline
 4 \\
 1725 \ 0 \ 0 \\
 86 \ 5 \ 0 \\
 12 \ 18 \ 9 \\
 \hline
 1824 \ 3 \ 9
 \end{array}$$

Multiply £6 12s. 4½d. by 345.

$$\begin{array}{r}
 \text{£ s. d.} \\
 6 \ 12 \ 4\frac{1}{2} \times 5 \\
 \hline
 10 \\
 66 \ 3 \ 6\frac{1}{2} + 4 \\
 \hline
 10 \\
 661 \ 15 \ 5 \\
 3 \\
 \hline
 4985 \ 6 \ 3 = 300 \\
 264 \ 14 \ 2 = 40 \\
 33 \ 1 \ 9\frac{1}{2} = 5 \\
 \hline
 2283 \ 2 \ 2\frac{1}{2} \quad 345
 \end{array}$$

Multiply £7 8s. 5d. by 648

$$\begin{array}{r}
 \text{£ s. d.} \\
 7 \ 8 \ 5 \times 8 \\
 \hline
 10 \\
 74 \ 4 \ 2 \times 4 \\
 \hline
 10 \\
 742 \ 1 \ 8 \\
 6 \\
 \hline
 4452 \ 10 \ 0 = 600 \\
 296 \ 16 \ 8 = 40 \\
 59 \ 7 \ 4 = 8 \\
 \hline
 4808 \ 14 \ 0 \quad 648
 \end{array}$$

	£	s.	d.			£	s.	d.			
13	Mult.	64	16	7½	by 68	23.	Mult.	98	13	8½	by 81
14.	—	86	13	4½	75	24.	—	42	16	7½	45
15.	—	69	12	6½	93	25.	—	63	12	8¾	64
16.	—	648	19	7¾	68	26.	—	746	0	7¾	96
17.	—	367	16	4½	246	27.	—	820	7	6½	268
18.	—	658	13	7	478	28.	—	763	16	0¾	403
19.	—	467	15	8¾	647	29.	—	278	9	11½	784
20.	—	675	0	4½	608	30.	—	560	17	0½	434
21.	—	563	12	0¾	785	31.	—	804	0	7	658
22.	—	807	14	6½	680	32.	—	786	12	0¾	867

33. What do 4 lbs. of butter come to at 1s. 1d. per lb. ?
34. What do 6 lbs. of tea come to at 5s. 3d. per lb. ?
35. What do 7 gallons of spirits come to at 6s. 9d. per gallon ?
36. Patrick gets 1s. 9d. per day ; how much is that in 6 days ?
37. A grocer bought 12 cwt. of sugar, for which he paid 3l. 9s. 7½d. per cwt. ; how much did he pay in all ?
38. I bought eight dozen pair of gloves at 2s. 3d. per pair . what did the whole cost me ?
39. A farmer bought 12 cows ; they cost him 9l. 12s. 6d each ; how much did they all come to ?
40. Bought 11 barrels of herrings at 1l. 8s. 7½d. each ; what did the whole cost ?
41. Sold eight oxen, and gained upon each 2l. 11s 7½d how much did I gain ?
42. Bought 11 loads of hay at 3l. 17s. 7½d. each load ; how much did they come to ?
43. A gentleman spends, per day, 1l. 7s. 6d. ; how much does he spend in a year ?
44. A farmer paid in rent 246l. 16s. 6d. every year ; how much did he pay the landlord in the course of 25 years ?
45. A carpenter received 14s. 6d. per week ; what did his wages amount to in the year ?
46. What is the value of 568 ounces of gold, at 3l. 10s 6d per ounce ?

47. A person spent 12s. 6d. per day, and found that at the end of the year he had saved 25 guineas; what was his annual income?

48. A farmer bought 568 sheep; he paid for them 17. 12s 6d. each; how much did the whole flock cost him?

CASE III.*—To multiply by parts.

Multiply 4s. 8½d by 4½.

If the part be ¼ take a quarter of the multiplicand.

If the part be ½ take a half of the multiplicand.

If the part be ¾ take half and a quarter of the multiplicand, or divide the multiplicand by the under figure of the fraction, and multiply the product by the upper figure. Add the quotient thus obtained to the product obtained by multiplying the multiplicand by the whole number in the multiplier. This latter way applies to any fractional part.

s.	d.
4	8½
	4½
18	10
2	4½
1	1 2½

half of top line

Multiply £4 4s. 8d. by 4½.

£	s.	d.	
4	4	8	
		4½	
16	18	8	
2	2	4=½ of top line.	} = 4
1	1	2=¼ of top line.	
20	2	2	

£	s.	d.
4	4	8
		4½
16	18	8
3	3	6=¾ of top line.
20	2	2

- | | | |
|--|--|--|
| <p>49. Mult. 4 2 6 by 4½</p> <p>50. — 7 16 7½</p> <p>51. — 28 19 8½</p> <p>52. — 87 13 9½</p> <p>53. — 874 12 10½</p> <p>54. — 478 14 6½</p> | | <p>55. Mult. 7 8 9½ by 7½</p> <p>56. — 4 19 8½</p> <p>57. — 48 17 6½</p> <p>58. — 59 14 7½</p> <p>59. — 796 13 4½</p> <p>60. — 864 16 0½</p> |
|--|--|--|

* Let the pupil omit Case III., till he understands Case I. of Compound Division.

COMPOUND DIVISION.

CASE I.—When the Divisor does not exceed 12

Divide £8 12s. 7½d. by 6.

RULE WITH EXAMPLE.—Proceed thus, 6 in £ once and 2 over, set down the 1 under the £. and carry 40s. for the 2l. to the 12; then 6 in 52, 8 times and 4 over, set down the 8 and carry 48d. for the 4s. to the 7; then 6 in 55, 9 times and 1 over, set down the 9 and carry 4 farthings to the farthing, 4 and 2 are 6, 6 in 6 once; set down ¼.

$$\begin{array}{r} \text{£} \quad \text{s.} \quad \text{d} \\ 6 \overline{) 8 \ 12 \ 7\frac{1}{2}} \\ \underline{1 \ 8 \ 9\frac{1}{4}} \end{array}$$

EXERCISES.

2) 74 16 8½

$$\underline{\text{£}37 \ 8 \ 4\frac{1}{4}}$$

3) 76 12 2¾

$$\underline{\text{£}25 \ 10 \ 8\frac{1}{2}-2}$$

	£	s.	d.		£	s.	d.	
1. Divide	68	17	9½	by 2	12. Divide	98	14	7¼ by 7
2.	42	12	3¾	3	13.	47	13	6½ 8
3.	69	18	7¾	4	14.	67	19	1¼ 9
4.	748	15	0½	5	15.	864	1	7¾ 13
5.	176	19	10¾	6	16.	587	14	10½ 6
6.	407	14	2½	7	17.	311	7	11¼ 5
7.	8647	17	11¾	8	18.	4000	18	0½ 10
8.	7508	13	6½	9	19.	8681	11	3½ 12
9.	5060	0	7¼	10	20.	7010	18	0¼ 9
10.	8687	18	11¾	11	21.	3671	2	11½ 8
11.	4711	11	7½	12	22.	8762	17	0¾ 12

23. A tradesman had in the savings' bank 96l. 16s. 6d.; this sum he had saved in 5 years; how much did he save on an average each year?

24. Ten men rented a house at 46l. 14s. 8d.; how much had each to pay?

25. A father left 426l. 16s. 6d. to be divided equally among his eight children; how much did each get?

26. Twelve persons subscribed 28l. 15s. 6d. per annum, for the support of a school; how much did each subscribe?

27. A piece of cloth containing nine yards was bought for 4l. 16s. 8d.; how much was that per yard?

28. Bought nine dozen bottles of wine, for which I paid 16 £ 7s. 9d.; what did I pay per dozen?

29. Nine vessels imported goods, valued at 79687l 16s.; what was the average value of each cargo?

CASE II.—When the Divisor exceeds 12.

Divide £64 7s. 8½d. by 47.

RULE WITH EXAMPLE.—Divide the pounds as in simple long division. Multiply the remainder, 17, by 20, adding to it the shillings, 7. Divide again as in simple division. Multiply the remainder, 18, by 12, adding to it the pence, 8. Divide again as in simple division; multiply the remainder, 36, by 4, adding to it the farthings and divide as before. The quotient then is 1l. 7s. 4¾d with 5 of a remainder

47)64	7	8½	(1
	47		
	17		
	20		
47)347	(7		
	329		
	18		
	12		
47)224	(4		
	188		
	36		
	4		
47)146	(3		
	141		
	5		remain

	£	s.	d.			£	s.	d.	
31. Divide	47	16	4½	by 28	33. Divide	69	19	7¾	by 4
32.	78	15	6¼	37	40.	97	13	6½	76
33.	487	19	7¾	146	41.	647	14	7¾	196
34.	798	17	0½	365	42.	870	0	6½	264
35.	980	7	6¼	478	43.	993	19	7¾	489
36.	6427	14	9¾	942	44.	7086	8	0½	785
37.	7063	0	11½	806	45.	9403	17	6¾	908
38.	4317	6	8¼	718	46.	7608	16	4½	759

CASE III.—When the Divisor contains a fraction.

Divide £24 4s. 6½d. by 2½.

RULE WITH EXAMPLE.—Multiply both the dividend and the divisor by the under figure of the fraction, 2, adding in the upper figure 1, to the product of the divisor; and divide by short or long division as the case may require.

$$\begin{array}{r} \text{£} \quad \text{s.} \quad \text{d.} \\ 2\frac{1}{2})24 \quad 4 \quad 6\frac{1}{2} \\ \underline{2} \\ 2 \\ \underline{5} \\ 48 \quad 9 \quad 1 \\ \underline{9} \\ 9 \quad 18 \quad 9\frac{1}{2} \quad \frac{1}{2} \end{array}$$

	£	s.	d.		£	s.	d.
47. Divide	42	14	6½	by	3½		
48.	64	17	7¼		6¼		
49.	97	18	8¼		7¼		
50.	847	12	5½		47½		
51.	948	17	6½		76½		
52.	408	0	10½		43¾		
53. Divide	64	17	6½	by	4¼		
54.	87	14	2¼		9½		
55.	38	12	5¼		8¾		
56.	789	0	6¼		78½		
57.	807	16	10¼		84¾		
58.	978	17	6¼		96¾		

59. A farmer rents a farm at 596*l.* 16*s.* 6*d.* per annum; he wishes to lay past as much every week as may pay the rent; how much must he save each week?

60. A merchant gained 14687*l.* in 15 years; what was his average gain per year?

61. In a large town there were 4768 children educated by 56 teachers; how many pupils on an average to each teacher?

62. A manufacturer paid in wages each week 246*l.* 17*s.* 6*d.*; there were 321 workmen; how much did each man receive?

63. There are about eight hundred millions of people in the world, and it is thought that as many die in 32 years; how many die on an average in a year?

64. If so many die in a year, how many die in an hour, there being 8765 hours in a year?

65. A prize of 7257*l.* 3*s.* 6*d.* is to be divided equally among 500 sailors; what is each man's share?

66. A gentleman had an estate of 3468 acres, for which he received per annum 879*l.* 16*s.* 8*d.*; how much was it let for per acre?

67. A tax gatherer collected 747*l.* 15*s.* 6*d.* per month, the first six months of the year; and 547*l.* 17*s.* 8*d.* per month the last six months of the year; how much did he collect daily on an average for the whole year?

68. In a savings' bank in a village there was deposited 269*l.* 17*s.* 8*d.*; and there were 56 depositors, or people who had placed money in the bank; how much had each deposited on an average?

CASE IV.—When the Divisor contains several denominations

Divide £32 16*s.* 8*d.* by £7 8*s.* 4*d.*

RULE WITH EXAMPLE.—
Bring both divisor and dividend to the same denomination, and proceed as in simple division. The answer will be of the denomination that the divisor and dividend have been reduced to.

£	s.	d.)	£	s.	d.
7	8	4)	32	16	8
	20				20	
					656	
	148				12	
					7880	(4 <i>d.</i>
	12				7120	
					760	
	1780				4	
					3040	($\frac{1}{4}$)
					1780	
					1260	rema.

		£	s.	d.		£	s.	d.
69	Divide	764	16	9	by	364	14	7
70	—	987	13	8 $\frac{1}{4}$	—	249	17	8 $\frac{1}{4}$
71.	—	847	10	0 $\frac{1}{4}$	—	24	19	7 $\frac{1}{4}$
72.	—	210	3	4 $\frac{1}{2}$	—	120	16	0 $\frac{1}{2}$
73.	—	901	12	10 $\frac{1}{2}$	—	710	10	4 $\frac{1}{2}$
74.	—	7826	13	3 $\frac{1}{4}$	—	637	14	7
75.	—	9368	14	3 $\frac{1}{2}$	—	42	7	0 $\frac{1}{2}$
76.	—	2010	16	0 $\frac{1}{2}$	—	760	13	8 $\frac{1}{2}$
77.	—	8103	12	1 $\frac{1}{2}$	—	213	12	1 $\frac{1}{2}$
78.	—	4100	0	0 $\frac{1}{4}$	—	891	14	3 $\frac{1}{4}$
79.	—	8968	13	7 $\frac{1}{2}$	—	491	12	0 $\frac{1}{2}$

REDUCTION.

REDUCTION is the bringing of one denomination to another without altering its value.

CASE I.—*To bring from a higher to a lower.*

RULE WITH EXAMPLE.—Multiply by as many of the less as make one of the greater. Thus to bring 2*l.* to shillings, multiply 2 by 20, because there are 20*s.* in a pound.

$$\begin{array}{r} \text{£}2 \\ 20 \\ \hline 40\text{s} \end{array}$$

CASE II.—*To bring a lower to a higher.*

RULE WITH EXAMPLE.—Divide by as many of the less as make one of the greater. Thus to bring 40 shillings to pounds, divide by 20, because there are 20 shillings in a pound.

$$\begin{array}{r} \text{s.} \\ 2,0)4,0 \\ \hline \text{£}2 \end{array}$$

Bring £4 9*s.* 6½*d.* to farthings.

Multiply the 4 by 20, and add the 9*s.* to the product, this will give the number of shillings, 89*s.* Multiply then by 12 adding 6 pence, this will give the number of pence; 1074*d.* Multiply by 4, and add the two farthings to the product; this will give the number of farthings, in 4*l.* 9*s.* 6½*d.*

$$\begin{array}{r} \text{£} \quad \text{s.} \quad \text{d} \\ 4 \quad 9 \quad 6\frac{1}{2} \\ 20 \\ \hline 89 \\ 12 \\ \hline 1074 \\ 4 \\ \hline 4298 \end{array}$$

Bring 4298 farthings to pounds.

Divide the farthings by 4, this will give 1074 pence and 2 farthings. Divide this by 12, and £9 shillings and sixpence is obtained. Divide by 20, and the quotient is 4 pounds 9 shillings in all 4*l.* 9*s.* 6½*d.*

$$\begin{array}{r} 4)4298 \\ 12)1074-\frac{1}{2} \\ \hline 2,0)8,9 \quad 6 \\ \hline \text{£}4 \quad 9 \quad 6-\frac{1}{2} \end{array}$$

EXERCISES

1. How many farthings are there in 12*l.* 7*s.* 6½*d.*?
2. In 264*l.* 9*s.* 10*d.* how many pence?
3. Reduce 364*l.* 14*s.* 9½*d.* to farthings.
4. In 247*l.* 12*s.* 8½*d.* how many halfpence?
5. How many pence are there in 276 guineas?
6. In 298 crowns, how many farthings?
7. Reduce 364*s.* sixpences to farthings.
8. In 42768 farthings how many pence?
9. How many pounds are there in 67890 shillings?
10. In 426876 farthings, how many pounds?
11. How many guineas are there in 36789 shillings?
12. In 68794 pence, how many crowns?
13. How many fourpences are there in 37689 shillings?
14. In 2470*l.* how many crowns?
15. How many pounds in 39076 half-crowns?
16. In 29685 twopences, how many shillings?
17. In 43687 crowns, how many threepences?
18. How many fivepences are there in 4796 crowns?
19. In 76971 halfpence, how many fourpences?
20. In 798302 pounds, how many sixpences?
21. How many crowns are there in 7968 guineas?
22. In 79201 half guineas, how many seven shilling pieces?
23. How many fivepences are there in 764 pounds?
24. In 73027 farthings, how many eightpences?
25. How many half-sovereigns are there in 7642 guineas?
26. Reduce 7632*l.* 17*s.* 0¼*d.* to farthings.
27. Reduce 3010*l.* 11*s.* 8*d.* to farthings.
28. In 7324 guineas, how many ninepences?
29. How often is three farthings contained in 742*l.* 17*s.* 9¾*d.*?
30. In 7690 fourpences, how many fivepences?

WEIGHTS AND MEASURES.

EXERCISES.

AVOIRDUPOIS WEIGHT

ADDITION.

			(1)			(2)		
<i>cwt.</i>	<i>qrs.</i>	<i>lbs.</i>	<i>cwt.</i>	<i>qrs.</i>	<i>lbs.</i>	<i>qrs.</i>	<i>lbs.</i>	<i>oz</i>
4	2	12	7	3	16	1	14	12
2	3	14	8	1	19	2	24	15
6	1	7	4	2	27	3	13	7
3	2	24	8	1	13	2	17	13
<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>
17	2	1						

SUBTRACTION.

			(3)			(4)		
<i>cwt.</i>	<i>qrs.</i>	<i>lbs.</i>	<i>cwt.</i>	<i>qrs.</i>	<i>lbs.</i>	<i>qrs.</i>	<i>lbs.</i>	<i>oz</i>
16	2	12	17	1	10	19	22	12
12	3	24	10	2	27	11	26	14
<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>
3	2	16						

MULTIPLICATION.

			(5)			(6)		
<i>cwt.</i>	<i>qrs.</i>	<i>lbs.</i>	<i>cwt.</i>	<i>qrs.</i>	<i>lbs.</i>	<i>qrs.</i>	<i>lbs.</i>	<i>oz</i>
4	3	16	6	2	18	2	23	12
		4			7			9
<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>
19	2	8						

DIVISION.

			(7)			(8)		
<i>cwt.</i>	<i>qrs.</i>	<i>lbs.</i>	<i>cwt.</i>	<i>qrs.</i>	<i>lbs.</i>	<i>qrs.</i>	<i>lbs.</i>	<i>oz.</i>
3)19	3	8	6)14	2	17	9)19	11	13
<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>
6	2	12						

9. A tobacconist received 16 cwt. 2 qrs. 25 lb. of tobacco and sold 12 cwt. 3 qrs. 26 lb.; how much has he unsold?

10. A brewer bought five bags of hops ; No. 1, weighed 1 cwt. 2 qrs. 14 lb. ; No. 2, weighed 1 cwt. 3 qrs. 24 lb. ; No. 3, weighed 1 cwt. 1 qr. 27 lb. ; No. 4, weighed 1 cwt. 3 qrs. 26 lb. ; No. 5, weighed 2 cwt. 2 qrs. 25 lb. ; what was the weight of the whole ?

11. A grocer sold the first year he was in business 64 cwt., 3 qrs. 26 lb. 14 oz. of sugar ; the third year he was in business, he sold eight times as much ; how much did he sell in the third year ?

12. Eight hogsheads contained 168 cwt. 3 qrs. 26 lb. of sugar ; how much did each contain ?

13. A plantation produced the first year 376 cwt. 2 qrs. 16 lbs. of sugar ; the second year 473 cwt. 1 qr. 9 lbs. 15 oz. ; the third year 698 cwt. 14 lbs. 12 oz. ; the fourth year 568 cwt. 3 qrs. 13 oz. ; the fifth year 737 cwt. 2 qrs. 13 lbs. 10 oz. 13 drams ; how much sugar was produced on the plantation in these five years ?

14. A grocer bought 3 hhds. of sugar, each containing 4 cwt. 1 qr. 13 lbs. The first month he sold 2 cwt. 3 qrs. 14 lbs. 13 oz. ; the second month he sold 2 cwt. 2 qrs. 14 oz. 10 drams ; the third month he sold 3 cwt. 1 qr. 11 lbs. 15 drams ; how much has he on hand ?

15. What is the weight of 36 hhds. of tobacco, each hhd. weighing 5 cwt. 3 qrs. 14 lbs. 13 oz. ?

16. Eleven pieces of iron weighed 4 tons, 16 cwt. 3 qrs. ; how much did each piece weigh ?

17. Ten sacks of potatoes weighed 19 cwt. 3 qrs. 13 lbs. 14 oz. ; what was the weight of each sack ?

18. How many parcels, each containing $4\frac{1}{2}$ lbs. can be made out of 2 cwt. 2 qrs. 23 lbs. ?

19. If 36 bags of cotton, weighed 49 cwt. 3 qrs. 13 lbs., how much did one weigh ?

20. How many hogsheads of sugar, each containing 13 cwt. 2 qrs. 14 lbs. may be put on board a ship of 324 tons burden ?

21. St. Paul's bell in London weighs 5 tons 2 cwt. 1 qr. 10 lbs. ; by how much does the great bell of Moscow exceed which weighs 198 tons 2 cwt. 1 qr. ?

TROY WEIGHT.

MULTIPLICATION.

<i>lbs.</i>	<i>oz.</i>	<i>dwt.</i>	(22)			(23)		
<i>lbs.</i>	<i>oz.</i>	<i>dwt.</i>	<i>lbs.</i>	<i>oz.</i>	<i>dwt.</i>	<i>oz.</i>	<i>dwt.</i>	<i>grs</i>
18	6	14	24	3	12	43	5	14
		4			8			5
74	2	16						

DIVISION.

			(24)			(25)		
<i>lbs.</i>	<i>oz.</i>	<i>dwt.</i>	<i>lbs.</i>	<i>oz.</i>	<i>dwt.</i>	<i>oz.</i>	<i>dwt.</i>	<i>grs</i>
2)17	7	14	4)67	8	17	7)43	16	22
8	9	17						

26. A silversmith made three dozen spoons, weighing 5 lb 9 oz. 8 dwt.; a tea-pot, weighing 3 lb. 2 oz. 16 dwt. 16 grs.; two pair silver candlesticks, weighing 4 lb. 6 oz. 17 dwt.; a dozen silver forks, weighing 1 lb. 8 oz. 19 dwt. 22 grs.; what was the weight of all the articles?

27. Three dozen silver table spoons weighed 5 lb. 9 oz. 8 dwt. while three dozen silver tea-spoons weighed only 1 lb. 9 oz. 16 dwt. 18 grs.; what was the difference in weight?

28. Sold eight silver tea-pots, each weighing 3 lb. 9 oz. 16 dwt. 13 grs.; how much did they all weigh?

29. A silversmith received 36 lb. 8 oz. 14 dwt. 16 grs. of silver to make 12 tankards; what would the weight of each tankard be?

30. What is the weight of 36 ingots of silver, each ingot weighing 2 lb. 10 oz. 15 dwt.?

31. 2 lb. 4 oz. 9 dwt. of gold cost 59*l.* 16*s.* 6*d.*; what did it cost per dwt.?

32. What is the weight of 3 dozen spoons, each weighing 2 oz. 3 dwt. 19 grs.

LONG MEASURE.

ADDITION.

<i>ml.</i>	<i>fur</i>	<i>per.</i>	(33)			(34)		
			<i>fur.</i>	<i>per.</i>	<i>yd</i>	<i>per.</i>	<i>yd.</i>	<i>ft.</i>
4	6	20	7	22	2	16	3	2
6	5	13	6	22	4	17	4	1
7	4	9	9	16	3	24	5	0
6	7	12	6	14	5	23	2	2
25	7	14						

SUBTRACTION.

<i>ml.</i>	<i>fur.</i>	<i>per.</i>	(35)			(36)		
			<i>fur.</i>	<i>per.</i>	<i>yd.</i>	<i>per.</i>	<i>yd.</i>	<i>ft.</i>
4	6	20	7	10	1	16	2	1
1	7	35	2	19	4	12	4	2
2	6	25						

37. A man rode 35 miles, 2 furlongs, 34 perches; walked 24 miles, 6 furlongs, 25 perches, 2 yards; then rode again 42 miles, 7 furlongs, 4 yards; then walked again 15 miles, 4 furlongs, 38 perches, 3 yards; what was the length of his journey?

38. A traveller walked on Monday 32 miles, 5 furlongs; on Tuesday he walked 27 miles, 7 furlongs, 35 perches; how much did his journey of Monday exceed that of Tuesday?

39. A mail coach travelled at the rate of 7 miles, 5 furlongs, 25 perches, per hour; how far would it go in twelve hours?

40. A surveyor who had 19 miles, 7 roods, 36 perches, of road to keep in repair, appointed 12 men to the work; what length of road had each to attend to?

41. A man travelled in nine days 150 miles, 4 furlongs, 18 perches, 3 yards; how much did he travel per day on an average?

CLOTH MEASURE.

MULTIPLICATION.

			(42)			(43)		
<i>yds.</i>	<i>qrs.</i>	<i>nls.</i>	<i>yds.</i>	<i>qrs.</i>	<i>nls.</i>	<i>yds.</i>	<i>qrs.</i>	<i>nls.</i>
24	2	3	16	3	2	36	2	3
		4			7			9
<hr/>			<hr/>			<hr/>		
98	3	0						

DIVISION.

			(44)			(45)		
<i>yds.</i>	<i>qrs.</i>	<i>nls.</i>	<i>yds.</i>	<i>qrs.</i>	<i>nls.</i>	<i>yds.</i>	<i>qrs.</i>	<i>nls.</i>
4)25	3	2	7)64	2	3	9)36	3	1
<hr/>			<hr/>			<hr/>		
6	1	$3\frac{1}{4}$						

46. A tailor bought four pieces of cloth ; in the first there were 27 yds. 2 qrs. 3 nls. ; in the second, 39 yds. 2 qrs. 1 nl. ; in the third, 32 yds. 3 qrs. 3 nls. ; in the fourth, 47 yds. 3 qrs. 2 nls. ; how much in all ?

47. A tailor, from a piece of cloth containing 37 yds. 3 qrs. 2 nls. cut off 18 yds. 3 qrs. 2 nls. ; how much remained ?

48. A dozen weavers wove, each, 36 yds. 3 qrs. 3 nls. of cloth ; how much was woven by the whole ?

49. In nine pieces of cloth of equal length, there were 187 yds. 2 qrs. 3 nls. ; how much in each piece ?

50. A piece of cloth at 7s. 6d. per yard, cost 17l. 12s. 6d. ; how many yards were there in it ?

51. What is the difference in length of one web of cloth measuring 36 yds. 3 qrs. 3 nls. ; and two webs, each measuring 23 yds. 2 qrs. 2 nls. ?

52. How many suits of clothes can be made from a piece containing 39 yds. 2 qrs. 3 nls. ; each suit requiring 3 yds. 1 qr. 2 nls. ?

SQUARE AND LAND MEASURE.

ADDITION.

(53)			(54)					
<i>ac.</i>	<i>rd.</i>	<i>per</i>	<i>ac.</i>	<i>rd.</i>	<i>per.</i>	<i>ac.</i>	<i>rd</i>	<i>per.</i>
32	3	16	45	3	27	37	2	12
16	2	21	12	2	16	41	3	21
76	1	13	61	0	34	62	1	17
24	2	27	46	3	17	47	2	34
<hr/>			<hr/>			<hr/>		
150	1	37						

SUBTRACTION.

(55)			(56)					
<i>ac.</i>	<i>rd.</i>	<i>per.</i>	<i>ac</i>	<i>rd.</i>	<i>per.</i>	<i>ac.</i>	<i>rd.</i>	<i>per</i>
42	1	10	36	0	20	42	1	25
16	2	25	13	2	30	17	2	35
<hr/>			<hr/>			<hr/>		
25	2	15						

57. I bought four fields; in the first there were 6 acres, 3 roods, 12 perches; in the second 7 acres, 2 roods; in the third 9 acres and 13 perches; in the fourth 5 acres, 2 roods, 36 perches. How much in all?

58. A farmer sowed with wheat, a field containing 18 acres, 2 roods, 25 perches; and another with oats, containing 19 acres, 3 roods, 34 perches. How much larger was one field than the other?

59. Eight men cut down a field of hay; each man cut 3 acres, 2 roods, 27 perches. How much was mown?

60. Twelve men ploughed a field containing 16 acres, 3 roods, 35 perches. How much did each plough?

61. In a field containing 241 acres, 3 roods, 16 perches; 176 acres, 2 roods, 23 perches were sown with wheat; the remainder of the field was sown with barley; how much was sown with barley?

62. Bought 96 acres, 3 roods, 17 perches of land, for which I pay 1764*l.*; what did I pay for it per perch?

MEASURE OF CAPACITY

MULTIPLICATION.

<i>qrs.</i>	<i>bush.</i>	<i>pk.</i>	(63)			<i>qrs.</i>	<i>bush.</i>	<i>pk.</i>	(64)		
7	6	2	27	7	3	49	5	2			
		3			7			8			
23	3	2									

DIVISION.

<i>qrs.</i>	<i>bush.</i>	<i>pk.</i>	(65)			<i>qrs.</i>	<i>bush.</i>	<i>pk.</i>	(66)		
2)9	7	2	4)43	6	3	9)78	7	8			
4	7	3									

67. Sold to one man 27 qrs. 6 bushels, 3 pecks; to another 38 qrs. 4 bushels 2 pecks; to another 49 qrs. 6 bushels; and to another 58 qrs. 7 bushels 3 pecks; how much did I sell in all?

68. Lent a person 49 qrs. 2 bushels 1 peck. I have received from him 32 qrs. 3 bushels 3 pecks; how much does he still owe me?

69. John has 24 qrs. 3 bushels 2 pecks; but Tom has 10 times as much; how much has he?

70. I received 248 qrs. 6 bushels 3 pecks, and gave away a sixth part of it; how much did I give away?

71. What quantity of beer will be consumed in a year at the rate of 2 gallons 3 quarts 1 pint per day?

72. One cask contained 23 gallons 3 quarts 1 pint; another 37 gallons 2 quarts 3 gills; how much more did the one contain than the other?

73. Nine fields produced each on an average 24 loads 4 quarters 7 bushels 3 pecks; how much was the produce of the nine fields?

74. In 27 barrels there was on an average in each, 29 gallons, 3 quarts, 1 pint. how much in all?

TIME.

ADDITION.

<i>yrs.</i>	<i>wks.</i>	<i>dys.</i>	(75)			(76)		
			<i>yrs.</i>	<i>wks.</i>	<i>dys.</i>	<i>dys.</i>	<i>hrs.</i>	<i>min.</i>
21	6	3	27	36	4	35	17	6
12	16	5	43	12	4	24	18	14
41	24	4	74	43	6	52	12	5
32	13	6	27	18	5	64	13	3
<hr/>			<hr/>			<hr/>		
110	9	4						

SUBTRACTION.

<i>yrs.</i>	<i>wks.</i>	<i>dys.</i>	(77)			(78)		
			<i>yrs.</i>	<i>wks.</i>	<i>dys.</i>	<i>dys.</i>	<i>hrs.</i>	<i>min.</i>
43	4	2	32	3	4	47	12	10
24	6	5	16	7	6	17	20	40
<hr/>			<hr/>			<hr/>		
18	12	4						

79. The bricklayers were engaged about a house 23 weeks, 4 days, and 8 hours; the carpenters 14 weeks, 6 days, and 9 hours; the painters, 12 weeks, 5 days, 7 hours, and 34 minutes; the upholsterer 5 weeks, 10 hours, and 42 minutes; how long were these different workmen engaged about the house?

80. Two vessels sailed for America; one of them was 9 weeks, 6 days, and 14 hours on the voyage; the other got to America in 7 weeks, 5 days, and 19 hours; how much less time did the one go in than the other?

81. I can go to a certain town by the railway in 9 hours, 25 minutes, and 30 seconds; it would take me, at least, five times as long to go by the stage coach; how long would the coach take?

82. There are 365 days, 5 hours, 48 minutes, 57 seconds, in a solar year; how much is there in a twelfth of it?

83. How many seconds has a boy lived, who is 11 years old?

REDUCTION.

AVOIRDUPOIS WEIGHT.

1. In 7 cwt. 2 qrs. 14 lbs. ; how many pounds ?
2. In 3 qrs. 13 lbs., 12 oz. ; how many ounces ?
3. How many pounds are there in 1427 oz ?
4. Bought 24 bags of hops, each weighing 2 cwt. 2 qrs. 13 lbs. ; how many pounds in the whole ?
5. In 3 cwt. 2 qrs. 14 lbs. of sugar ; how many parcels are there, each containing half a pound ?

TROY WEIGHT.

6. In 24 lbs. of gold ; how many pennyweights ?
7. In 2468 grains of gold dust ; how many ounces ?
8. In a silver snuff-box weighing 10 oz. 16 dwt. ; how many grains ?
9. How many silver table spoons, each weighing 4 oz. 16 dwt., can be made out of 2 lbs. 8 oz. 13 dwt. of silver ?
10. What quantity of gold will it require to make twelve gold ornaments, each weighing 1 oz. 18 dwt. 12 gr. ?
11. A gentleman sent a silver tankard to a silversmith, and ordered him to make it into spoons, each to weigh 2 oz 12 dwt. ; how many spoons did he make, the tankard weighing 4 lbs. 7 oz. ?

APOTHECARIES WEIGHT.

12. In 4 lbs. 8 oz. 4 drams, 2 scr. ; how many grains ?
13. In 2487 grains, how many ounces ?
14. In 7 ounces, 5 drams, 3 scruples ; how many scruples ?
15. A patient is required to take daily 2 drams 3 scruples of bark ; how long will 7 lbs. of bark last him ?

LONG MEASURE.

16. In 76 miles, 6 furlongs; how many perches?
17. In 47968 inches; how many yards?
18. From Dublin to Liverpool is about 38 leagues; how many yards is it?
19. From Dublin to Cork is about 130 miles; how often does a coach-wheel turn round between the two places, the circumference of the wheel being 12 feet?
20. From Dublin to Belfast is about 90 miles; how often does a coach-wheel turn round between the two places, the circumference of the wheel being 12 feet?

CLOTH MEASURE.

21. In 246 yards, how many nails?
22. In 4736 nails, how many yards?
23. From a piece of linen containing 24 English ells, how many shirts can be made, each requiring $3\frac{1}{2}$ yards?
24. How many suits may be made from 26 yds. 2 qrs. each suit containing $3\frac{1}{2}$ yards?

MEASURE OF CAPACITY.

25. In 24 gallons, 2 quarts, 1 pint; how many pints?
26. In 4687 pints; how many gallons?
27. In 24 loads, 5 bushels, 3 pecks; how many pecks?
28. How many bushels are there in 4796 pecks?
29. In a hogshead of wine containing 63 gallons, how many gills are there?

TIME.

30. In 6 weeks, 3 days, 14 hours; how many hours are there?
31. In 74697 minutes; how many days?
32. How many minutes has a boy lived, who is 10 years and 6 weeks old?
33. A clock strikes 156 times during the day; how often does it strike in 6 years?

SIMPLE PROPORTION.

When we have three numbers given, this rule teaches how to find a fourth number, which may have the same proportion to the third number, that the second has to the first.

Thus, if the three given numbers be 1, 2, 3, it is required to find a fourth number which will have the same proportion to 3 that the 2 has to 1; now, the 2 is double the 1; therefore, the required number must be double of the 3, that is 6. To express proportion the numbers are put down thus $1 : 2 :: 3 : 6$, and are read thus, 1 is to 2 as 3 is to 6.

CASE I.—To find out a fourth proportional to three given numbers.

Find a fourth proportional to the numbers 4, 8, 6.

RULE WITH EXAMPLE.—Place them thus, $4 : 8 \quad 6 .$
and multiply the second and third numbers together, and divide by the first; the quotient is 12, which bears the same proportion to 6 that 8 does to 4.

$$4 \begin{array}{r} 6 \\ \hline 48 \\ \hline 12 \end{array}$$

Ans

To 3, 6, 12, find a fourth proportional 24.
To 6, 8, 3, find a fourth proportional 4.
To 3, 6, 8, find a fourth proportional 16.
To 6, 12, 4, find a fourth proportional 8
To 10, 150, 68, find a fourth proportional . . . 1020.
Find a fourth proportional to 1020, 68, 150 . . . 10.
Find a fourth proportional to 150, 10, 1020 . . . 68.
Find a fourth proportional to 68, 1020, 10 . . . 150

Find a fourth proportional to the following numbers :—

Ans.

To 2 tons, 17 tons, and 25*l.* 212*l.* 10*s*
To 10 lb., 150 lb., and 5*s.* 75*s*
To 9 yds., 36 yds., and 18*s.* 72*s*
To 5 lb., 1 lb., and 15*s.* 3*s*
To 4 yds., 18 yds, and 2*s.* 9*s*
To 1 cwt. 215 cwt. and 50*s.* 10750*s*
To 5 tons, 50 tons, and 27*l.* 270*l*

CASE II.—When the two first terms are of different denominations reduce them to the same.

To 1 oz., 112 lbs., and 2s., find a fourth proportional.

RULE WITH EXAMPLE.—Multiply the 112 lbs. by 16, to bring them to the same as the first term—viz., to ounces. When this is done the numbers stand thus—3 oz. 1792 oz. 2s.

$$\begin{array}{r}
 \text{oz. lb. s.} \\
 3 : 112 : 2 : \\
 \quad 16 \\
 \quad \hline
 \quad 672 \\
 \quad 112 \\
 \quad \hline
 \quad 1792 \\
 \quad \quad 2 \\
 \quad \quad \hline
 3)3584 \\
 \quad \hline
 \quad 1194,2
 \end{array}$$

Find the fourth proportional to the following numbers:—

Ans.

To 2 qrs. 240 yds., 12s 5760s.

To 5s. 80l., 1 yd. 320 yds.

To 5 cwt. 6000 lbs., 8s. 85s. 400 remains.

To 5s. 6d., 140s., 2 yds. 50 yds. 60 remains.

To 3s. 4d., 1l. 10s., 1 yd. 9 yds.

CASE III.—When the third term is of a different denomination reduce it to the lowest.

To 2 lbs., 112 lbs., and 5s. 6d., find a fourth proportional.

RULE WITH EXAMPLE.—Multiply the 5s. 6d. by 12 adding the 6d. It then stands thus: 2 lbs. 112 lbs. 66d. Proceed as formerly

$$\begin{array}{r}
 \text{lb. s. d.} \\
 2 : 112 : 5 \quad 6 : \\
 \quad 66 \quad 12 \\
 \quad \hline
 \quad 672 \quad 66 \\
 \quad 672 \\
 \quad \hline
 2)7392 \\
 \quad \hline
 \quad 3696 \text{ pence.}
 \end{array}$$

Find the fourth proportional to the following numbers:—

Ans.

To 2 tons, 14 tons, 28l. 10s. 3990s

To 5 brls., 100 brls., 18s. 6d. 4440d.

To 4 lbs., 112 lbs., 5½d. 588 farthings.

If 24 lbs. of butter cost £1 8s., what is the price of 3 lbs. ?

RULE WITH EXAMPLE.—In this question there are two things mentioned—butter and money. Is the answer to the question to be given in butter or money? You see at once it is to be given in money. Put down the money, 1l 8s. for the third term. Having done this, you have now to consider where you are to place the 24 lbs. and the 3 lbs. Read over the question, and you will see that the answer must be less than the third term; for 3 lbs. will not cost so much as 24 lbs. If, then, the answer is to be less, put the less number for the second term, and the greater for the first. In all questions let the third term be the same as the answer; and if the answer is to be greater than the third term, put the greater second; if it is to be less, put the less second.

24 : 3 ::	1	8	
		20	
		<u>28</u>	
		3	
}	2)	84	
	12)	<u>42</u>	
		3s. 6d.	

1. If 2 lbs. of tea cost 9s. ; what will 24 lbs. cost ?
2. If 4 lbs. of coffee cost 8s. 8d. ; what will 36 lbs. cost ?
3. If 8 yds. of cloth cost 4l. 16s. 6d. ; what will 74 yds. cost ?
4. Bought 2 pair of boots for 1l. 18s. 8d. ; what will 46 pair cost ?
5. Bought 2 oz. of tea for 7½d. ; what is that per lb. ?
6. Bought 15 lbs. of sugar for 9s. 10d. ; what was the price per cwt. ?
7. A person spends 2l. 16s. 8d. per week ; how much is that per annum ?
8. 3 qrs. 24 lbs. of sugar cost 4l. 16s. 8d. ; how much is that per cwt. ?
9. If 9s. 3½d. will buy 14 lbs. of sugar ; how much will 7s. 6d. buy ?
10. If 24 yds. cost 3l. 14s. 7d. ; how much must I give for 1 yd. 3 qrs. 2 nls. ?
11. What cost 5 hogsheads of sugar each weighing 14 cwt 2 qrs. 24 lbs., at 2l. 13s. 6d. per cwt. ?
12. If for 7s. 8d. I can buy 9 lbs. of raisins ; how much can I purchase for 56l. 16s. ?

13. A bankrupt owes 4968*l* , but he has only money sufficient to pay 9*s*. 7*d*. for every pound he owes: how much money has he to pay his debts?

14. A pole 6 feet high throws a shadow of 5 feet 8 inches; what is the height of a spire which throws a shadow of 156 feet?

15. If 54 men can build a house in 90 days; how many men would it require to do it in 12 days?

16. A grocer bought 6 cwt. 3 qrs. 26 lbs. of sugar, for which he paid 24*l*. 16*s*. 8*d*.; at what rate per pound must he sell it to gain 4*l*. 10*s*. 4*d*. on the whole?

17. A person reaches a certain place in 18 days by walking 8 hours a day; what number of days would he have taken had he walked 12 hours a day?

18. If 14 men could make a ditch in 18 days; in what time could 34 men do it?

19. A ship was provisioned for a crew of 40 for 3 months; how long would these provisions last, if the crew were reduced to 32 men?

20. If 8 horses can subsist on a certain quantity of hay for 2 months; how long would 12 horses subsist on the same quantity?

21. A field of corn was to be cut down by 40 men in 10 days; ten of the men, however, did not make their appearance: in what time would the field be cut down?

22. If for 24*s*. I can have 1200 lbs. carried 36 miles; how many pounds can I have carried 24 miles for the same money?

23. A tea dealer bought 4 chests of tea, each weighing 37 lbs. 7 oz., for 63*l*. 14*s*. 6*d*.; what did the tea cost him per ounce?

24. If 74 gallons of wine cost 52*l*. 17*s*. 9½*d*.; how much will 16 gallons cost?

25. If 4 lbs. of tea cost 24*s*. 8*d*.; how much may be bought for 42*l*. 7*s*. 8*d*.?

26. If 3 cwt. 2 qrs. 16 lbs. of sugar cost 13*l*. 17*s*. 9*d*.; what is the value of 19 cwt. 3 qrs. 14 lbs.?

COMPOUND PROPORTION.

When in order to find a fourth proportional, several circumstances require to be considered, it is called Compound Proportion.

If 14 horses eat 56 bushels of oats in 16 days; how many bushels will be required for 20 horses for 24 days?

bush.
 RULE WITH EXAMPLE.—Write horses 14 : 20 :: 56 :
 down for the third term that days 16 : 24
 number which is of the same kind with the answer required—
 56 bushels. Then take two numbers of the same kind—14 horses and 20 horses—and consider, as in Simple Proportion, whether from the nature of the question, the greater or less is to be put in the first or second term. Here it is obvious that the greater must be in the second term, as 20 horses will eat more than 14

$$\begin{array}{r}
 224 \quad 480 \\
 \quad \quad 56 \\
 \quad \quad \hline
 \quad \quad 2880 \\
 \quad \quad 2400 \\
 224)26880(120 \text{ bus} \\
 \quad \quad 224 \\
 \quad \quad \hline
 \quad \quad 448 \\
 \quad \quad 448 \\
 \quad \quad \hline
 \quad \quad 0
 \end{array}$$

horses. Take the other two terms and proceed in the same manner. After all the terms have been put down, multiply the two first terms, 14 and 16, together; do the same with the two second terms, 20 and 24, and proceed as in Simple Proportion.

CONTRACTION—Let the question be the same as in the last example.

After the terms have been properly arranged, the operation may often be greatly shortened by using the following method: Draw a line, and place the first terms, 14 and 16, under it, and the second and third terms, 20, 24, and 56, above it; then divide any number above the line and any below by any number which will divide both without leaving

$$\begin{array}{r}
 \\
 10 \quad 3 \quad \$ \\
 20 \times 24 \times 56 \\
 \hline
 14 \times 16 \\
 \\
 2 \quad 2
 \end{array}$$

remainder. Thus, 14 below and 56 above may both be divided by 7; divide by it, and place the figures obtained below and above the 14 and 56, drawing your pencil at the same time through the 14 and 56. Again, you see that 16 and 24 may be divided by 8; draw your pencil through them, and write the numbers above and below; then cancel the 20 and the 2; then the 8 and the other 2. Multiply all the figures that remain above the line and divide the product by the product of all the figures under the line, if any, for the answer: thus, $10 \times 3 \times 4 = 120$. This is the answer as there are no figures below the line by which to divide.

1. If 15 men build 37 roods of wall in 27 days, how many roods will 74 men build in 63 days?

2. If 8 men for 5 days' work get 40s.; how much ought 32 men to get for 24 days' work?

3. If 4 men can mow 20 acres of grass in 7 days; how many acres can 12 men mow in 28 days?

4. If 6 tailors can make 10 suits of clothes in 4 days; how many suits can 20 make in 7 days?

5. A wall, 28 feet in height, was built in 15 days by 68 men; how many men working at the same rate could build a wall 32 feet high in 8 days?

6. If 12 horses in 5 days draw 44 tons of stones from a quarry; how many horses would it require to draw 132 tons in 18 days?

7. A garrison of 1500 men has provisions for 12 weeks, at the rate of 20 ounces per day to each man; how many men will the same provisions maintain for 20 weeks, allowing each man only 8 oz. per day?

8. If 50 men can do a piece of work in 100 days, working 8 hours per day; in what time will 120 men do it, working 6 hours per day?

9. What is the interest of 330*l.* 10*s.* for $2\frac{1}{2}$ years at $4\frac{1}{2}$ per cent per annum?

10. If 600*l.* gain 45*l.* in 18 months; how much will 103*l.* gain in 12 months?

BILLS OF PARCELS.

A Bill is a written account of goods purchased, or work performed.

A Bill of Parcels is that which is delivered with the goods at the time of purchase.

BOOKSELLER'S BILL.

Mr JOHN THOMPSON

Bought of CURRY AND Co.

1836.

January 17.

	£	s.	d.
Cowper's Poetical Works,	0	5	6
Bonnycastle's Algebra,	0	7	0
Norie's Navigation,	0	16	0
Plutarch's Lives, 6 vols.,	2	12	6
Hutton's Mathematics, 3 vols.,	1	11	6
Lardner's Arithmetic,	0	6	0
	<hr/>		
	£		

HOSIER'S BILL.

Mrs. YOUNG

Bought of PATRICK MURPHY.

1836.

Decem. 16.

	s.	d.	
5 Pair of Worsted Stockings, @	3	8	pair
6 yards of Flannel,	1	9	yard
4 Pair of Gloves,	2	6	pair
8 Pair Thread Stockings,	2	9	" "
6 Pair Cotton do.	2	7	" "

 £

GROCER'S BILL.

Mrs. YOUNG

Bought of JOHN DICKSON

1836.
July 16.

		<i>s.</i>	<i>d.</i>
12 lbs. of Loaf Sugar,	@	10	6
9 lbs. of Green Tea,	"	12	0
6 lbs. of Turkey Coffee,	"	2	6
8 lbs. of Hyson Tea,	"	8	6
16 lbs. of Soft Sugar,	"	0	8
14 lbs. of Rice,	"	0	4
15 lbs. of Currants,	"	0	11
			£

BILLS OF BOOK DEBTS.

A Bill of Book Debts is a statement of debts formerly contracted. The following is the manner in which it ought to be copied from the tradesman's books:—

WINE MERCHANT'S BILL.

Mr. THOS. ROBINSON

To WM. ANDERSON.

		£	<i>s.</i>	<i>d.</i>
1836.				
May 24.	To 4 dozen Port,	@	1 18 6	per doz.
" 28.	— 3½ " Sherry,	"	1 16 0	"
June 13.	— 3 " Claret,	"	2 18 0	"
July 19.	— 4½ " Burgundy,	"	3 10 0	"
" 24.	— 1 " Champagne	"	3 18 0	"
Sept. 19.	— 4 gals. Brandy,	"	1 2 0	per gal.
" 27.	— 3 " Hollands,	"	1 1 0	"
				£

PRACTICE.

PRACTICE is an abridged mode of performing operations in the rule of Simple Proportion ; and is so named because it is much used by people in business.

A less number is said to be the aliquot part of a greater, when the less number is contained in the greater any number of times without leaving any remainder : thus 3 is the aliquot part of 9 or of 15, and 4 of 16 or of 20.

TABLE OF ALIQUOT PARTS.

<i>Of a Pound</i> <i>s. d.</i>	<i>Of a Pound</i> <i>d.</i>	<i>Of a Shilling</i> <i>d.</i>
10 0 is $\frac{1}{2}$	10 is $\frac{1}{24}$	6 is $\frac{1}{3}$
5 8 - $\frac{1}{3}$	8 - $\frac{1}{30}$	4 - $\frac{1}{4}$
5 0 - $\frac{1}{4}$	$7\frac{1}{2}$ - $\frac{1}{32}$	3 - $\frac{1}{4}$
4 0 - $\frac{1}{5}$	6 - $\frac{1}{40}$	2 - $\frac{1}{6}$
3 4 - $\frac{1}{8}$	5 - $\frac{1}{48}$	$1\frac{1}{2}$ - $\frac{1}{8}$
2 6 - $\frac{1}{8}$	4 - $\frac{1}{60}$	1 - $\frac{1}{12}$
2 0 - $\frac{1}{10}$	3 - $\frac{1}{80}$	$0\frac{3}{4}$ - $\frac{1}{16}$
1 8 - $\frac{1}{12}$	2 - $\frac{1}{120}$	$0\frac{1}{2}$ - $\frac{1}{24}$
1 4 - $\frac{1}{15}$	$1\frac{1}{2}$ - $\frac{1}{160}$	$0\frac{1}{4}$ - $\frac{1}{48}$
1 3 - $\frac{1}{16}$	1 - $\frac{1}{240}$	
1 0 - $\frac{1}{20}$		

<i>Of a Ton</i> <i>cwt.</i>	<i>Of a cwt</i> <i>qr. lbs.</i>	<i>Of a Quarter</i> <i>lbs</i>
10 is $\frac{1}{3}$	2 0 is $\frac{1}{3}$	14 is $\frac{1}{2}$
5 - $\frac{1}{4}$	1 0 - $\frac{1}{4}$	7 - $\frac{1}{4}$
4 - $\frac{1}{5}$	0 16 - $\frac{1}{7}$	4 - $\frac{1}{7}$
$2\frac{1}{2}$ - $\frac{1}{8}$	0 14 - $\frac{1}{8}$	$3\frac{1}{2}$ - $\frac{1}{8}$
2 - $\frac{1}{10}$	0 8 - $\frac{1}{14}$	2 - $\frac{1}{14}$
1 - $\frac{1}{20}$	0 7 - $\frac{1}{16}$	1 - $\frac{1}{16}$

CASE I.—When the price is less than a penny.

RULE.—Divide by the aliquot parts of a penny, as this will give the answer in pence; divide them by 12 and by 20, to obtain the value in shillings and pounds.

What is the price of 4268 pencils, at $\frac{1}{2}d.$ each?

$$\begin{array}{r} \frac{1}{2} = \frac{1}{2})4268 \\ 12)2134 \\ 2,0)\overline{17,7-10} \\ \text{£8 } 17s. 10d. \end{array}$$

What is the price of 4268 pencils, at $\frac{3}{4}d.$ each?

$$\begin{array}{r} \frac{1}{2} = \frac{1}{2})4268 \\ \frac{1}{4} = \frac{1}{2})2134 \\ 1067 \\ 12)\overline{3201} \\ 2,0)\overline{26,6-9} \\ \text{£13 } 6s. 9d. \end{array}$$

1. What is the value of 6486 yards of tape, at $\frac{1}{4}d.$ per yard?
2. How much will 3684 slate pencils come to, at $\frac{1}{2}d.$ each?
3. I bought 368 yards of black ribbon at $\frac{3}{4}d.$ per yard; what did it cost me?
4. Bought 8 dozen of herrings at $\frac{1}{2}d.$ each; how much did I give for the herrings?
5. How much did 428 yards of rope cost me at $\frac{3}{4}d.$ per yard?

CASE II.—When the price is less than a shilling.

RULE.—Take the aliquot parts of a shilling, and divide by 20.

What is the value of 4608lbs. of soap, at $3\frac{1}{2}d.$ per lb.?

$$\begin{array}{r} d. \\ 3 = \frac{1}{3})4608 \\ \frac{1}{2} = \frac{1}{6})1152 \\ 192 \\ 2,0)\overline{134,4} \\ \text{£67 } 4s. \text{ Ans.} \end{array}$$

What is the value of 4608 lbs of sugar, at $6\frac{1}{2}d.$ per lb.?

$$\begin{array}{r} d. \\ 6 = \frac{1}{2})4608 \\ \frac{1}{2} = \frac{1}{12})2304 \\ 192 \\ 2,0)\overline{249,6} \\ \text{£124 } 16s. \text{ Ans.} \end{array}$$

6. What do 784 yards of canvas come to, at $2\frac{1}{2}d.$ per yard?
7. Bought 856 yards of ribbon, for which I paid $8\frac{1}{2}d.$ per yard; how much did I pay?
8. Sold 1 cwt. of sugar at $9\frac{1}{4}d.$ per lb.; how much was paid me?
9. Bought 7896 lbs. of candles for $5\frac{1}{2}d.$ per lb.; what did they cost me?
10. A fruiterer sold 3968 lbs. of raisins at $10\frac{1}{4}d.$ per lb.; how much did he get for all?

	<i>d.</i>		<i>d.</i>		<i>d.</i>		
11.	6423 at 1		19.	7568 at 3		27.	8642 at $8\frac{1}{4}$
12.	3684 — $1\frac{1}{4}$		20.	8543 — $3\frac{3}{4}$		28.	7643 — $8\frac{3}{4}$
13.	2786 — $1\frac{1}{2}$		21.	2758 — $4\frac{1}{4}$		29.	8765 — 9
14.	5963 — $1\frac{3}{4}$		22.	5623 — $4\frac{1}{2}$		30.	2011 — $10\frac{1}{2}$
15.	4285 — 2		23.	4278 — $5\frac{1}{4}$		31.	4076 — $10\frac{3}{4}$
16.	6786 — $2\frac{1}{4}$		24.	6496 — $6\frac{1}{2}$		32.	3687 — $11\frac{1}{4}$
17.	4388 — $2\frac{1}{2}$		25.	4278 — $6\frac{3}{4}$		33.	2734 — $11\frac{1}{2}$
18.	8653 — $2\frac{3}{4}$		26.	4021 — $7\frac{1}{2}$		34.	3016 — $11\frac{3}{4}$

CASE III.—When the price is shillings.

RULE.—Multiply by the shillings, and divide by 20; or if the shillings be the aliquot part of a pound, divide by the aliquot part.

What is the price of 467 yds. of cloth, at 7s. per yard?

$$\begin{array}{r} 467 \\ 7 \\ \hline 2,0)326,9 \\ \hline \text{£}163, 9s. \text{ Ans.} \end{array}$$

How much do 684 lbs. of tea come to at 8s. per lb.?

$$\begin{array}{r} 684 \\ 8 \\ \hline 2,0)547,2 \\ \hline \text{£}273, 12s. \text{ Ans.} \end{array}$$

What is the price of 246 yds. of cloth at 10s. per yard?

$$\begin{array}{r} 10s = \frac{1}{2} \quad)246 \\ \hline \text{£}123 \text{ Ans.} \end{array}$$

How much do 684 lbs. of tea come to at 5s. per lb.?

$$\begin{array}{r} 5s = \frac{1}{4} \quad)684 \\ \hline \text{£}171 \text{ Ans} \end{array}$$

When the price is an even number of shillings, the operation may be shortened by multiplying by half the number of shillings, and doubling the unit's place for shillings.

What is the price of 468 yards, at 8s. per yard?

$$\begin{array}{r} \text{yds.} \\ 468 \\ \underline{\quad 4} \\ \text{£187 4s. Ans} \end{array}$$

What is the price of 967 yds. of cloth at 14s. per yard?

$$\begin{array}{r} \text{yds.} \\ 967 \\ \underline{\quad 7} \\ \text{£676 18s. Ans.} \end{array}$$

35. What must I pay for 796 yds. of cloth at 13s. per yd.?
36. A fruiterer bought 148 boxes of oranges, and paid for each box 16s.; how much did he pay for all?
37. Bought 12 dozen pair of shoes, and paid for them 10s. per pair; what did they cost?
38. A farmer bought 968 sheep, and gave for each 18s.; how much did he give for all?
39. Bought 9 doz. hats, at 15 shillings each; what did the whole cost?
40. How much must I pay for the carriage of 748 tons of goods, at 18s. per ton?
41. Bought 763 cwt. of sugar at 16s. per cwt.; how much did I pay for the whole?
42. Sold 12 dozen pairs of silk stockings at 9s. per pair; what sum did I receive for the whole?

43.	6428	at	s.
44.	9460	—	3
45.	7568	—	4
46.	3675	—	5
47.	4103	—	6
48.	2602	—	7
49.	3604	—	8
50.	8756	—	9
51.	3601	—	10

52.	5768	at	s.
53.	2104	—	12
54.	6013	—	13
55.	7617	—	14
56.	2016	—	15
57.	3687	—	16
58.	1209	—	17
59.	4123	—	18
60.	7641	—	19

CASE IV.—When the price is shillings and pence.

RULE.—If the price be the aliquot part of a pound, divide by the aliquot part. If it be not an aliquot part, multiply by the shillings, and take aliquot parts of a shilling for the pence and farthings.

What is the price of 964 lbs. of tea, at 6s. 8d. per lb.?

$$\begin{array}{r} 6s. 8d. = \frac{1}{3})964 \\ \hline \pounds 321 \quad 6s. 8d. \end{array}$$

What is the price of 268 yds. of cloth, at 7s. 6½d. per yard?

$$\begin{array}{r} 6d. = \frac{1}{2})268 \\ \hline 1876 \\ \frac{1}{2} = \frac{1}{12})134 \\ \hline 11 \quad 2 \\ 2,0)202,1 \quad 2 \\ \hline \pounds 101 \quad 1s. 2d. \end{array}$$

61. Paid 2s. 4d. per yard for 768 yards of ribbon; how much did I pay?

62. Received a chest of tea containing 278 lbs., for which I paid 6s. 8½d. per lb.; what did the whole cost me?

63. A hosier bought 8 dozen pairs of silk stockings, for which he paid 6s. 9¾d. per pair; what did he pay in all?

64. A boot maker sold, during the year, 279 pairs of boots, at 18s. 10½d. per pair on an average; how much money did he get for the boots during the year?

65. Two tailors sold, during the year, 168 suits of boys' clothes, for which they were paid at the rate of 17s. 9½d. per suit; how much did they get during the year?

			s.	d.			s.	d.
66.	3468	at	3	6	75.	1201	at	12 10
67.	4976	—	4	7	76.	2768	—	13 7½
68.	5048	—	6	3½	77.	6475	—	14 9¾
69.	3162	—	5	8¾	78.	4687	—	15 7
70.	7643	—	8	7	79.	9621	—	16 9¼
71.	5736	—	9	4¾	80.	4103	—	17 8¾
72.	3987	—	9	8¼	81.	2464	—	18 4¼
73.	6426	—	10	6¼	82.	3102	—	18 5½
74.	8650	—	11	9½	83.	6765	—	19 7¼

CASE V.—When the price is pounds, shillings, pence, and farthings.

RULE.—Multiply by the pounds, and take aliquot parts for the rest.

What is the value of 248 chests of tea at 9*l.* 17*s.* 8*d.* per chest?

$$\begin{array}{r}
 10s. = \frac{1}{2}) 248 \\
 \quad \quad \quad 9 \\
 \hline
 \quad \quad 2232 \\
 5s. = \frac{1}{4}) 124 \\
 2s. 6d. = \frac{1}{2}) 62 \\
 \quad 2d. = \frac{1}{15}) 31 \\
 \quad \quad \quad 2 \quad 1 \quad 4 \\
 \hline
 \pounds 2451 \quad 1s. 4d. \text{ Ans.}
 \end{array}$$

or thus :

$$\begin{array}{r}
 10s. = \frac{1}{2}) 248 \\
 \quad \quad \quad 9 \\
 \hline
 \quad \quad 2232 \\
 6s. 8d. = \frac{1}{3}) 124 \\
 1s. = \frac{1}{10}) 82 \quad 13 \quad 4 \\
 \quad \quad \quad 12 \quad 8 \quad 0 \\
 \hline
 \pounds 2451 \quad 1s. 4d. \text{ Ans.}
 \end{array}$$

84. How much do 268 cwt. of sugar come to at 2*l.* 6*s.* 8*d.* per cwt.?

85. What rent do 796 acres yield at 3*l.* 14*s.* 6½*d.* per acre?

86. What did 279 score of sheep cost at 6*l.* 18*s.* 9*d.* per score?

87. How much did a grocer pay for 948 cwt. of sugar at 3*l.* 17*s.* 6¾*d.* per cwt.?

88. A watchmaker sold 796 watches for 9*l.* 12*s.* 6*d.* each; how much did he sell all for?

		<i>l.</i>	<i>s.</i>	<i>d.</i>		<i>l.</i>	<i>s.</i>	<i>d.</i>	
89.	7964 at	7	9	6	97.	7204 at	12	16	7
90.	4679 —	8	17	8	98.	4121 —	13	14	8
91.	8742 —	4	16	5½	99.	3145 —	14	17	9½
92.	2598 —	9	12	8¼	100.	6876 —	15	19	7
93.	8764 —	10	17	6¾	101.	9684 —	16	18	6¾
94.	2687 —	12	14	7	102.	7780 —	17	13	4
95.	9648 —	8	11	4½	103.	4627 —	18	14	5
96.	2784 —	11	10	2	104.	8794 —	28	9	6½

CASE VI.—When both the quantity and price are of several denominations.

RULE.—Multiply the price by the highest name in the quantity, and take parts for the rest of the quantity.

What is the price of 3 cwt. 2 qrs. 7 lbs. of sugar at 3*l.* 6*s.* 8*d.* per cwt. ?

<i>qrs.</i>	£	<i>s.</i>	<i>d.</i>
2 = ½)	3	6	8
			3
<i>lbs.</i>	10	0	0
7 = ½)	1	13	4
		0	4
	2		
	£11	17 <i>s.</i>	6 <i>d.</i>

What is the value of 25 cwt. 2 qrs. 14 lbs. at 3*l.* 17*s.* 6*d.* per cwt. ?

<i>qrs.</i>	£	<i>s.</i>	<i>d.</i>
2 = ½)	3	17	6
			5
			5 × 5 = 25
	19	7	6
			5
<i>lbs.</i>	96	17	6
14 = ½)	1	18	9
		0	9
			8½
	£99	5	11½

105. Sold 5 cwt. 1 qr. 8 lbs. of sugar at 3*l.* 15*s.* 8*d.* per cwt. ; what did I get for the whole ?

106. Bought 72 cwt. 2 qrs. 14 lbs. tobacco at 4*l.* 16*s.* 8*d.* per cwt. ; what did the whole cost ?

107. Bought 96 cwt. 3 qrs. 8 lbs. soap, at 3*l.* 12*s.* 8*d.* per cwt. ; how much did I pay for the whole ?

108. Sold 27 cwt. 3 qrs. 14 lbs. cheese at 1*l.* 10*s.* 6*d.* per cwt. ; what does the whole come to ?

109. Bought 29 cwt. 2 qrs. 14 lbs. at 4*l.* 16*s.* 8*d.* per cwt. what did I pay ?

<i>cwt.</i>	<i>qrs.</i>	<i>lbs.</i>	at	£	<i>s.</i>	<i>d.</i>	<i>cwt.</i>	<i>qrs.</i>	<i>lbs.</i>	£	<i>s.</i>	<i>d.</i>			
110.	24	2	7	2	16	7	116.	35	1	8	6	10	6		
111.	14	1	8	—	3	14	6	117.	36	2	7	—	4	12	8½
112.	7	3	6	—	4	15	8	118.	40	3	9	—	9	16	1½
113.	16	2	18	—	5	14	9	119.	42	2	16	—	8	14	7
114.	27	1	16	—	6	13	2	120.	45	1	14	—	9	15	6½
115.	32	2	14	—	7	19	8	121.	48	2	4	—	4	17	8

CASE VII.—When the quantity contains a fraction.

RULE.—Work for the whole number by the preceding rules, and to the result add the $\frac{1}{2}$ or $\frac{2}{3}$ or $\frac{3}{4}$ of the price, or whatever else the fraction in the quantity may be. The sum to be added may be obtained by multiplying the price by the upper figure of the fraction, and dividing by the under figure.

What is the value of $246\frac{2}{3}$ cwt. of sugar at 3*l.* 10*s.* 6*d.* per cwt.?

$$\begin{array}{r} 10s. = \frac{1}{2}) 246 \\ \quad \quad \quad 3 \\ \hline \quad \quad \quad 738 \\ 6d. = \frac{1}{20}) 123 \\ \quad \quad \quad 6 \quad 3 \\ \hline \quad \quad \quad 1 \quad 8 \quad 2\frac{1}{4} - \frac{3}{5} \\ \hline \pounds 868 \quad 11 \quad 2\frac{1}{4} - \frac{3}{5} \end{array}$$

The value of the fraction is found thus:

$$\begin{array}{r} l. \quad s. \quad d. \\ 3 \quad 10 \quad 6 \\ \quad \quad \quad 2 \\ \hline 5) 7 \quad 1 \quad 0 \\ \hline \pounds 1 \quad 8 \quad 2\frac{1}{4} - \frac{3}{5} \end{array}$$

122. 4787 $\frac{1}{2}$	@	£3 10 6	128. 7426 $\frac{2}{3}$	@	£6 15 8
123. 7641 $\frac{1}{2}$	—	4 9 7	129. 3278 $\frac{3}{4}$	—	2 12 6
124. 8469 $\frac{1}{2}$	—	0 8 6	130. 4625 $\frac{2}{3}$	—	0 14 7 $\frac{1}{2}$
125. 4210 $\frac{1}{2}$	—	0 5 7 $\frac{3}{4}$	131. 2010 $\frac{3}{7}$	—	6 16 9
126. 8659 $\frac{1}{2}$	—	0 7 11 $\frac{1}{4}$	132. 3607 $\frac{1}{8}$	—	8 19 8 $\frac{1}{2}$
127. 4286 $\frac{1}{2}$	—	9 12 6 $\frac{1}{2}$	133. 1243 $\frac{2}{3}$	—	3 17 7

TARE AND TRET.

GROSS WEIGHT means the weight both of goods and package, whether these packages be barrels, boxes, or sacks.

TARE is an allowance made to purchasers for the weight of the package.

TRET is an allowance of 4 lbs. on every 104 lbs. of goods, for waste, or $\frac{1}{28}$ part of the whole.

CLOFF is an allowance of 2 lbs. on every 3 cwt. made to those who retail goods for turning the scales.

SUTTLE is what remains after part of the allowance is taken from the gross.

CASE I.—When an allowance is made for the tare per barrel, box, or sack.

What is the net weight of 4 hogsheads of sugar, each weighing 13 cwt. 3 qrs. 14 lbs.; the tare being 1 qr. 10 lbs per hhd. ?

RULE WITH EXAMPLE.—Multiply the weight of each hhd. by 4, to find the gross weight of the whole, 55 cwt. 2 qrs.; then multiply the tare upon each hhd., 1 qr. 10 lbs., by the number of hhds., 4, and you find the tare upon the 4 hhds. to be 1 cwt. 1 qr. 12 lbs.; place this under the gross of the 4 hhds., 55 cwt. 2 qrs., and subtract. The remainder, 54 cwt. 0 qr. 16 lbs., is the net weight.

<i>cwt.</i>	<i>qrs.</i>	<i>lbs.</i>	<i>qr.</i>	<i>lbs</i>
13	3	14	1	10
		4		
55	2	0	1	1
		12		19
54	0	16		

1. What is the net weight of 9 chests of tea, each weighing 5 cwt. 2 qrs. 19 lbs.; tare 18 lbs. per chest ?

2. What is the net weight of 6 chests of tea, each weighing 1 cwt. 3 qrs. 9 lbs.; tare 18 lbs. per chest ?

CASE II.—When the tare is so much per cwt.

Gross weight 173 cwt. 3 qrs. 17 lbs.; tare 16 lbs. per cwt.; what is the net weight ?

RULE WITH EXAMPLE.—Divide the gross weight, 173 cwt. 3 qrs. 17 lbs., by the aliquot part of a cwt.; thus, 14 lbs. is the $\frac{1}{8}$ of a cwt.; divide by $\frac{1}{8}$, again, 2 lbs. is the $\frac{1}{4}$ of 14 lbs.; divide by $\frac{1}{4}$; add the two quotients together, and 24 cwt. 3 qrs. 9 lbs. are obtained; let this be taken from the gross weight, 173 cwt. 3 qrs. 17 lbs., and 149 cwt. 0 qr. 8 lbs. are obtained, which is the net weight. The remainders have not been attended to in this question, as they are not necessary in order to understand it.

<i>lb.</i>	<i>cwt.</i>	<i>qrs.</i>	<i>lbs</i>
14 = $\frac{1}{8}$)	173	3	17
2 = $\frac{1}{4}$)	21	2	26
	3	0	11
	24	3	9
	149	0	8

3. What is the net weight of 7 hhds. of sugar, each 6 cwt 3 qrs. 14 lbs. gross; tare 12 lbs. per cwt. ?

4. What is the net weight of 8 hhds. of tobacco, each 3 cwt. 2 qrs. gross; tare 18 lbs. per cwt.?

5. The gross weight of 50 casks of butter is 202 cwt. 2 qrs. 12 lbs.; tare 15 lbs. per cwt.; what is the net weight?

CASE III.—When allowance is to be made both for tare and tret.

What is the net weight of 4 cwt. 2 qrs. 14 lbs., gross; tare 14 lbs. per cwt.; tret as allowed?

RULE WITH EXAMPLE.—Find the tare *cwt. qrs. lbs.*
 by the foregoing rule, and subtract it $\begin{array}{r} 4 \quad 2 \quad 14 \text{ gross} \\ \quad \quad 2 \quad 8 \text{ tare} \\ \hline 26) 4 \quad 0 \quad 6 \text{ suttle} \\ \quad \quad \quad 17 \text{ tret} \\ \hline 3 \quad 3 \quad 17 \text{ net} \end{array}$
 from the gross; divide the remainder, or
 suttle, as it is called, by 26 (26 being
 the fourth of 104) for the tret; this, when
 subtracted from the suttle, leaves the net
 weight required.

6. What is the net weight of 9 hhds. of tobacco, each weighing 5 cwt. 2 qrs. 12 lbs., tare 96 lbs. per hhd.; tret as usual?

7. What is the net weight of 6 chests of tea, each weighing 1 cwt. 3 qrs. 9 lbs.; tare 18 lbs. per chest; tret as allowed?

8. The gross weight of 24 barrels of rice is 67 cwt. 2 qrs. 18 lbs.; tare 1 qr. 12 lbs. per barrel; tret as usual; what is the net weight?

CASE IV.—When the tare, tret, and cloff are allowed.

What is the net weight of 4 cwt. 2 qrs. 14 lbs., gross; tare 14 lbs. per cwt.; tret as allowed; cloff as allowed?

RULE WITH EXAMPLE.—Take *cwt. qrs. lbs.*
 the tare and the tret from the $\begin{array}{r} 14 = \frac{1}{3} 4 \quad 2 \quad 14 \text{ gross} \\ \quad \quad 2 \quad 8 \text{ tare} \\ \hline 26) 4 \quad 0 \quad 6 \\ \quad \quad \quad 17 \text{ tret} \\ \hline 168) 3 \quad 3 \quad 17 \text{ suttle} \\ \quad \quad \quad 2 \text{ cloff} \\ \hline 3 \quad 3 \quad 15 \text{ net} \end{array}$
 gross as before; divide the re-
 mainder or suttle by 168 (168
 being the half of 3 cwt. or
 336 lbs.) this being subtracted,
 leaves the net weight. The
 cloff may also be obtained by
 multiplying the cwt. by the tret
 suttle by 2, and divide by 3, re-
 ceiving the quotient pounds: thus $2 \times 3 = 6 \div 3 = 2$ lbs.

9. What is the net weight of 8 hhds. of sugar, each weighing 6 cwt. 3 qrs. 14 lbs.; tare 12 lbs. per cwt.; tret and cloff as usual?

10. What is the net weight of 8 hhds. of tobacco, each 3 cwt. 2 qrs., gross; tare 18 lbs. per cwt.; tret and cloff as allowed?

11. The gross weight of 50 casks of butter is 202 cwt. 2 qrs. 12 lbs.; tare 15 lbs. per cwt.; tret and cloff as allowed; what is the net weight?

12. What is the net weight of 24 hhds. weighing, gross, 47 cwt. 2 qrs. 18 lbs.; tare 2 qrs. 18 lbs. per hhd.; tret as usual?

13. What is the net weight of 19 chests, each weighing 2 cwt. 13 lbs.; tare 14 lbs. per chest; tret as allowed?

14. What is the value of the net weight of 3 hhds. of tobacco, each weighing 4 cwt. 2 qrs. 12 lbs., gross, at 7*l.* 10*s.* 6*d.* per cwt., allowing 7 lbs. per cwt. for tare; tret as usual, and cloff 2 lbs. per hhd.?

SIMPLE INTEREST.

INTEREST is money paid for the loan of money.

The principal is the sum of money lent.

The rate per cent is the sum to be given for the loan of £100.

The amount is the principal and interest added together. Thus, if I get from a banker £100 at 5 per cent., I must pay him back at the end of the year the principal, viz.; £100, and the interest, viz.; £5. The principal and interest, viz.; £105 that I pay, is the amount.

CASE I.—*To find the Interest of any sum for one or more years.*

What is the interest of 9*l.* 10*s.* at 5 per cent. per annum, for 3 years?

RULE WITH EXAMPLE.— Multiply the principal, 26*l.* 10*s.* by the rate, 5, and divide the product, 132*l.* 10*s.* by 100. The quotient, 1*l.* 6*s.* 6*d.* is the interest of the principal for one year this multiplied by the number of years, 3, will give the interest for the number of years, which in this instance is 3*l.* 19*s.* 6*d.*

£	s.			
26	10			
	5	£	s.	d.
100)	132	10	(1	6
	100			6
	32	3	19	6
	20			
	650			
	600			
	50			
	12			
	600			
	600			

1. What is the interest of 267*l.* for 4 years, at 5 per cent ?
2. What is the interest of 964*l.* 15*s.* for 6 years, at 4 per cent ?
3. What is the interest of 2368*l.* 10*s.* for 4½ years, at 4½ per cent ?
4. What is the interest of 768*l.* 9*s.* 6*d.* for 9½ years, at 3½ per cent ?
5. What is the amount of 9687*l.* for 7 years, at 5 per cent ?
6. What is the amount of 379*l.* 16*s.* for 9½ years, at 4¾ per cent ?
7. What is the interest of 4268*l.* 17*s.* 9*d.* for 20½ years, at 2½ per cent ?
8. What is the amount of 3786*l.* 14*s.* for 17 years, at 4⅔ per cent ?
9. What is the interest of 796*l.* 18*s.* 7*d.* for 19¼ years, at 3⅓ per cent ?
10. What is the amount of 968*l.* 16*s.* 7*d.* for 10¼ years, at 4¼ per cent ?

CASE II.—To find the interest for weeks and days.

What is the interest of 400*l.* for 10 weeks and 3 days, at 4 per cent per annum?

RULE WITH EXAMPLE.—Find, by case I, the interest of 400*l.* for one year, at 4 per cent. ; it is 16*l.* Multiply the number of days in the weeks and days, 73 = 10 weeks and 3 days, by the rate per cent. for one year, 16*l.* and divide by the number of days in a year, 365 ; the quotient, 3*l.* 4*s.* is the percentage for 73 days.

$$\begin{array}{r}
 \text{days} \quad \text{days} \quad \text{£} \\
 365 : 73 :: 16 \\
 \quad \quad \quad 16 \\
 \quad \quad \quad \hline
 \quad \quad \quad 438 \\
 \quad \quad \quad 73 \\
 365 \overline{) 1168} (3\text{l. } 4\text{s} \\
 \quad \quad \quad \underline{1095} \\
 \quad \quad \quad \quad 73 \\
 \quad \quad \quad \quad \underline{20} \\
 \quad \quad \quad \quad \quad 1460 (4\text{s} \\
 \quad \quad \quad \quad \quad \underline{1460}
 \end{array}$$

Or,

It, as is the case in this example, the number of days form an aliquot part of a year ; divide the interest of one year by that aliquot part, 5, because 73 days is $\frac{1}{5}$ of a year

$$\begin{array}{r}
 \text{£} \\
 73 = \frac{1}{5} \overline{) 16} \\
 \quad \quad \quad \text{£} 3 \text{ } 4\text{s}
 \end{array}$$

11. What is the interest of 42*l.* for 6 weeks and 4 days, at 5 per cent. per annum?

12. What is the interest of 764*l.* 16*s.* for 9 weeks and 3 days, at 4 per cent. per annum?

13. What is the interest of 376*l.* 14*s.* 8*d.* for 240 days, at $4\frac{1}{2}$ per cent. per annum?

14. What is the amount of 748*l.* 17*s.* for 120 days, at $3\frac{1}{2}$ per cent. per annum?

15. What is the interest of 859*l.* 13*s.* for 6 years, 8 weeks, and 4 days, at $2\frac{1}{2}$ per cent. per annum?

16. What is the amount of 978*l.* for 3 years and 136 days, at $4\frac{1}{3}$ per cent. per annum?

17. What is the interest of 7462*l.* 13*s.* for 9 years and 6 weeks, at $3\frac{1}{2}$ per cent. per annum?

18. What is the amount of 846*l.* for 12 years and 93 days, at $4\frac{1}{4}$ per cent per annum?

19. What is the interest of 764*l.* 7*s.* 6*d.* for 5 weeks and 6 days, at $3\frac{1}{4}$ per cent. per annum?

20. What is the amount of 9864*l.* 17*s.* 9*d.* for 10 years, 7 weeks, and 4 days, at $4\frac{3}{8}$ per cent. per annum?

21. Required the interest of 460*l.* 12*s.* 6*d.* for 2 years and 4 months, at 5 per cent. per annum?

22. Required the interest of 326*l.* 15*s.* for 8 weeks and 5 days, at 4 per cent. per annum?

23. What is the amount of 864*l.* for 120 days, at $4\frac{1}{2}$ per cent. per annum?

24. What is the amount of 978*l.* for 6 years and 89 days, at $3\frac{3}{4}$ per cent. per annum?

25. What is the interest of 723*l.* 15*s.* 6*d.* for $3\frac{1}{2}$ years, at $4\frac{1}{2}$ per cent. per annum?

26. Required the amount of 246*l.* 15*s.* for 3 years 6 weeks, and 4 days, at $2\frac{1}{2}$ per cent. per annum?

DISCOUNT.

DISCOUNT is an allowance made for the payment of money before it is due. Thus, if a person passed me a bill for £105, to be paid at the end of a year, and I wished money immediately, I might take it to a banker, who, if he was sure of getting the money at the end of the year, would give me £100, keeping £5 to himself for the interest of the £100 he had advanced. The £5 that the banker kept is called discount: and the \$100 is the *present value* of £105 a year hence, at 5 per cent.

RULE.—As £100 with the interest for the given rate and time added to it, is to the sum or debt, so is the interest of £100 for the given rate and time, to the discount.

What is the discount on 250*l.* due 6 months hence, at 5 per cent?

EXAMPLE.—Here 2*l.* 10*s.* is added to 100*l.* for the first term, because 2*l.* 10*s.* is the interest of 100*l.* for 6 months at 5 per cent. The second term is the debt, viz.: 250*l.* The third term is the interest on 100*l.* for 6 months, at 5 per cent. The answer is 6*l.* 1*s.* 11¼*d.*; subtract this from 250*l.* and the present value of 250*l.* is obtained, viz.: 243*l.* 18*s.* 0¾*d.*

100	2	10	l.	l.	s
102	10	250	:	2	:
20	50	20			
2050)	12500	50		
		6	1	s.	11¼

1. What is the present value of 640*l.* due 2 years hence, at 5 per cent?
2. What is the discount on 736*l.* due 9 months hence, at 5 per cent?
3. What is the discount on 370*l.* due 100 days hence, at 4½ per cent?
4. What is the discount on 246*l.* 16*s.* from March 26, to June 23, both days included, at 3¾ per cent?

COMMISSION, BROKERAGE, INSURANCE, BUYING AND SELLING STOCKS.

COMMISSION is an allowance given to an agent or factor, for buying or selling goods, negotiating bills, &c.

BROKERAGE is an allowance to a broker for procuring sales, transfers of property, &c.

INSURANCE is an allowance, called premium, given to persons who engage to make good the loss of ships, merchandise, houses, &c., that may be lost or damaged by storms, fire, &c.

STOCK is the debt owing by government, or it is the capital of any trading company.

Any questions in these rules may be performed by the rules for Simple Interest.

EXAMPLES.

What is the commission on 426*l.* 16*s.* at 2½ per cent ?

$$\begin{array}{r}
 \begin{array}{r}
 \textit{l.} \quad \textit{s.} \\
 426 \quad 16 \\
 \hline
 \quad 2\frac{1}{2} \\
 853 \quad 12 \\
 \hline
 \frac{1}{2} = 213 \quad 8 \\
 100)1067 \quad 0 \\
 \hline
 \pounds 10 \quad 13\textit{s} \quad 4\frac{1}{2}\textit{d.}
 \end{array}
 \end{array}$$

What is the brokerage on 426*l.* 16*s.* at 5*s.* or ¼ per cent ?

$$\begin{array}{r}
 \begin{array}{r}
 \textit{l.} \quad \textit{s.} \\
 \frac{1}{4})426 \quad 16 \\
 \hline
 100)106 \quad 14 \\
 \hline
 \pounds 1 \quad 1\textit{s.} \quad 4\frac{1}{2}\textit{d.}
 \end{array}
 \end{array}$$

What is the insurance on 426*l.* 16*s.* at 12½ per cent ?

$$\begin{array}{r}
 \begin{array}{r}
 \textit{l.} \quad \textit{s.} \\
 426 \quad 16 \\
 \hline
 \quad 12\frac{1}{2} \\
 5121 \quad 12 \\
 \hline
 \frac{1}{4} = 213 \quad 8 \\
 100)5335 \quad 0 \\
 \hline
 \pounds 53 \quad 7\textit{s.}
 \end{array}
 \end{array}$$

What is the purchase of 426*l.* bank stock, at 110¼ per cent ?

$$\begin{array}{r}
 \begin{array}{r}
 \textit{l.} \\
 426 \\
 \hline
 110\frac{1}{4} \\
 \hline
 46860 \\
 \frac{1}{4} = 106 \quad 10 \\
 100)46966 \quad 10 \\
 \hline
 \pounds 469 \quad 13\textit{s.} \quad 3\frac{1}{2}\textit{d.}
 \end{array}
 \end{array}$$

or thus ;

$$\begin{array}{r}
 \begin{array}{r}
 \textit{l.} \quad \textit{s.} \quad \textit{d.} \\
 10 = \frac{1}{100})426 \quad 16 \quad 0 \\
 \hline
 \quad 42 \quad 13 \quad 7 \\
 2 = \frac{1}{50}) \quad 8 \quad 10 \quad 8\frac{1}{2} \\
 \hline
 \frac{1}{2} = \frac{1}{4}) \quad 2 \quad 2 \quad 8 \\
 \hline
 \pounds 53 \quad 6\textit{s} \quad 11\frac{1}{2}\textit{d.}
 \end{array}
 \end{array}$$

or thus ;

$$\begin{array}{r}
 \begin{array}{r}
 \textit{l.} \quad \textit{s.} \quad \textit{d.} \\
 10 = \frac{1}{100})426 \\
 \frac{1}{4} = \frac{1}{400}) \quad 42 \quad 12 \\
 \hline
 \quad 1 \quad 1 \quad 3\frac{1}{2} \\
 \hline
 \pounds 469 \quad 13\textit{s.} \quad 3\frac{1}{2}\textit{d.}
 \end{array}
 \end{array}$$

EXERCISES.

1. What is the commission on 496*l.* 16*s.* 6*d.* at 2½ per cent ?

2. What is the commission on 1243*l.* 19*s.* at $\frac{1}{2}$ per cent ?
3. What is the brokerage on 3964*l.* 14*s.* at $1\frac{1}{2}$ per cent ?
4. What is the brokerage on 467*l.* at $\frac{2}{3}$ per cent ?
5. I employed an agent to sell a quantity of goods ; having agreed to give him $\frac{2}{3}$ per cent. upon the sales, the goods having sold for 7648*l.*, how much am I to pay him ?
6. An agent charges $4\frac{1}{2}$ per cent. for commission and risk of bad debts ; his sales in the year are 16,780*l.* and his losses 347*l.* what is his income ?
7. A salesman disposes of woollen goods to the amount of 1467*l.*, muslins to 1342*l.*, and hardware to 964*l.*, what is his commission at $2\frac{1}{2}$ per cent ?
8. What premium must be paid for insuring a house for 7684*l.* at $2\frac{1}{4}$ per cent ?
- 9.* What is the premium on 4968*l.* at 5 $\frac{1}{2}$ guineas per cent ?
10. What is the insurance on 6968*l.* for 2 years, at $4\frac{1}{2}$ per cent ?
11. What is the premium on 7848*l.* at 6 guineas per cent ?
12. What is the insurance on 796*l.* for 3 years and 42 days, at $3\frac{1}{2}$ per cent ?
13. What is the value of 796*l.* stock, at 105 per cent ?
14. What is the purchase of 978*l.* India stock, at $74\frac{1}{4}$ per cent ?
15. What is the price of 7468*l.* bank stock, at 168 per cent ?
16. What is the brokerage on 429*l.* 16*s.* 6*d.* at $2\frac{1}{2}$ per cent ?

* If the rate be in *guineas*, calculate as if it were *pounds*, and add one twentieth to the amount

- 17 Required the commission on 648*l.* at $2\frac{1}{4}$ per cent ?
18. What is the premium of insurance on 968*l.* at 4*l.* 12*s.* 6*d.* per cent ?
- 19 What is the expense of insuring a ship and cargo, at 3*l.* 15*s.* per cent. ; the ship being worth 2450*l.* and the cargo worth 4768*l.* ?
20. At $4\frac{1}{2}$ per cent., how much must be insured on goods worth 768*l.* so that in case of loss the owner may receive the value of the goods and the premium ?
21. I allow my broker $3\frac{3}{4}$ per cent. ; how much do I owe him for selling goods to the amount of 796*l.* ?
22. What is the purchase of 3450*l.* India stock, at $112\frac{1}{4}$ per cent ?
23. What is the purchase of 268*l.* 16*s.* 6*d.* bank stock, at $76\frac{1}{2}$ per cent ?

COMPOUND INTEREST.

COMPOUND INTEREST is interest, not only for the use of the sum borrowed, but also for the use of the interest, if it be not paid at the end of a year. Thus, if I borrow £100 at 5 per cent, I owe at the end of the year £105. If I wish to pay off the debt, I pay £105. If I wish merely to pay the interest, I pay £5, and still owe £100. If, however, I do neither, it is obvious that at the end of the second year, I must pay interest, not upon £100, but upon £105.

What is the compound interest of 240*l.* 10*s.* for 3 years at 5 per cent?

RULE WITH EXAMPLE.—Find the interest upon the principal for 1 year at 5 per cent, viz. 12*l.* 0*s.* 6*d.* and add it to the principal. At the beginning of the second year the principal is 252*l.* 10*s.* 6*d.* find the interest upon this for 1 year, at 5 per cent., add it;

	<i>l.</i>	<i>s.</i>	<i>d.</i>	
5 = $\frac{1}{20}$)	240	10	0	1st year's principal
add	12	0	6	1st year's interest.
	252	10	6	2d year's principal.
$\frac{1}{20}$)	252	12	12	2d year's interest.
	265	3	0	3d year's principal.
$\frac{1}{20}$)	265	13	5	3d year's interest.
	278	8	2	amount in 3 years
subtract	240	10	0	principal.
	£37	18	2	compound interest for 3 years.

and so on for any number of years.—278*l.* 8*s.* 2*d.* is what 240*l.* 10*s.* amounts to in 3 years. The compound interest is found by taking the original principal, 240*l.* 10*s.* from the amount in 3 years, 278*l.* 8*s.* 2*d.*, and what remains, 37*l.* 18*s.* 2*d.* is the compound interest on 240*l.* 10*s.* for 3 years.

1. Required the interest on 420*l.* for 3 years, at 5 per cent?
2. Required the amount of 640*l.* for 4 years, at 3 per cent?
3. What will 436*l.* amount to in 3 years, at $4\frac{1}{2}$ per cent?
4. What is the compound interest on 678*l.* 16*s.* for 6 years, at $3\frac{1}{2}$ per cent. per annum?
5. What will 764*l.* amount to in 4 years at 6 per cent?
6. What is the compound interest on 786*l.* 10*s.* for 6 years, at $4\frac{1}{2}$ per cent. per annum?

BARTER.

When one person gives goods to another and receives, not money, but goods in return, he is said to Barter.

How many yards of cloth, at 10s. per yard, ought I to get for 98 lbs. of tea, at 8s. per pound?

RULE WITH EXAMPLE.—Find the value of the goods given. In this example the value of the tea is found to be 784s.; you have therefore to consider how many yards of cloth you ought to receive for 784s. the value of 1 yard being 10s.

$$\begin{array}{r}
 \text{lbs.} \\
 98 \\
 8 \\
 \hline
 10 \overline{)784} \\
 \underline{784} \\
 0
 \end{array}$$

All the questions in this rule may be found either by Simple Proportion or Practice.

1. How many pairs of shoes, at 12s. per pair, must be given for 206 pairs of stockings at 2s. per pair?
2. How much tea, at 7s. per lb., ought I to receive for 1 cwt. of coffee at 2s. per lb.?
3. How much brandy, at 23s. per gallon, ought I to receive for 98 gallons of rum at 15s. per gallon?
4. A chandler gave 2 cwt. 3 qrs. of tallow at 1l. 18s. 6d. per cwt.; how much soap ought he to receive at 5d. per lb.?
5. How much iron at 1½d. per lb. ought a nailer to receive for 9860 nails. at 6½d. per hundred?

PROFIT AND LOSS.

The use of this rule is to discover how much is gained or lost in buying and selling goods.

CASE I.—When the price cost and selling price are given to find the entire gain or loss on any quantity of goods.

Bought 12 yards of cloth at 9s. 8d. per yard, and sold it at 1s. 6d.; what did I gain on the whole?

RULE WITH EXAMPLE.—Subtract the cost price, 9s. 8d., from the selling price, 11s. 6d., and multiply the gain upon one yard, 1s. 10d., by the number of yards bought, 12. The product, 1l. 2s. is the gain on the 12 yards.

$$\begin{array}{r}
 \text{s. } d. \\
 11 \ 6 \\
 9 \ 8 \\
 \hline
 1 \ 10 \\
 \underline{12} \\
 \text{£1 } 2 \ 0
 \end{array}$$

1. Bought 256 yards of cloth at 12s. 9d. per yard, and sold it at 14s. 9d.; what did I gain?
2. Bought 406 lbs. of butter at 10d. per lb., and sold it at 14d. per lb.; what was gained on the whole?
3. Bought 248 pairs of stockings at 1s. 8d. per pair, and sold the whole for 12l. 16s.; what was the gain or loss?
4. Bought 9 cwt. of cheese at 2l. 12s. per cwt., and sold it at 2l. 18s. per cwt.; what was the gain upon the whole?
5. Sold a chest of tea containing 144 lbs., for 57l. 10s.; how much did I gain, the tea having cost me 6s. 8d. per lb.?

CASE II.—*The first cost and selling price being given, to find the gain per cent.*

Bought cloth at 12s. per yard, and sold it at 14s. per yard; what was the gain per cent.?

RULE WITH EXAMPLE.—Find the gain or loss by the former case; then say, as the cost price, 12s., is to the gain, 2s., so is 100l. to the gain or loss per cent.

$$\begin{array}{r}
 \text{s.} \\
 14 \\
 12 \\
 \text{s.} \quad \text{—} \quad \text{l.} \\
 12 : 2 :: 100 \\
 \quad \quad 20 \\
 \quad \quad \hline
 \quad \quad 2000 \\
 \quad \quad \quad 2 \\
 \quad \quad \hline
 \quad \quad 12)4000 \\
 \quad \quad 2,0)33,3 \quad 4 \\
 \quad \quad \hline
 \quad \quad \pounds 16 \quad 13 \quad 4
 \end{array}$$

6. If a pound of tea be bought for 6s. 6d., and sold for 7s. 4d., what is the gain per cent.?
7. When wine is bought for 18s. 6d. per gallon, and sold for 27s. 3d. per gallon; what is the gain per cent.?
8. Bought a quantity of goods for 64l., and sold them for 76l.; what was the gain per cent.?
9. Bought cloth at 6s. 8d. per yard; but finding it not so good as I expected, I was obliged to sell it at 6s. 4d.; how much did I lose per cent.?

PARTNERSHIP.

PARTNERSHIP is when two or more persons unite in trade, and agree to share the profits or losses, according to the terms of agreement.

CASE I.—Partnership without time.

RULE.—As the whole capital is to the whole gain or loss, so is each partner's stock to his share of the gain or loss.

EXAMPLE.—A, B, and C entered into partnership: A gave 400*l.*, B 500*l.*, and C 700*l.*; they gained 350*l.*; what is each partner's share of the gain?

Capitals					
A 400	1600 <i>l.</i>	350 <i>l.</i>	:	400 <i>l.</i>	: 87 <i>l.</i> 10 <i>s.</i> 0 <i>d.</i> A's gain.
B 500		400			
C 700	16,00)	1400,00			
£1600		£87 10			
	1600 <i>l.</i>	:	350 <i>l.</i>	:	500 <i>l.</i> : 109 <i>l.</i> 7 <i>s.</i> 6 <i>d.</i> B's gain
		500			
	16,00)	1750,00			
		£109 7 6			
	1600 <i>l.</i>	:	350 <i>l.</i>	:	700 <i>l.</i> : 153 <i>l.</i> 2 <i>s.</i> 6 <i>d.</i> C's gain.
		700			
	16,00)	2450,00			
		£153 2 6			

1. Two persons, A and B, entered into partnership; A put into the business 865*l.*, B 2608*l.*; they gain 964*l.*; what was each person's share of the profit?

2. Three merchants freight a ship to America: the value of the cargo was 2640*l.*; of this 686*l.* belonged to A; 1200*l.* to B; and the rest to C; they lose upon the whole cargo 524*l.*; what is each merchant's share of the loss?

3. Three wine merchants freighted a ship with 468 pipes of wine, of which 142 pipes belonged to A; 204 to B; and the rest to C. During a storm the sailors were obliged to throw overboard 96 pipes; what was the loss sustained by each?

4. Three persons pay a tax of 100*L.*, in proportion to the annual value of their property. A's property is worth 800*L.* per annum; B's 600*L.*; and C's 400*L.*; how much is each to pay?

CASE II.—*Partnership with time.*

RULE.—Multiply each person's money by the time it continued in the business, and proceed as in Case I.

EXAMPLE.—Three persons enter into partnership: A puts in 200*L.* for 4 months; B 400*L.* for 6 months; and C 800*L.* for 7 months. They gain 500*L.*; what is each person's share of the gain?

Capital

A $200 \times 4 = 800$ 8800*L.* : 500*L.* :: 800*L.* : 45*L.* 9*s.* 1*d.* A's gain.

B $400 \times 6 = 2400$ 800

C $800 \times 7 = 5600$ 88,00)4000,00

8800

£45 9 1

8800*L.* : 500*L.* :: 2400*L.* : 136*L.* 7*s.* 3¼*d.* B's gain

2400

88,00)12000,00

£136 7 ¾

8800*L.* : 500*L.* :: 5600*L.* : 318*L.* 3*s.* 7½*d.* C's gain

5600

88,00)28000,00

£318 3 7½

5. A, B, and C enter into business; A puts in 968*L.*; B 1420*L.*, and C 2470*L.* A's money was in the business 2 years, B's 5 years, and C's 7 years: they gained 2348*L.*; how ought the gain to be divided among them?

6. Three graziers rented a piece of land for 98*L.*; A put 4 cows on the land for 4 months; B 5 cows for 7 months, and C 9 cows for 6 months; how much ought each to pay of the rent?

7. A, B, C, and D, put each into partnership 750*L.*; A's money remains 7 months; B's 9 months, C's 11 months, and D's a year: they gain 438*L.*; what is each person's share of the gain?

VULGAR FRACTIONS.

A FRACTION is a part of anything, and is represented by two numbers, one above the line and the other below it: thus, $\frac{1}{2}$, $\frac{2}{3}$, $\frac{3}{4}$,—read one-half, two-thirds, three-fourths.

The figure above the line is called the *numerator*; the figure below the line is called the *denominator*; thus, in the fraction $\frac{4}{5}$, read four-fifths; the 4 is the numerator and the 5 is the denominator.

The denominator marks the number of equal parts into which the whole is divided; the numerator shows the number of those intended to be expressed by the fraction: thus, if I say that I have $\frac{2}{3}$ of an apple, I mean that the apple was divided into three equal parts, and that I have two of these parts.

A PROPER FRACTION is that which has its numerator *less* than its denominator, as $\frac{1}{2}$, $\frac{2}{3}$, $\frac{4}{5}$.

AN IMPROPER FRACTION is that which has its numerator *greater* than its denominator, as $\frac{3}{2}$, $\frac{7}{4}$, $\frac{8}{5}$.

A COMPOUND FRACTION is a fraction of a fraction, and is expressed by two or more fractions, as $\frac{2}{3}$ of $\frac{3}{4}$, or $\frac{1}{2}$ of $\frac{2}{3}$ of $\frac{4}{5}$.

A MIXED NUMBER is a whole number with a fraction annexed, as $2\frac{1}{2}$, $4\frac{2}{3}$, $16\frac{1}{3}$.

Any whole number may be made a fraction of by writing a 1 under it for a denominator: for example 6 may be made a fraction of by writing it thus $\frac{6}{1}$, or 10 thus $\frac{10}{1}$. The value of a fraction is not altered by multiplying or dividing both the numerator and denominator, provided both be multiplied or divided by the same number.

REDUCTION.

CASE I.—To change an improper fraction into a whole or mixed number.

RULE.—Divide the numerator by the denominator, and if there be any remainder write the denominator under it in the form of a fraction.

EXAMPLE.—Reduce the improper fraction, $\frac{1367}{3}$, to a whole or mixed number. $5)1367$
 $\frac{273\frac{2}{3}}{273\frac{2}{3}}$ Ans

1. Reduce $7\frac{463}{3}$ to its equivalent whole or mixed number.
2. Reduce $8\frac{463}{14}$ to its equivalent whole or mixed number.
3. Reduce $9\frac{766}{3}$ to its equivalent whole or mixed number.
4. Find the value of $6\frac{4237}{898}$ in whole or mixed numbers.
5. Find the value of $8\frac{363}{89}$ in whole or mixed numbers.

Reduce the following fractions to whole or mixed numbers

- | | | |
|------------------------|-----------------------------|---------------------------|
| 6. $\frac{8586}{43}$ | 9. $\frac{742683}{7687}$ | 12. $\frac{736201}{7638}$ |
| 7. $\frac{7982}{886}$ | 10. $\frac{968760}{2780}$ | 13. $\frac{480010}{3634}$ |
| 8. $\frac{3843}{2104}$ | 11. $\frac{492001}{437600}$ | 14. $\frac{876246}{4988}$ |

CASE II.—To reduce a mixed number to an improper fraction

RULE.—Multiply the whole number by the denominator of the fraction; add the numerator, and under the product place the denominator.

EXAMPLE.—Reduce the mixed number $46\frac{2}{3}$ to an improper fraction. $\frac{46\frac{2}{3}}{5}$
 $230 \times 3 = 233$

Reduce the following mixed numbers to their equivalent improper fractions:

- | | | |
|---------------------|------------------------|-------------------------|
| 15. $7\frac{1}{2}$ | 20. $647\frac{2}{13}$ | 25. $976\frac{24}{128}$ |
| 16. $8\frac{2}{3}$ | 21. $360\frac{19}{17}$ | 26. $843\frac{31}{21}$ |
| 17. $17\frac{4}{5}$ | 22. $976\frac{21}{30}$ | 27. $687\frac{23}{111}$ |
| 18. $19\frac{7}{9}$ | 23. $842\frac{17}{38}$ | 28. $769\frac{11}{34}$ |
| 19. $27\frac{4}{5}$ | 24. $684\frac{19}{27}$ | 29. $807\frac{19}{21}$ |

CASE III.—*To reduce a compound fraction to a simple fraction.*

RULE.—Multiply together all the numerators for a numerator, and all the denominators for a denominator.

EXAMPLE.—Reduce the compound fraction $\frac{2}{3}$ of $\frac{6}{7}$ of 5 to a simple fraction. $\frac{2 \times 6 \times 5}{3 \times 7 \times 1} = \frac{60}{21}$ *Ans.*

Reduce the following compound fractions to their equivalent simple ones:—

- | | |
|---|--|
| 30. $\frac{3}{8}$ of $\frac{2}{7}$ of $\frac{5}{7}$ | 35. $\frac{17}{23}$ of $\frac{8}{9}$ of $\frac{3}{25}$ of $\frac{13}{19}$ |
| 31. $\frac{7}{9} \dots \frac{3}{11} \dots \frac{8}{15}$ | 36. $\frac{12}{37} \dots \frac{1}{7} \dots \frac{18}{33} \dots 19\frac{1}{9}$ |
| 32. $\frac{5}{13} \dots \frac{17}{3} \dots \frac{19}{21}$ | 37. $\frac{11}{21} \dots \frac{17}{36} \dots \frac{135}{78} \dots 24$ |
| 33. $\frac{4}{9} \dots \frac{8}{11} \dots \frac{11}{12}$ | 38. $\frac{3}{7} \dots \frac{9}{17} \dots \frac{29}{78} \dots 32$ |
| 34. $\frac{7}{17} \dots \frac{8}{19} \dots 7$ | 39. $\frac{7}{15} \dots \frac{13}{19} \dots \frac{21}{39} \dots 27\frac{2}{3}$ |

CASE IV.—*To reduce a fraction to its lowest terms.*

RULE.—Divide the numerator and denominator by any number that will measure them; that is, that will divide them without a remainder. Do the same with the quotients as long as any number can be found to divide them.

Reduce $\frac{144}{240}$ to its lowest terms.

Divide the fractions and (2) (2) (3) (2) (2) the quotients by the fig- $\frac{144}{240} = \frac{72}{120} = \frac{36}{60} = \frac{12}{20} = \frac{6}{10} = \frac{3}{5}$ *Ans.* are placed above them.

Or,

If a number be wished for that may bring the fraction to its lowest terms at once, divide the greater term by the less, and the divisor by the remainder; and so on, dividing each divisor by the last remainder till nothing remains. The last *divisor* is the number by which, if the numerator and denominator of the fraction be divided, the lowest term will be obtained

Reduce $\frac{144}{240}$ to its lowest terms.

The denominator of the fraction being 144)240(1 greater, it is divided by the numerator. 144
The former divisor, 144, is now to be divided by the remainder, 96; the remainder, 48, is now to divide the former divisor, 96. The last divisor, 48, is the number by which, if the numerator and denominator be divided, the lowest term will be obtained: thus, $48) \frac{144}{240} = \frac{3}{5}$, as in former example.

$$\begin{array}{r} 144 \\ 96)144(1 \\ \underline{96} \\ 48)96(2 \\ \underline{96} \\ 0 \end{array}$$

Reduce the following numbers to the lowest terms:

40. $\frac{48}{272}$	44. $\frac{740}{8873}$	48. $\frac{55}{9908}$
41. $\frac{46}{118}$	45. $\frac{764}{3240}$	49. $\frac{1245}{226}$
42. $\frac{176}{484}$	46. $\frac{644}{1728}$	50. $\frac{1344}{1338}$
43. $\frac{48}{166}$	47. $\frac{825}{1920}$	51. $\frac{1408}{1684}$

CASE V.—To reduce fractions to a common denominator

RULE.—Multiply each numerator by all the denominators, except its own, for a new numerator; and multiply all the denominators together for a new denominator.

Reduce $\frac{2}{3}$, $\frac{3}{4}$, and $\frac{4}{5}$, to a common denominator.

Here the first numerator, 2, is $2 \times 5 \times 7 = 70$ multiplied by 5 and 7 the denominators of the other fractions. $3 \times 3 \times 7 = 63$ } numerators
 $4 \times 3 \times 5 = 60$ }

Mark that it is not multiplied by its own denominator, 3. The same is done to the other numerators. $3 \times 5 \times 7 = 105$ com. denom.

The answer then is $\frac{70}{105}$; $\frac{63}{105}$; $\frac{60}{105}$.

Reduce the following fractions to others having a common denominator.

52. $\frac{2}{4}$, $\frac{2}{3}$, and $\frac{4}{4}$.	56. $\frac{17}{24}$, $\frac{19}{20}$, $\frac{13}{2}$, and $\frac{13}{17}$.
53. $\frac{5}{9}$, $\frac{7}{8}$, and $\frac{6}{9}$.	57. $\frac{21}{47}$, $\frac{18}{39}$, $\frac{41}{39}$, and $\frac{27}{78}$.
54. $\frac{9}{11}$, $\frac{7}{13}$, and $\frac{12}{16}$.	58. $\frac{71}{81}$, $\frac{39}{281}$, $\frac{410}{101}$, and $\frac{73}{813}$.
55. $\frac{13}{18}$, $\frac{11}{23}$, and $\frac{18}{97}$.	59. $\frac{813}{401}$, $\frac{710}{1028}$, $\frac{762}{980}$, and $\frac{53}{721}$.

ADDITION.

RULE.—Reduce compound fractions to simple fractions, and mixed numbers to improper fractions. Having done this, bring them to a common denominator. Add all the numerators together, and place, under the result, the common denominator. If the answer be an improper fraction, bring it to mixed number.

Add together the following fractions, $\frac{2}{3}$, $\frac{3}{5}$, and $4\frac{1}{2}$.

Here the mixed number $4\frac{1}{2}$ is $2 \times 5 \times 2 = 20$ }
 first brought to the improper $3 \times 3 \times 2 = 18$ } numerators
 fraction $\frac{9}{2}$, and then all the frac- $9 \times 3 \times 5 = 135$ }
 tions are brought to a common $3 \times 5 \times 2 = 30$ com. denom.
 denominator.

Therefore $\frac{20}{30} + \frac{18}{30} + \frac{135}{30} = \frac{173}{30} = 5\frac{23}{30}$ sum required.

Add together the following fractions and mixed numbers.

- | | |
|--|---|
| 1. $\frac{2}{3} + \frac{3}{5} + \frac{4}{9}$ | 7. $\frac{2}{5}$ of $\frac{6}{7} + \frac{2}{12} + \frac{2}{3}$ of $\frac{7}{8}$ |
| 2. $\frac{3}{7} + \frac{9}{11} + \frac{12}{13}$ | 8. $\frac{4}{7} + \frac{9}{12}$ of $\frac{12}{16} + \frac{4}{6}$ of $5\frac{1}{2}$ |
| 3. $\frac{4}{7} + \frac{11}{16} + \frac{12}{23}$ | 9. $\frac{12}{18}$ of $7\frac{2}{3}$ of $9 + \frac{2}{7}$ of 14 |
| 4. $\frac{7}{9} + \frac{13}{17} + \frac{14}{19} + \frac{23}{21}$ | 10. $\frac{21}{23} + \frac{11}{15}$ of $2\frac{2}{3} + \frac{2}{6}$ of $6\frac{2}{3}$ |
| 5. $\frac{3}{12} + \frac{11}{23} + \frac{2}{17} + \frac{14}{36}$ | 11. $\frac{17}{19}$ of $\frac{23}{48}$ of $17\frac{4}{6} + \frac{4}{7}$ of 12 |
| 6. $\frac{21}{42} + \frac{41}{52} + \frac{71}{89} + \frac{22}{23}$ | 12. $\frac{13}{27} + \frac{19}{23}$ of $9\frac{2}{3} + \frac{11}{35}$ of $8\frac{4}{7}$ |

SUBTRACTION.

RULE.—Reduce the fractions to common denominators, as in addition. Find the difference of the numerators, under which write the common denominator.

From $\frac{12}{15}$ take $\frac{4}{7}$.

Here the fractions are first $12 \times 7 = 84$ } numerators
 brought to a common denomina- $4 \times 15 = 60$ }
 tor, then the 60 taken from 84, $15 \times 7 = 105$ com denom
 and the common denominator
 written under the difference

Therefore $\frac{84}{105} - \frac{60}{105} = \frac{24}{105}$ the answer.

What is the difference between the following fractions?

- | | | |
|----------------------------------|-----------------------------------|---|
| 1. $\frac{4}{7} - \frac{3}{4}$ | 5. $4\frac{1}{2} - \frac{9}{10}$ | 9. $\frac{9}{11} - \frac{1}{19}$ of 4 |
| 2. $\frac{6}{11} - \frac{8}{9}$ | 6. $\frac{27}{8} - 5\frac{1}{7}$ | 10. $\frac{11}{24} - \frac{3}{28}$ of $\frac{5}{8}$ |
| 3. $\frac{7}{13} - \frac{4}{13}$ | 7. $2\frac{1}{8} - 3\frac{2}{5}$ | 11. $169 - 14\frac{1}{4}$ |
| 4. $\frac{9}{13} - \frac{6}{19}$ | 8. $6\frac{1}{7} - 9\frac{1}{10}$ | 12. $76\frac{1}{4} - \frac{2}{3}$ of 19 |

MULTIPLICATION.

RULE.—Reduce the mixed numbers to improper fractions and compound fractions to simple ones; after this has been done, multiply all the numerators together for the numerator of the product, and all the denominators together for its denominator.

Multiply $6\frac{2}{3}$ by $\frac{2}{3}$ of $\frac{7}{8}$.

Here the mixed number $6\frac{2}{3} = \frac{20}{3}$ and $\frac{2}{3}$ of $\frac{7}{8} = \frac{14}{24}$; $6\frac{2}{3}$ is converted into the improper fraction $\frac{20}{3}$, and the compound fraction $\frac{2}{3}$ of $\frac{7}{8}$ into the simple fraction $\frac{14}{24}$. The numerators and denominators being multiplied, produce the improper fraction $\frac{280}{72}$, which being reduced to a mixed number gives $3\frac{1}{2}$ the answer.

Multiply together the following fractions.

- | | | |
|--|--|---|
| 1. $\frac{3}{4} \times \frac{5}{8}$ | 5. $8\frac{1}{4} \times \frac{5}{12}$ | 9. $8\frac{2}{3} \times \frac{2}{3}$ of $\frac{7}{8}$ |
| 2. $\frac{7}{9} \times \frac{8}{11}$ | 6. $7 \times \frac{5}{13}$ | 10. $16 \times \frac{4}{7}$ of $\frac{8}{13}$ |
| 3. $\frac{9}{11} \times \frac{11}{12}$ | 7. $5\frac{3}{8} \times 11\frac{1}{4}$ | 11. $17\frac{2}{3} \times \frac{17}{19}$ of 70 |
| 4. $\frac{4}{13} \times \frac{4}{27}$ | 8. $3\frac{2}{3} \times 4\frac{5}{6}$ | 12. $24\frac{7}{13} \times \frac{13}{18}$ of 9 |

DIVISION.

RULE.—Prepare the fractions as in multiplication; then invert the divisor and proceed as in multiplication.

Divide $\frac{4}{7}$ by $\frac{3}{5}$ $\frac{4}{7} \div \frac{3}{5}$ inverted thus $\frac{4 \times 5 = 20}{7 \times 3 = 21}$

- | | | |
|--|--|--|
| 1. Divide $\frac{14}{5}$ by $\frac{11}{12}$
2. $\frac{21}{80}$ $\frac{3}{10}$
3. $\frac{15}{18}$ $\frac{4}{5}$
4. $\frac{33}{35}$ $\frac{3}{8}$
5. $\frac{12}{37}$ $\frac{18}{43}$
6. $\frac{16}{351}$ $\frac{4}{27}$ | | 7. Divide $5\frac{5}{7}$ by $\frac{5}{7}$
8. $3\frac{31}{8}$ $\frac{5}{12}$
9. $3\frac{1}{8}$ $9\frac{1}{2}$
10. $9\frac{1}{8}$ $\frac{1}{2}$ of 7
11. $116\frac{4}{15}$ $\frac{1}{3}$ of $5\frac{1}{3}$
12. $\frac{2}{3}$ of $\frac{3}{4}$ by $\frac{1}{2}$ of $\frac{2}{3}$ |
|--|--|--|
-

REDUCTION, CONTINUED.

CASE VI.—To reduce fractions from one denomination to another.

RULE.—If from a lower name to a higher, multiply the *denominator*, as in reduction of whole numbers. If from a higher name to a lower, multiply the *numerator* as in reduction of whole numbers.

Reduce $\frac{2}{3}$ of a farthing to the fraction of a pound.

Here the denominator is multiplied, as it is to be brought to a higher name. $\frac{2}{3} \times 4 \times 12 \times 20 = \frac{2}{2880}$

Reduce $\frac{3}{5}$ of a pound to the fraction of a penny.

Here the numerator is multiplied, as it is to be brought to a lower name. $\frac{3 \times 20 \times 12 = 720}{5}$

1. Reduce $\frac{3}{4}$ of a farthing to the fraction of a pound
2. Reduce $\frac{4}{7}$ of a pound to the fraction of a penny.
3. Reduce $\frac{4}{5}$ of a shilling to the fraction of a guinea
4. Reduce $\frac{4}{7}$ of a shilling to the fraction of a farthing.
5. Reduce $\frac{7}{8}$ of a farthing to the fraction of a crown.
6. Reduce $\frac{3}{10}$ of a day to the fraction of a week.
7. Reduce $\frac{7}{6}$ of a week to the fraction of an hour.
8. Reduce $\frac{4}{3}$ of a nail to the fraction of a yard.
9. Reduce $\frac{7}{6}$ of a cwt. to the fraction of a dram.
10. Reduce $\frac{4}{3}$ of a yard to the fraction of a mile.

CASE VII.—*To express any given quantity as a fraction of another quantity, considered as an integer.*

RULE.—Reduce both quantities to one denomination; then make the reduced integer the denominator, and the other quantity the numerator.

What part of 1*l.* is 13*s.* 4*d.* ?

	<i>l.</i>	<i>s.</i>	<i>d.</i>
Here both quantities, the 1 <i>l.</i> and the 13 <i>s.</i> 4 <i>d.</i> , are reduced to pence; the pence in the integer, 240, is made the denominator, and the pence in the other quantity is made the numerator; the fraction, $\frac{1}{2} \frac{80}{100}$ of a pound, is, when brought to its lowest terms, equal to $\frac{2}{3}$ of a pound.	1		
	20	13	4
	<u>20</u>	12	
	12	<u>160</u>	
	240		
	then $\frac{160}{240} = \frac{2}{3}$ Ans		

11. Reduce 14*s.* 6*d.* to the fraction of a pound.
12. Reduce 17*s.* 4*d.* to the fraction of a pound.
13. Reduce 5*s.* 8½*d.* to the fraction of a pound.
14. Reduce 17*s.* 9*d.* to the fraction of a penny.
15. Reduce 6*s.* 7¾*d.* to the fraction of a farthing.
16. Reduce 7 hours 21 minutes to the fraction of a day

17. Reduce 7 lbs. 3 drams to the fraction of a cwt.
18. Reduce 8 cwt. 2 qrs. 14 lbs. to the fraction of an ounce
19. Reduce 3 lbs. 9 oz. to the fraction of a dwt.
20. Reduce 16 hours 13 minutes to the fraction of a day.

CASE VIII.—*To find the value of a fraction.*

RULE.—Reduce the numerator to the next inferior name and divide by the denominator; reduce the remainder, if any to the next lower name, and divide again, and so on to the lowest name.

What is the value of $\frac{7}{8}$ of a pound sterling?

Here the numerator, 7, is multiplied by 20, so bring it to the next inferior name, 140s. The 140s. are divided by 8, which gives 17s. and 4 of a remainder; the 4 is multiplied by 12, to bring it to the next inferior name, 48d.; it is then divided by 8, which gives 6 without any remainder. The answer then is 17s. 6d. which is the $\frac{7}{8}$ of a pound.

$$\begin{array}{r} 7 \\ 20 \\ 8 \overline{)140} \\ \underline{17} \quad 4 \\ \quad 12 \\ \quad 8 \overline{)48} \\ \underline{\quad 6} \end{array}$$

21. What is the value of $\frac{6}{7}$ of a pound?
22. What is the value of $\frac{5}{6}$ of a shilling?
23. What is the value of $\frac{4}{5}$ of a crown?
24. What is the value of $\frac{9}{11}$ of a day?
25. What is the value of $\frac{13}{23}$ of a guinea?
26. What is the value of $\frac{4}{9}$ of a yard, long measure?
27. What is the value of $\frac{13}{18}$ of a lb. troy?
28. What is the value of $\frac{13}{16}$ of a lb. avoirdupois?
29. What is the value of $\frac{23}{27}$ of a cwt.?
30. What is the value of $\frac{17}{24}$ of a mile?

PROMISCUOUS EXERCISES.

If the fractions be of different denominations it will be necessary to bring them to the same name before they are added or subtracted.

1. To $\frac{3}{7}$ of a pound add $\frac{4}{5}$ of a shilling.
2. To $\frac{4}{7}$ of a crown add $\frac{3}{8}$ of a shilling and $\frac{2}{9}$ of a penny
3. From $\frac{6}{9}$ of a pound take $\frac{6}{9}$ of a shilling.
4. From $\frac{4}{11}$ of a shilling take $\frac{3}{5}$ of $\frac{2}{3}$ of a penny.
5. What is the value of $\frac{5}{8}$ yd. of cloth at $\frac{1}{10}l.$ per yd. ?
6. What is the value of $\frac{5}{7}$ oz. of silver at $3\frac{1}{4}l.$ per lb. ?
7. If $8\frac{5}{7}$ yds of cloth cost $49\frac{2}{3}s.$, what is the price per yd. ?
8. What is the price per yard, when 3 pieces of cloth, each $12\frac{3}{4}$ yards, cost $46\frac{5}{8}l.$?
9. What is the difference between $\frac{2}{3}$ of a league and $\frac{5}{8}$ of a mile ?
10. What is the sum of $\frac{1}{2}$ of a cwt., $7\frac{1}{8}$ lbs., and $4\frac{8}{9}$ oz. ?
11. From $\frac{1}{4}$ of a guinea take $\frac{3}{4}$ of a pound
12. What is the sum of $\frac{2}{3}$ of a guinea, $\frac{1}{4}l.$, and $\frac{2}{3}$ of a crown ?
13. How much is 8 times $\frac{1}{8}$ of a yard ?
14. How much is $\frac{3}{5}$ of $\frac{2}{3}$ of a pound sterling ?
15. A yard of ribbon cost $17d.$, what is the price of $\frac{1}{2}$ of $\frac{1}{4}$ of a yard ?
16. If $\frac{2}{7}$ of a yard cost $\frac{4}{15}l.$; what ought to be paid for $6\frac{2}{3}$ yards ?
17. If $2\frac{1}{3}$ yards of flannel cost $3\frac{1}{3}s.$; what is the price of $4\frac{3}{4}$ yards ?
18. If $\frac{3}{16}$ of a ship cost $273\frac{1}{8}l.$; what is $\frac{5}{3}$ of her worth ?
19. If $\frac{5}{8}$ of a cwt. cost $4\frac{7}{9}l.$, what will $4\frac{1}{2}$ lbs. cost ?
20. If 1 lb. of coffee cost $2\frac{3}{4}s.$; how many pounds can I have for $38\frac{1}{2}s.$?
21. If $7\frac{5}{8}$ yards cost $7l. 18s. 4d.$; how much did $49\frac{3}{4}$ yards come to ?

DECIMAL FRACTIONS.

A DECIMAL FRACTION is a fraction whose denominator is 10, 100, 1000, &c., or a unit with as many ciphers annexed to it as there are figures in the numerator. Thus $\frac{5}{10}$, $\frac{25}{100}$, $\frac{325}{1000}$, are decimal fractions, and are usually written in this manner: $\cdot 5$, $\cdot 25$, $\cdot 325$, the denominators being omitted; but a point is placed on the left hand to distinguish them from integers. In reading them the first is called 5-tenths, the second 25-hundredths, and the third 325-thousandths.

When there are not so many figures in the numerator as there are ciphers in the denominator, as many ciphers as are necessary must be prefixed: thus $\frac{3}{100} = \cdot 03$ and $\frac{3}{1000} = \cdot 003$.

Ciphers on the left hand of a decimal *decrease* its value ten-fold: thus, 5 is 5-tenths; $\cdot 05$ is 5-hundredths, and $\cdot 005$ is 5-thousandths. Ciphers on the right do not alter the value, for $\cdot 5$, $\cdot 50$, $\cdot 500$ are the same as $\frac{5}{10}$, $\frac{50}{100}$, $\frac{500}{1000}$, and these are of equal value.

ADDITION.

RULE.—Place the numbers to be added so that the decimal points be directly under each other, and add as in Simple Addition. Insert the point in the answer directly under the other points.

Add together the following numbers:—

(1)	(2)	(3)
2·13	43·27	820·71
·426	9·042	2·006
21·2	712·417	84·243
7·63	41·007	217·072
640·072	·962	9·341

4. Add 4.231, 72.32, 920.74, .9374, 376.05.
 5. 723.312, 91.0006, 2.0251, 3724.7, .00007
 6. 37.214, .736, 7213.04, 123.476, 21.6743.
 7. 800.273, .498.0009, .296, .0071, 4260.008.
 8. 320.492, .23687, 970.0083, 9.086, 41.762.

SUBTRACTION.

RULE.—Place the numbers as in addition; subtract as in Simple Numbers, and insert the point under the other points.

- | | |
|--|---|
| 1. From 72.378 take 4.861
2. 9.007 .962
3. 41.217 7.0968
4. 298.012 .9999
5. 840.001 170.98 | 6. From 279.712 take 97.0076
7. 72.0076 1.973
8. 900.005 89.1171
9. 243.21 .964213
10. 462.0068 134.791 |
|--|---|

MULTIPLICATION.

RULE.—Arrange the factors, and multiply as in Whole Numbers. Reckon the number of decimals in both factors, and point off as many from the right of the product. When the number of figures in the product is not so many as the number of decimals in both factors, as many ciphers as may be necessary to make up the deficiency must be placed at the left of the product.

Multiply 7.4 by .35.

$$\begin{array}{r}
 7.4 \\
 .35 \\
 \hline
 370 \\
 222 \\
 \hline
 2.590
 \end{array}$$

In the above example there are three decimal places in the multiplicand and multiplier; therefore three figures are pointed off from the right of the product.

Multiply .045 by .03

$$\begin{array}{r}
 .045 \\
 .03 \\
 \hline
 .00135
 \end{array}$$

In the above example there are five decimal places in the factors, and only three figures in the product; therefore two ciphers are placed at the left of the product to make the number of decimal places in the product equal to those in the factors.

1. Mult.	.27 by	.27	7. Mult.	2300.7 by	48.003
2.	4.21	3.41	8.	704.23	.0007
3.	97.04	80.03	9	.786	100
4.	.4102	.1004	10	4.862	.75
5.	.700	.806	11	200.03	.002
6.	.879	10	12.	.00076	1000

DIVISION.

RULE.—Divide as in whole numbers. Point off as many decimal places in the quotient, as the dividend has more than the divisor: if necessary place ciphers to the left of the quotient.

If the divisor has more figures than the dividend, add ciphers to the right of the dividend.

When there is a remainder, the quotient may be carried to any degree of exactness, by annexing ciphers to the remainder.

Divide 4.7614 by 3.8.

$$3.8)4.7614(1.253$$

In this case the decimals in the dividend exceed those in the divisor by three; three figures are therefore marked off in the quotient.

1 Divide 6.74 by 2.34

$$2. \quad .496 \quad .278$$

$$3. \quad 7.6 \quad .734$$

$$4. \quad 7.23 \quad 4.06$$

$$5. \quad .024 \quad .001$$

$$6. \dagger \quad 29.6 \quad 10$$

Divide .7644 by 42.

$$42) .7644(.0182$$

In this case the decimals in the dividend exceed those in the divisor by four; a cipher is therefore prefixed in the quotient to make four decimal places.

7. Divide 724.1 by 38.07

$$8. \quad 82.03 \quad 9.0002$$

$$9. \quad 7.624 \quad 2.001$$

$$10. \quad .5213 \quad .24121$$

$$11. \quad 31 \quad .124689$$

$$12. \quad 3468.9 \quad 1000$$

* In order to multiply a decimal by 10, remove the point one figure to the right; if by 100 remove it two places, and so on.

† To divide by 10, 100, &c., remove the decimal place of the dividend as many places to the left as there are ciphers.

CASE III.—To reduce numbers of a lower denomination to the decimal of a higher

RULE.—Write the given numbers, if more than one, directly under each other, beginning with the lowest, and divide by as many of the lower as make one of the higher, annexing ciphers if necessary.

Reduce 12s. 3d. to the decimal of a pound.

$$\begin{array}{r} 12) 3\cdot00 \\ 20) 12\cdot250 \\ \hline \cdot6125 \text{ Ans.} \end{array}$$

Here the shillings and pence are placed under each other, beginning with the lower; and each divided by as many of the lower as make one of the higher

Reduce 16s. 6d $\frac{3}{4}$ to the decimal of a pound.

$$\begin{array}{r} 4) 3\cdot00 \\ 12) 6\cdot7500 \\ 20) 16\cdot56250 \\ \hline \cdot828125 \text{ Ans.} \end{array}$$

Here the farthings, pence, and shillings, are placed under each other, beginning with the lowest; each is then divided by as many of the lower as make one of the higher.

1. Reduce 19s. 5 $\frac{1}{2}$ d. to the decimal of a pound.
2. Reduce 15s. 9 $\frac{3}{4}$ d. to the decimal of a pound.
3. Reduce 13s. 4d. to the decimal of a pound.
4. Reduce 9d. to the decimal of a pound.
5. Reduce 3 cwt. 2 qrs. 8 lbs. to the decimal of a cwt.
6. Reduce 4 feet 3 inches, to the decimal of a yard.
7. Reduce 26 min. 34 sec. to the decimal of a week.
8. Reduce 5 furlongs 3 poles, to the decimal of a mile.
9. Reduce 4 $\frac{3}{4}$ d. to the decimal of a guinea.
10. Reduce 5 dwt. 12 grs. to the decimal of an ounce.
11. Reduce 2 roods 12 perches, to the decimal of an acre.
12. Reduce 17 yards, 1 foot, 6 inches, to the decimal of a mile.

CASE IV.—To find the value of a decimal.

RULE.—Multiply the decimal by as many of the next lower denomination as make one of the given denomination. Point off, from the product, as many decimal places as are in the given decimal. Proceed thus to the lowest denomination. The figures on the left of the points are the value of the decimal.

What is the value of $\cdot 427$ of a pound?

$$\begin{array}{r} \cdot 427 \\ \underline{20} \\ 8\cdot 540 \\ \underline{12} \\ 6\cdot 480 \\ \underline{4} \\ 1\cdot 920 \end{array}$$

Ans. 8s. 6½d.

What is the value of $\cdot 243$ of a day?

$$\begin{array}{r} \cdot 243 \\ \underline{24} \\ 5\cdot 832 \\ \underline{60} \\ 49\cdot 920 \\ \underline{60} \\ 55\cdot 200 \end{array}$$

Ans. 5 hrs. 49 min 55 sec

1. What is the value of $\cdot 7634L$?
2. What is the value of $\cdot 3412L$?
3. What is the value of $\cdot 0076L$?
4. What is the value of $\cdot 764$ cwt.?
5. What is the value of $\cdot 936$ lbs. avoirdupois?
6. What is the value of $\cdot 007$ ton?
7. What is the value of $\cdot 722$ shilling?
8. What is the value of $\cdot 079$ crown?
9. What is the value of $\cdot 9218$ day?
10. What is the value of $\cdot 496$ yard?
11. What is the value of $\cdot 0796$ mile?
12. What is the value of $\cdot 732$ lb. troy?
13. What is the value of $\cdot 987$ oz. avoirdupois?
14. What is the value of $\cdot 987$ oz. troy?
15. What is the value of $\cdot 779$ lbs. avoirdupois?

INVOLUTION.

When a number is multiplied by itself, the product is called the power, and the number multiplied the root. Thus $2 \times 2 = 4$: here 4 is the square or second power of the root 2. Again, $2 \times 2 \times 2 = 8$: here 8 is the cube or third power of the root 2. Again, $2 \times 2 \times 2 \times 2 = 16$, here 16 is the fourth power of the root 2.

- 1 Find the second power of 8.
2. Required the third power of 13.
3. Raise 32 to the fourth power.
4. Involve 19 to the fifth power
5. Involve 33 to the sixth power.

EVOLUTION.

EVOLUTION is the method of finding the roots of numbers.

EXTRACTION OF THE SECOND OR SQUARE ROOT.

To extract the square root of any given number is to find a number, when multiplied by itself, will produce the given number.

What is the square root of 106929?

RULE WITH EXAMPLE.—Divide the given number into periods of two figures each, by placing a point over the unit figure, and over every alternate figure towards the left. Find the square root, 3 of the first period, 10, and place it in the quotient. Subtract the square of it, 9, from the first period, and to the remainder annex the next period, 69, for

$$\begin{array}{r}
 106929 \quad (327 \\
 \underline{9} \\
 62) \quad 169 \\
 \underline{124} \\
 647) \quad 4529 \\
 \underline{4529}
 \end{array}$$

a dividend. Double the root already found, 3, for a divisor, and supposing the unit figure, 9, omitted, find how often it, viz. 6, is contained in the dividend. It is contained 2 times; place the 2 then *both* in the quotient and the divisor. Multiply by it, 2, the divisor, 62, and subtract the product, 124, from the dividend. Bring down another period, and proceed thus till all the periods are brought down.

If there be a remainder after all the periods are used, periods of ciphers may be annexed; when the result will be decimals. Should there be decimals in the given number, still the pointing is to begin from the unit's place of the *integers*, and a point to be placed over every alternate figure both right and left.

The square root of a fraction is found by extracting the square root of the numerator for a new numerator, and the root of the denominator for a new denominator; if, however, this cannot be done, let the fraction be reduced to a decimal, and the root extracted as before.

1. What is the square root of 30976?
2. What is the square root of 622521?
3. What is the square root of 1234321?
4. What is the square root of 2052.09?
5. What is the square root of 4795.25731?
6. What is the square root of 24674.1264?
7. What is the square root of $\frac{49}{134}$?
8. What is the square root of $\frac{196}{1369}$?

EXTRACTION OF THE THIRD, OR CUBE ROOT.

To extract the Cube Root of any given number is to find a number which, when multiplied twice by itself, will produce the given number.

Find the Cube Root of 12812904.

RULE WITH EXAMPLE—Divide the given number into periods of three figures, beginning at the place of units. Place the cube root of the first period 2, in the quotient, and subtract its cube 8, from the first period, and bring down the next period for a dividend, which is 4812; to find a divisor, multiply the

$$\begin{array}{r}
 12812904(234 \\
 \underline{8} \\
 4812 \\
 2 \times 2 = 4 \times 300 = 1200 \\
 2 \times 3 = 6 \times 30 = 180 \\
 3 \times 3 = \quad \quad = \quad 9 \\
 \hline
 1389 \times 3 = 4167 \\
 \hline
 645904 \\
 23^2 \times 300 = 158700 \\
 23 \times 4 \times 30 = 2760 \\
 4^2 = \quad \quad = \quad 16 \\
 \hline
 161476 \times 4 = \frac{645904}{0}
 \end{array}$$

square of the figure placed in the quotient by 300, =1200; find how often this is contained in the dividend, viz. 3 times, place the 3 in the quotient for the second figure of the root. Multiply the part of the root formerly found, viz., 2, by the last figure placed in the root, viz., 3, and the product by 30, =180; add this and the square of the last figure placed in the root to the divisor, viz., 1200; multiply the sum of these, 1389, by the last figure placed in the root, 3, and subtract the product, 4167, from the dividend, 4812; bring down another period for a new dividend, and proceed in the same manner.

In order to extract the cube root of a vulgar fraction reduce it to a decimal, and then extract the root.

In mixed numbers reduce the fractional part to a decimal

Find the cube root of the following numbers:—

1. of	373248		6. of	52734.375
2. —	54872		7. —	7834.8748
3. —	389017		8. —	.053157376
4. —	1092727		9. —	$\frac{4}{7}$
5. —	84604519		10. —	$7\frac{1}{2}$

DUODECIMAL MULTIPLICATION.

This rule is made use of by artificers in measuring their work. The dimensions are taken in feet, inches and parts. The foot is divided into 12 parts called inches; the inch into 12 parts called seconds; the seconds into 12 parts called thirds; and the thirds into 12 parts called fourths. Three seconds are marked thus, 3''; thirds, thus 3''' ; and fourths thus, 4''''.

Multiply 7 feet 6 $\frac{3}{4}$ inches by 2 feet 5 $\frac{1}{4}$ inches.

RULE WITH EXAMPLE.—Place the multiplier under the multiplicand, feet under feet, inches under inches, &c. Multiply the multiplicand, beginning at the lowest term, 9, by the highest term in the multiplier, 2, carrying by 12; then multiply by the next lower term in the multiplier, viz. 5 inches, taking care, however, to put the product one place towards the right hand. Do the same with the next lower term, and so on. Add the different products together.

<i>ft. in. "</i>	<i>"</i>
7 6 9*	
2 5 3	
15 1 6	
3 1 9 9	
1 10 8 3	
18 5 2'' 5''' 3''''	

- 1 Multiply 7 feet 9 inches, by 5 feet 6 inches.
2. Multiply 9 feet 5 inches 3'', by 4 feet 8 inches 6''.
3. Multiply 12 feet 8 inches 7'', by 8 feet 4 inches 9'

* Instead of $\frac{3}{4}$ inches 9'' are put down, because they are equivalent. The same is done with the $\frac{1}{4}$ inch.

4. Multiply 46 feet 11 inches 8'', by 12 feet 7''.
5. Multiply 87 feet 9½ inches, by 11 feet 10¼ inches.
6. Multiply 687 feet 7¾ inches, by 24 feet 10½ inches.

To find the superficial content multiply the length by the breadth.

7. Find the content of a board 8 feet 4 inches long and 3 feet 4 inches broad.

8. Find the area of a table 10 feet 9 inches long, and 6 feet 4 inches broad.

9. What is the price of a marble slab, the length of which is 6 feet 4 inches, the breadth 3 feet 2 inches, at 7s. per foot?

10. Required the area of a square, the side of it being 23 feet 9 inches?

11. A grave-stone was charged at 5s. 2d. per foot; what was the price of it, the length of it being 7 feet 2 inches, the breadth 3 feet 6 inches?

12. How much will it cost to pave a court-yard at 7s. 8d. per foot, the length of it being 26 feet 9 inches, the breadth 12 feet 4 inches?

To find the solid content multiply the length, breadth, and thickness together.

13. What is the solid content of a block of marble 9 feet 2 inches long, 5 feet 8 inches broad, and 2 feet 3 inches thick?

14. Required the solid content of a box 6½ feet long, 4¼ feet broad, and 3¼ feet deep?

15. A log of mahogany is 72 feet $7\frac{1}{2}$ inches long, 5 feet $6\frac{1}{4}$ inches broad, and 8 feet $6\frac{1}{2}$ inches thick. Required its solid content?

16. What would it cost having a cellar dug 18 feet 4 inches long, 12 feet 9 inches broad, and 9 feet 6 inches deep, at 6*d.*, per solid yard?

17. Required the solid content of a log of beech, 27 feet 6 inches long, 2 feet 5 inches broad, and 1 foot 2 inches thick?

18. What is the value of a block of granite 8 feet 9 inches long, 3 feet 7 inches broad, and 4 feet 2 inches thick, at 7*s* 6*d.* the solid foot?

MENTAL ARITHMETIC.

* — To find the value of 12 articles, the price of one being given.

RULE.—Reckon every penny in the price a shilling, and every farthing three pence.

Because the value of 12 articles at 1*d.* each is 12*d.*, or 1*s.*

	<i>Ans.</i>			<i>Ans.</i>
12 @ 6 <i>d.</i> each	6 <i>s.</i>	24 @ 7 <i>d.</i> each	14 <i>s.</i>	
12 — 8 <i>d.</i> —	8 <i>s.</i>	24 — 6½ <i>d.</i> —	12 <i>s.</i> 6 <i>d.</i>	
12 — 13 <i>d.</i> —	13 <i>s.</i>	36 — 9 <i>d.</i> —	27 <i>s.</i>	
12 — 4¼ <i>d.</i> —	4 <i>s.</i> 3 <i>d.</i>	36 — 10½ <i>d.</i> —	31 <i>s.</i> 6 <i>d.</i>	
12 — 5½ <i>d.</i> —	5 <i>s.</i> 6 <i>d.</i>	12—1 <i>s.</i> 4¼ <i>d.</i> —	16 <i>s.</i> 3 <i>d.</i>	
12 — 7¾ <i>d.</i> —	7 <i>s.</i> 9 <i>d.</i>	12—1 <i>s.</i> 7¾ <i>d.</i> —	19 <i>s.</i> 9 <i>d.</i>	
12 — 15¼ <i>d.</i> —	15 <i>s.</i> 3 <i>d.</i>	24—1 <i>s.</i> 3 <i>d.</i> —	30 <i>s.</i>	
12 — 16½ <i>d.</i> —	16 <i>s.</i> 6 <i>d.</i>	24—2 <i>s.</i> 1 <i>d.</i> —	50 <i>s.</i>	
12 — 17¾ <i>d.</i> —	17 <i>s.</i> 9 <i>d.</i>	48—1 <i>s.</i> 3 <i>d.</i> —	60 <i>s.</i>	
12 — 19½ <i>d.</i> —	19 <i>s.</i> 6 <i>d.</i>	72—1 <i>s.</i> 8 <i>d.</i> —	120 <i>s.</i>	
120 — 3 <i>d.</i> —	30 <i>s.</i>	720 — 5 <i>d.</i> —	300 <i>s.</i>	
120 — 7 <i>d.</i> —	70 <i>s.</i>	840 — 7 <i>d.</i> —	490 <i>s.</i>	
240 — 8 <i>d.</i> —	160 <i>s.</i>	960 — 6 <i>d.</i> —	480 <i>s.</i>	
360 — 7 <i>d.</i> —	210 <i>s.</i>	1080 — 7 <i>d.</i> —	630 <i>s.</i>	
480 — 9 <i>d.</i> —	360 <i>s.</i>	1200 — 8 <i>d.</i> —	800 <i>s.</i>	
600 — 11 <i>d.</i> —	550 <i>s.</i>	1320 — 9 <i>d.</i> —	990 <i>s.</i>	

When there are a few over or under the dozen, calculate for a dozen, and add or subtract as may be required.

	<i>Ans.</i>			<i>Ans.</i>
13 @ 4 <i>d.</i> each	4 <i>s.</i> 4 <i>d.</i>	25 @ 4 <i>d.</i> each	8 <i>s.</i> 4 <i>d.</i>	
14 — 5 <i>d.</i> —	5 <i>s.</i> 10 <i>d.</i>	26 — 9 <i>d.</i> —	19 <i>s.</i> 6 <i>d.</i>	
11 — 6 <i>d.</i> —	5 <i>s.</i> 6 <i>d.</i>	23 — 3 <i>d.</i> —	5 <i>s.</i> 9 <i>d.</i>	
10 — 6 <i>d.</i> —	5 <i>s.</i>	22 — 7 <i>d.</i> —	12 <i>s.</i> 10 <i>d.</i>	
9 — 8 <i>d.</i> —	6 <i>s.</i>	37 — 1 <i>s.</i> 3 <i>d.</i> —	46 <i>s.</i> 3 <i>d.</i>	
15 — 10 <i>d.</i> —	12 <i>s.</i> 6 <i>d.</i>	35 — 1 <i>s.</i> 4 <i>d.</i> —	46 <i>s.</i> 8 <i>d.</i>	

* In this case find the answer for one dozen and take it ten times.

II.—To find the price of a gross, the price of one article being given.

RULE.—Reckon the pence in the price of one article as shillings, and the number of pence in these shillings will be the price of a gross in shillings.

Because taking the pence in the price as shillings is the same as multiplying by 12, and taking these shillings as pence again is the same as multiplying by 12 another time, and $12 \times 12 = 144 = 1$ gross.

	<i>Ans.</i>		<i>Ans.</i>
1 gross @ 4 <i>d.</i> each	48 <i>s.</i>	1 gross @ 8½ <i>d.</i> each	99 <i>s.</i>
1 — — 2½ <i>d.</i> —	30 <i>s.</i>	1 — — 9½ <i>d.</i> —	114 <i>s.</i>
1 — — 3¼ <i>d.</i> —	39 <i>s.</i>	1 — — 11¾ <i>d.</i> —	141 <i>s.</i>
1 — — 7¾ <i>d.</i> —	93 <i>s.</i>	1 — — 12¼ <i>d.</i> —	147 <i>s.</i>

III.—To find the price per score, the price of one article being given.

RULE.—Reckon a pound for every shilling in the price. Thus, there being 20 cwt. in a ton, the price of 1 ton at 7*s.* 6*d.* per cwt. is 7*l.* 10*s.*

	<i>Ans.</i>		<i>Ans.</i>
20 lbs. @ 4 <i>s.</i> per lb.	4 <i>l.</i>	*200 lbs. @ 6 <i>s.</i> per lb.	60 <i>l.</i>
20 — — 5 <i>s.</i> 6 <i>d.</i> —	5 <i>l.</i> 10 <i>s.</i>	200 — — 5 <i>s.</i> 6 <i>d.</i> —	55 <i>l.</i>
40 — — 6 <i>s.</i> 3 <i>d.</i> —	12 <i>l.</i> 10 <i>s.</i>	400 — — 7 <i>s.</i> 3 <i>d.</i> —	145 <i>l.</i>
60 — — 2 <i>s.</i> 3 <i>d.</i> —	6 <i>l.</i> 15 <i>s.</i>	600 — — 9 <i>s.</i> 9 <i>d.</i> —	292 <i>l.</i> 10 <i>s.</i>
80 — — 4 <i>s.</i> 6 <i>d.</i> —	18 <i>l.</i>	800 — — 12 <i>s.</i> —	480 <i>l.</i>
100 — — 5 <i>s.</i> 3 <i>d.</i> —	26 <i>l.</i> 5 <i>s.</i>	1000 — — 2 <i>s.</i> 3 <i>d.</i> —	112 <i>l.</i> 10 <i>s.</i>

IV.—To find the value of 100 articles, the price of one being given.

RULE.—For every farthing in the price take as many pence, and twice as many shillings. Thus, 100 pencils at 1½*d.* each is 12*s.* 6*d.*, 6 being the number of farthings.

* In this case find the value of one score, and take it ten times for the answer

Because, by taking a penny for every farthing is the same as multiplying by 4, and taking 2 shillings for every farthing is the same as multiplying by 96, and $96 \div 4 = 100$.

	<i>Ans.</i>		<i>Ans.</i>
100 @ 2d. each	16s. 8d.	100 @ 4½d. each	37s. 6d.
100 — 2¼d. —	18s. 9d.	100 — 5¾d. —	47s. 11d.
100 — 3½d. —	29s. 2d.	100 — 6¼d. —	52s. 1d.

V.—To find the price of one article the rate per dozen being given.

RULE.—Reckon a penny for every shilling in the rate per dozen.

	<i>Ans.</i>		<i>Ans.</i>
1 @ 12s. per doz.	12d.	1 @ 4s. 3d. per doz.	4¼d.
1 — 4s. —	4d.	1 — 7s. 6d. —	7½d.
1 — 7s. —	7d.	1 — 10s. 9d. —	10¾d.
1 — 13s. —	13d.	2 — 4s. 3d. —	8½d.
1 — 14s. —	14d.	3 — 7s. 6d. —	22½d.
1 — 18s. —	18d.	6 — 8s. — 4s.	
1 — 6s. —	12d.	13 — 9s. — 9s. 9d.	
1 — 8s. —	24d.	11 — 7s. — 6s. 5d.	

VI.—To find the price of one article, the price per gross being given.

RULE.—Reckon the shillings of the price as pence, and divide them by 12.

Because taking the shillings as pence and dividing them by 12 is equal to dividing twice by 12, or 144.

	<i>Ans.</i>		<i>Ans.</i>
1 @ 48s. per gross	4d.	1 @ 99s. per gross	8¼d.
1 — 30s. —	2½d.	1 — 114s. —	9½d.
1 — 39s. —	3¼d.	1 — 141s. —	11¾d.
1 — 93s. —	7¾d.	1 — 147s. —	12¼d.

VII.—To find the value of a single article at a certain rate per score.

RULE.—Reckon a shilling for every pound in the price.

	<i>Ans.</i>		<i>Ans</i>
1@ 4l. per score	4s.	2@4l. 5s. per score	5s. 6d
1—9l. —	9s.	1—7l. 7s. 6d. —	7s. 4½d
1—9l. 10s. —	9s. 6d	1—6l. 17s. 6d. —	6s. 10½a
1—14l. 15s. —	14s 9d	1—3l. 13s. 4d. —	3s. 8d
1—27l. 5s. —	27s. 3d	1—7l. 6s. 8d. —	7s. 4d
1—30l. 15s. —	30s. 9d	21—2l. 10s. —	2l. 12s. 6d
4—35l. 15s. 10d—	7l. 3s. 2d	40—8l. 17s. 4d.—	17l. 14s. 8d
5—36l. 16s. 8d—	9l. 4s. 2d	60—3l. 15s. 2½d—	11l. 5s. 6½d
10—42l. 18s. 6d—	21l. 9s. 3d	80—2l. 5s. 1d. —	9l. 0s. 4d

VIII.—To find the value of any number of articles when the price is given in pence or shillings.

RULE.—If the price be in pence, consider the number of articles as pence, and multiply by the pence in the price. If the price be in shillings, consider the number of articles as shillings, and multiply by the shillings in the price. Thus, 96 articles at 3d. each is 24s., because 96 pence is 8s., and $8 \times 3 = 24$. Again, 80 articles at 3s. each is 12l., because 80s. is 4l., and $4 \times 3 = 12$.

	<i>Ans.</i>		<i>Ans</i>
36 @ 3d. each	9s.	40 @ 3s. each	6l.
60 -- 5d. --	25s.	100 -- 7s. --	35l.
120 -- 7d. --	70s.	140 - 10s. --	70l.
144 -- 8d. --	96s.	300 -- 8s. --	120l.
54 -- 6d --	27s.	180 -- 12s. --	108l.
66½ -- 4d. --	22s. 1d.	900 -- 6s. --	270l.
100½ -- 8d. --	67s.	86 -- 10s. --	43l.
58½ -- 9d. --	44s 0½d.	165 -- 4s. --	33l.

IX—*To find what any number of pence per day will amount to in a year.*

RULE.—Add together as many pounds, half pounds, four pences, and pence, as there are pence per day. Thus, 3*d.* per day is 3 pounds, 3 half pounds, 3 four-pences, and 3 pence in a year; that is, 4*l.* 11*s.* 3*d.*

Because 1*l.*=240*d.*, 10*s.*=120*d.*, 4*d.* and 1*d.*

And 240+120+4+1=365.

Or take 365 as pence; that is, 1*l.* 10*s.* 5*d.*, and multiply this by the number of pence per day.

			<i>Ans.</i>
365 days @	2 <i>d.</i> per day		3 <i>l.</i> 0 <i>s.</i> 10 <i>d.</i>
365 ———	4 <i>d.</i> ———		6 <i>l.</i> 1 <i>s.</i> 8 <i>d.</i>
365 ———	5 <i>d.</i> ———		7 <i>l.</i> 12 <i>s.</i> 1 <i>d.</i>
365 ———	6 <i>d.</i> ———		9 <i>l.</i> 2 <i>s.</i> 6 <i>d.</i>
365 ———	7 <i>d.</i> ———		10 <i>l.</i> 12 <i>s.</i> 11 <i>d.</i>
365 ———	8 <i>d.</i> ———		12 <i>l.</i> 3 <i>s.</i> 4 <i>d.</i>
365 ———	9 <i>d.</i> ———		13 <i>l.</i> 13 <i>s.</i> 9 <i>d.</i>
365 ———	10 <i>d.</i> ———		15 <i>l.</i> 4 <i>s.</i> 2 <i>d.</i>
365 ———	16 <i>d.</i> ———		24 <i>l.</i> 6 <i>s.</i> 8 <i>d.</i>
365 ———	18 <i>d.</i> ———		27 <i>l.</i> 7 <i>s.</i> 6 <i>d.</i>
*½ year @	14 <i>d.</i> ———		10 <i>l.</i> 12 <i>s.</i> 11 <i>d.</i>
¼ ———	20 <i>d.</i> ———		7 <i>l.</i> 12 <i>s.</i> 1 <i>d.</i>

X.—*To find what any number of pence per day will amount to in 313 days, which omitting Sundays, is the number of days in a year.*

RULE.—Add together as many pounds, crowns, shillings, and pence, as there are pence per day. Thus, 3 pence per day is 3 pounds, 3 crowns, 3 shillings, and 3 pence per year of 313 days; that is, 3*l.* 18*s.* 3*d.*

Because 1*l.*=240*d.*, 1 crown=60*d.*, 1*s.*=12*d.*, 1*d.*

And 240 + 60 + 12+1=313.

Or, multiply 1*l.* 6*s.* 1*d.*,=313*d.*, by the number of pence per day.

* In this case take half the number of pence per day, and calculate for a whole year

		<i>Ans</i>
313 days at	2d. per day	2l. 12s. 2d
313	3d. —	3l. 18s. 3d.
313	6d. —	7l. 16s. 6d.
313	7d. —	9l. 2s. 7d.
313	13d. —	16l. 19s. 1d.
313	14d. —	18l. 5s. 2d.
313	20d. —	26l. 1s. 8d.
313	60d. —	78l. 5s. 0d.

Should there be farthings in the rate per day, add for every farthing in the rate 7s. 7½d. for 365 days, and 6s. 6¼d. for 313 days.

Because 7s. 7½d. = 365 farthings, and 6s. 6¼d. = 313 farthings

		<i>Ans.</i>
365 days at	2½d. per day	3l. 8s. 5½d.
365	3½d. —	4l. 18s. 10½d.
365	6½d. —	9l. 17s. 8½d.
313	2½d. —	2l. 18s. 8½d.
313	3½d. —	4l. 4s. 9½d.
313	6½d. —	8l. 9s. 6½d.

XI.—To find what any number of shillings per week will amount to in a year.

RULE.—Add together twice and half as many pounds, and twice as many shillings, as there are shillings per week. Thus, 6s. per week is 15l. 12s.; for twice as many pounds is 12l., and half as many pounds is 3l., and twice as many shillings is 12s., and 12l. + 3l. + 12s. = 15l. 12s.

Because 52, the number of weeks in a year, is equal to 20 + 20 + 10 + 2.

		<i>Ans.</i>			<i>Ans.</i>
1 year @	4s. per week	10l. 8s.	1 year @	10s per week	26l.
1	5s. —	13l.	1	11s. —	28l. 12s.
1	6s. —	15l. 12s.	1	12s. —	31l. 4s.
1	7s. —	18l. 4s.	1	16s. —	41l. 12s.
1	8s. —	20l. 16s.	1	17s. —	44l. 4s.
1	9s. —	23l. 8s.	1	19s. —	49l. 8s.

XII.—To find what any number of pence per week will amount to in a year.

RULE.—Take 4 times as many shillings, and 4 times as many pence, as there are pence per week, and if there be farthings in the rate add 1s. 1d. for every farthing.

Because $52d. = 4s. 4d.$, and $52 \text{ farthings} = 13d.$ or $1s. 1d.$

	<i>Ans.</i>		<i>Ans.</i>
1 year @ 2d. per week	8s. 8d.	1 year @ 2½d. per week	9s. 9d
1 ——— 3d. ———	13s.	1 ——— 3½d. ———	15s. 2d
1 ——— 4d. ———	17s. 4d.	1 ——— 4½d. ———	18s. 5d
1 ——— 7d. ———	30s. 4d.	1 ——— 7¾d. ———	33s. 7d
1 ——— 9d. ———	39s.	1 ——— 9½d. ———	41s. 2d
1 ——— 11d. ———	47s. 8d.	1 ——— 11¾d. ———	50s. 11d

XIII.—To find the value of a pound, the price per oz being given.

RULE.—If it be a pound avoirdupois, divide the farthings in the price per oz. by 3, for the answer in shillings; if it be a pound troy, divide by 4.*

Because, taking the farthings as shillings is multiplying by 48; now $48 \div 3 = 16$ oz. in lb. avoirdupois; and $48 \div 4 = 12$ lb troy.

1 lb. avoir @ 1½d. per oz.	2s.	1 lb. troy @ 4d. per oz.	4s.
1 ——— 2d ———	2s. 8d.	1 ——— 2½d. ———	2s. 6d.
1 ——— 3d. ———	4s.	1 ——— 6¾d. ———	6s. 9d.
1 ——— 5d. ———	6s. 8d.	1 ——— 7¼d. ———	7s. 3d.
1 ——— 7½d. ———	10s.	1 ——— 9½d. ———	9s. 6d.
1 ——— 10¾d. ———	14s. 4d.	1 ——— 11¾d. ———	11s. 9d.

XIV.—To find the value of an ounce, the price per pound being given.

RULE.—If it be an ounce avoirdupois, take the shillings as farthings and multiply by 3; if it be an ounce troy, multiply by 4.

* This mode of finding the value of a lb troy is put here merely to show the principle of the rule. It is, of course, better to find its value by Case 1.

Because, taking the shillings as farthings is equal to dividing by 48 instead of 16; therefore we multiply by 3, for $16 \times 3 = 48$; and in the case of troy weight we multiply by 4, for $12 \times 4 = 48$.

		<i>Ans.</i>				<i>Ans.</i>
1 lb. avoird. at	2s. per lb.	$1\frac{1}{2}d.$		*1 oz. troy at	2s. per lb.	$2d.$
1 ———	1s. —	$0\frac{3}{4}d.$		1 ———	1s. —	$1d.$
1 ———	3s. —	$2\frac{1}{4}d.$		1 ———	3s. —	$3d.$
1 ———	6s. —	$4\frac{1}{2}d.$		1 ———	6s. —	$6d.$
1 ———	9s. —	$6\frac{3}{4}d.$		1 ———	9s. —	$9d.$
1 ———	10s. —	$7\frac{1}{2}d.$		1 ———	10s. —	$10d.$

XV.—To find the value of a hundred weight, or 112 lbs., the price per lb. being given

RULE.—Take 9 times as many shillings, and 4 times as many pence, as there are pence in the price per lb.

Because $9s. 4d. = 112d.$

		<i>Ans.</i>				<i>Ans.</i>
1 cwt. at	2d. per lb	$18s. 8d.$		1 cwt. at	7d. per lb.	$65s. 4d.$
1 ———	3d. —	$28s.$		1 ———	8d. —	$74s. 8d.$
1 ———	6d. —	$56s.$		1 ———	9d. —	$84s.$
1 ———	4d. —	$37s. 4d.$		1 ———	10d. —	$93s. 4d.$
1 ———	5d. —	$46s. 8d.$		1 ———	11d. —	$102s. 8d.$
1 ———	1d. —	$9s. 4d.$		1 ———	12d. —	$112s.$

XVI.—To find the value of a lb., the price per cwt. being given.

RULE.—Multiply the shillings in the price by 3 and divide by 7 for the price of a lb. in farthings.

Because taking the shillings as farthings is the same as dividing by 48, and dividing by 48 and by 7, and multiplying by 3, is the same as dividing by 112.

* Better to do this by Case II.

	<i>Ans.</i>		<i>Ans.</i>
1 lb at 7s. per cwt.	0½d.	1 lb. at 3l. per cwt.	6½d. +
1 — 9s. —	0¾d. +	1 — 3l. 10s. —	7½d.
1 — 11s. —	1d. +	1 — 4l. 9s. —	9½d. +
1 — 1l. 5s. —	2½d. +	1 — 5l. 15s. —	12½d. +
1 — 2l. 6s. —	4¾d. +	1 — 10l. 8s. —	22½d. +

XVII.—To find the value of a ton, the price per lb. being given.

RULE.—Find the value of 1 cwt., by Case XV., and take shillings in the price of a cwt. as pounds. For every 4d. add 6s. 8d.

	<i>Ans.</i>		<i>Ans.</i>
1 ton at 1d. per lb.	9l. 6s. 8d.	1 ton at 7d. per lb.	65l. 6s. 8d.
1 — 3d. —	28l.	1 — 8d. —	74l. 13s. 4d.
1 — 6d. —	56l.	1 — 9d. —	84l.
1 — 2d. —	18l. 13s. 4d.	1 — 10d. —	93l. 6s. 8d.
1 — 4d. —	37l. 6s. 8d.	1 — 11d. —	102l. 13s. 4d.
1 — 5d. —	46l. 13s. 4d.	1 — 12d. —	112l.

XVIII.—To find the interest or discount upon any sum at 5 per cent. per annum.

RULE.—Reckon a shilling for every pound, and 3d. for every 5s.

	<i>Ans.</i>		<i>Ans.</i>
12l. at 5 per cent	12s.	26l. 5s. at 5 p. ct.	1l. 6s. 3d.
42l. —	42s.	47l. 10s. —	2l. 7s. 6d.
68l. —	3l. 8s.	69l. 15s. —	3l. 9s. 9d.
75l. —	3l. 15s.	87l. 5s. —	4l. 7s. 3d.
110l. —	5l. 10s.	99l. 15s. —	4l. 19s. 9d.
98l. —	4l. 18s.	108l. 10s. —	5l. 8s. 6d.

XIX.—To find the interest on any sum at 5 per cent per annum for months.

RULE.—Take the pounds as pence and multiply these pence by the number of months, for the answer in pence.

Int. on		Ans.	Int. on		Ans.
4 <i>l.</i>	for 2 mths.	8 <i>d.</i>	84 <i>l.</i>	for 4 mths.	28 <i>s.</i>
7 <i>l.</i>	— 3 —	21 <i>d.</i>	96 <i>l.</i> 5 <i>s.</i>	— 3 —	24 <i>s.</i> 0½ <i>d.</i>
4 <i>l.</i> 5 <i>s.</i>	— 2 —	8½ <i>d.</i>	108 <i>l.</i> 15 <i>s.</i>	— 6 —	54 <i>s.</i> 4½ <i>d.</i>
9 <i>l.</i> 10 <i>s.</i>	— 3 —	28½ <i>d.</i>	120 <i>l.</i> 10 <i>s.</i>	— 7 —	70 <i>s.</i> 3½ <i>d.</i>
60 <i>l.</i>	— 7 —	35 <i>s.</i>	132 <i>l.</i> 5 <i>s.</i>	— 8 —	88 <i>s.</i> 2 <i>d.</i>
72 <i>l.</i>	— 9 —	54 <i>s.</i>	144 <i>l.</i> 15 <i>s.</i>	— 9 —	108 <i>s.</i> 6½ <i>d.</i>

XX—To find the interest on any sum at 5 per cent. for any number of days.

RULE.—Multiply either the money or the days by one-third of the money or the days; reject the unit figure and you have the answer in pence. Thus, the interest of 27*l.* for 18 days— $27 \times 6 = 162 = 16*d.*$; or $18 \times 9 = 162 = 16*d.*$ interest.

Int. on		Ans.	Int. on		Ans.
21 <i>l.</i>	for 6 days	4 <i>d.</i>	76 <i>l.</i>	for 6 days	15 <i>d.</i>
24 <i>l.</i>	— 7 —	5½ <i>d.</i>	85 <i>l.</i>	— 15 —	42½ <i>d.</i>
33 <i>l.</i>	— 9 —	9¾ <i>d.</i>	99 <i>l.</i>	— 18 —	59¼ <i>d.</i>
41 <i>l.</i>	— 12 —	16¼ <i>d.</i>	159 <i>l.</i>	— 27 —	143 <i>d.</i>

XXI.—To find the interest on any sum at 6 per cent. for months.

RULE.—Multiply the pounds and months; cut off the unit figure of the product, and the remainder will be the interest in shillings. The figure cut off is tenths of a shilling. Thus, the interest of 9*l.* at 6 per cent for 5 months is $9 \times 5 = 45 = 4\frac{5}{10}$ *s.* = 4*s.* 6*d.*

Int. on		Ans.	Int. on		Ans.
7 <i>l.</i>	for 3 months	2 <i>s.</i> 1 <i>d.</i>	24 <i>l.</i>	for 6 months	14 <i>s.</i> 4 <i>d.</i>
12 <i>l.</i>	— 4 —	4 <i>s.</i> 9 <i>d.</i>	32 <i>l.</i>	— 7 —	22 <i>s.</i> 4 <i>d.</i>
16 <i>l.</i>	— 5 —	8 <i>s.</i>	64 <i>l.</i>	— 3 —	19 <i>s.</i> 4 <i>d.</i>
270 <i>l.</i>	— 7 —	9 <i>l.</i> 9 <i>s.</i>	90 <i>l.</i>	— 8 —	72 <i>s.</i>
350 <i>l.</i>	— 8 —	14 <i>l.</i>	380 <i>l.</i>	— 9 —	17 <i>l.</i> 2 <i>s.</i>

ANSWERS.

NUMERATION.

- 1.] One—Two—Three—Four—Five—Six—Seven—Eight—
Nine—Cipher.
- 2.] Ten—Eleven—Fourteen—Sixteen—Nineteen—Twenty
—Forty-two—Eighteen—Seventeen.
- 3.] Two hundred—Four hundred and twenty—Six hundred
and seven—Nine hundred and eighty-six—Four hundred
and seventy-three—Two hundred and forty-seven—
Three hundred and sixty-four.
- 4.] Nine hundred and twelve—Eight hundred and seventy-
four—Seven hundred and eighty-three—Six hundred and
fifty—Two hundred and two—Six hundred and four—
Five hundred and ten.
- 5.] Four thousand—Two thousand seven hundred—Eight
thousand six hundred and one—Seven thousand and
thirty-six—Two thousand one hundred and one—One
thousand and sixty.
- 6.] One thousand and ten—Seven thousand and thirty—Four
thousand six hundred—Nine thousand one hundred and
eleven—Four thousand and seventy-six—Five thousand
eight hundred and seventy.
- 7.] Twenty-six thousand and twelve—Seventy thousand one
hundred and one—Forty-two thousand one hundred—
Thirty-six thousand one hundred—Ninety thousand two
hundred and one.

- 8.] Seven hundred thousand—Seven hundred and one thousand and twenty—Nine hundred and twenty-six thousand four hundred and twenty-seven—One hundred and four thousand two hundred and six.
- 9.] Nine millions—Nine millions seven hundred and sixty-four thousand two hundred and sixty-eight—Eight millions two hundred and two thousand one hundred—Five millions twenty-three thousand and sixty-seven.
- 10.] Two millions six hundred thousand and sixty—Four millions one hundred and one thousand and ten—Two millions four thousand—One million four hundred and two thousand one hundred and forty-nine.
- 11.] Forty millions—Twenty-nine millions six hundred and two thousand six hundred and eighty-seven—Fifty millions twenty-six thousand and seventeen—One million six hundred and seventy thousand and twenty.
- 12.] Nine hundred and forty-one millions two hundred and sixty-eight thousand seven hundred and sixty-seven—Two hundred and sixty-seven millions six hundred and two thousand six hundred and seven—Four hundred and one million four hundred and sixty-seven thousand six hundred and eighty.
- 13.] Two hundred and ninety-six millions twenty-six thousand eight hundred and seventy-six—Seven hundred and ten millions twenty thousand and ten—Two hundred and seventy millions six hundred and three thousand and fifty.
- 14.] One thousand four hundred and two millions three hundred and sixty thousand seven hundred and forty—Three thousand four hundred and sixty millions seven hundred and sixty thousand and ten—Four thousand and twenty-three millions six hundred and one thousand four hundred and ninety-seven.
- 15.] Seven thousand and forty-two millions six hundred and three thousand seven hundred and fourteen—Five thousand and seventy-nine millions six hundred and seven thousand nine hundred and six—One thousand seven hundred and four millions seventy thousand six hundred

- 16.] Eighty-one thousand four hundred and sixty-two millions three hundred and six thousand and twelve—Forty-six thousand and seven millions six hundred and eighty-seven thousand six hundred and eighty one—Ninety-four thousand and eighty-six millions four hundred and twenty-two thousand three hundred and sixty.
- 17.] Fourteen thousand and twenty-three millions six hundred and forty-one thousand two hundred and one—Twenty thousand eight hundred and sixty millions two thousand and one—Forty thousand and two millions two hundred and two.
- 18.] Nine hundred and seven thousand and sixty millions two hundred and six thousand two hundred and four—Two hundred and forty thousand and twenty-six millions one hundred thousand two hundred and one—Five hundred and ninety thousand nine hundred and sixty millions one hundred and twenty-six thousand and twenty.

 NOTATION.

- 1.] 6—7—9—8—5—10—12—14—16—18—20— 19.
- 2.] 74—26—31—49—58—62—76—77—97—84—55—99.
- 3.] 100—104—244—691—750—909—999—802.
- 4.] 4000—4200—5352—6705—7050—9002—8080—6707.
- 5.] 10000—15560—19019—26595—38038—40040—56502—70777.
- 6.] 400000—400040—600707—980000—256975—700707—964259.
- 7.] 6000000—5493000—8040402—7493765—10010010—20240606—53053053—853948653—203406508—993000000

SIMPLE ADDITION

1.	1185	25.	105
2.	1246	26.	293
3.	1348	27.	408
4.	1465	28.	1475
5.	2249	29.	15388
6.	2072	30.	4257
7.	2341	31.	27731
8.	2856	32.	1658286
9.	975	33.	7861214
10.	1635	34.	536146
11.	1516	35.	75675
12.	1056	36.	311013
13.	34957	37.	£57821
14.	21867	38.	2246
15.	18068	39.	72
16.	10913	40.	204
17.	30154	41.	251
18.	18001	42.	68391
19.	20169	43.	2263
20.	14372	44.	£2197
21.	411093	45.	162
22.	351624	46.	5681
23.	278538	47.	415
24.	248663	48.	£84

SIMPLE SUBTRACTION.

1	184	31.	704026138872
2	476	32.	424575325955
3	342	33.	417801945959
4	456	34.	416879998308
5	536	35.	457555
6	375	36.	1205995
7	463	37.	3599244
8	531	38.	57955
9	96	39.	£8072
10.	90	40.	171
11.	16175	41.	344
12.	18943	42.	172
13.	25972	43.	178
14.	70747	44.	106
15.	36919	45.	135
16.	78373	46.	799
17.	40253	47.	1386517
18.	38999	48.	11
19.	22984	49.	130
20.	15289	50.	740
21.	78359	51.	2830
22.	25292	52.	875334
23.	462121935	53.	140 millions.
24.	435195169	54.	1572914
25	73922070	55.	5320
26	612663992	56.	602
27.	722995412	57.	1794
28.	91310919	58.	85
29.	313841778927	59.	133
30.	769808830048	60.	387

MIXED QUESTIONS IN ADDITION AND
SUBTRACTION

1.	83 left.	5.	415 got safe.
2.	2720 remain.	6.	221 remain.
3.	1557 returned.	7.	1244556 exceeds by
4.	162 to go.	8.	£287 remaining

SIMPLE MULTIPLICATION.

1.	17104	23.	688289
2.	134574	24.	393308
3.	432265	25.	786616
4.	225804	26.	589962
5.	66276	27.	491635
6.	672608	28.	884943
7.	389304	29.	1179924
8.	748790	30.	1081597
9.	502557	31.	6823648
10.	1162248	32.	13386366
11.	574875	33.	23249952
12.	568668	34.	18221409
13.	350184	35.	23150412
14.	612822	36.	20896344
15.	787914	37.	19912230
16.	525276	38.	13825056
17.	262638	39.	56518416
18.	437730	40.	22039992
19.	875460	41.	57667632
20.	963006	42.	71550144
21.	1050552	43.	63221599
22.	196654	44.	74644808

ANSWERS- SIMPLE DIVISION.

121

45.	29050420	62.	175320
46	48844096	63.	£2912
47.	84393932	64.	2592 feet.
48.	430143168	65.	2303 letters.
49	777566496	66.	3168 bottles.
50	359831304	67.	£3240
51.	63073762	68.	4480 pop.
52	41281053	69.	3650 pence.
53.	24294591	70.	2144
54.	28047414	71.	81056
55	46350656	72.	783
56	575630377	73.	80
57	395494873	74.	109½ hours.
58.	649435896	75.	56940
59.	64008924	76.	768000
60	3704412744	77.	£155168
61	403576660	78.	111690 miles.

SIMPLE DIVISION.

1	6911—1	12	7140973—5
2.	13752—4	13.	3906406—4
3.	13281—1	14.	5859550
4.	11517—1	15.	12667006—5
5	9553—2	16.	478066—7
6	3186—2	17.	5894371—5
7	6426—8	18.	28236344—1
8.	4206—1	19.	18824229—2
9.	6368906	20.	14118172—1
10.	5335955—2	21.	11294537—4
11	13771812—3	22	9412114—5

23	8067527	55.	1649—31
24	7059086—1	56.	1613—36
25.	6274743—2	57.	107—513
26.	5647268—9	58.	92—729
27.	5133880—9	59.	181—26
28.	4706057—5	60.	143—30
29	37484011—1	61.	280—43
30.	24989341—	62.	149—387
31.	18742005—3	63.	123—319
32.	14993604—3	64.	355—73
33.	12494670—3	65.	244—295
34.	10709717—4	66.	204—91
35.	9371002—7	67	174—55
36.	8329780—3	68.	141—265
37.	7496802—3	69	118—555
38.	6815274—9	70.	209—41
39.	6247335—3	71.	532—155
40.	26654—14	72.	101—846
41.	41315—17	73.	167—396
42.	40364—12	74.	216—355
43.	24995—2	75	127—535
44	17862—35	76.	10804—74
45	8703—9	77.	1032—570
46.	6828—33	78.	9591—218
47.	4408—28	79.	9902—383
48.	10902—34	80.	7234—312
49.	1889—64	81.	700—1507
50	3309—88	82.	857—1713
51.	3450—76	83.	3186—11
52.	1767—22	84.	953—2014
53.	1726—18	85.	2513—1409
54.	1687—8	86.	2587—1292

ANSWERS—COMPOUND SUBTRACTION. 123

67	974 — 300	64	670 — 7
88	1061 — 2110	85.	45 — 2
89	375 — 2602	96.	36 hours.
90.	418 — 7464	97.	266 — 20000
91.	2252 — 4000	98.	2066666 — 30
92.	14 — 65474	99.	192268 — 340
93	290 — 188	100.	925 — 25

COMPOUND ADDITION.

	£	s.	d.		£	s.	d.
1	328	10	0	12.	4002	18	9½
2	241	5	7	13.	0	15	4
3.	107	9	0½	14.	1	9	4½
4.	3904	7	1½	15.	9	5	6
5.	3621	13	6½	16.	2	12	1
6.	2774	10	7½	17.	4264	18	6
7.	4660	7	0½	18.	503	10	5
8.	3560	17	11	19.	1868	18	3
9	3717	18	9½	20.	11912	2	3½
10.	4110	2	11½	21.	9652	1	10½
11	4284	11	6½	22.	17	17	1

COMPOUND SUBTRACTION.

£	£
s.	s.
d.	d.
48 16 9½	6.
18 19 2½	7.
58 18 3½	8.
39 16 8½	9
69 2 2½	10
	36 17 8½
	80 18 11½
	16 6 7½
	18 14 0
	38 19 11½

124 ANSWERS—COMPOUND MULTIPLICATION.

11.	£17 6 11½	19.	£14 1 2½
12.	30 12 11½	20.	109 19 6
13.	2807 16 9½	21.	111 2 6½
14.	14319 18 3½	22.	21529 11 6
15.	3500 0 5½	23.	175 13 10
16.	770 0 3	24.	58 11 4
17.	337 0 0	25.	4166 19 6½
18.	125 1 6		

COMPOUND MULTIPLICATION.

	£	s.	d.		£	s.	d.
1.	399	11	9½	21.	442428	9	0½
2.	412	8	7½	22.	549255	14	2
3.	306	2	4½	23.	8585	10	9½
4.	463	3	8	24.	1927	8	1½
5.	126	5	0½	25.	4072	14	8
6.	876	3	9	26.	71618	18	0
7.	867	3	1½	27.	219861	1	2
8.	719	15	6	28.	307812	13	2½
9.	610	11	8½	29.	218342	7	4
10.	548	7	8	30.	241165	18	11½
11.	349	6	1½	31.	529051	3	10
12.	239	17	4½	32.	681984	18	2½
13.	4408	10	6	33.	0	4	4
14.	6500	3	1½	34.	1	11	6
15.	6475	6	4½	35.	2	7	3
16.	44130	15	11	36.	0	10	6
17.	90483	3	1½	37.	41	15	6
18.	314848	12	10	38.	10	16	0
19.	302657	16	9½	39.	115	16	0
20.	410410	15	4	40.	15	14	10½

41.	20 13 0	51.	268 2 $5\frac{3}{4}-\frac{3}{4}$
42.	42 13 $10\frac{1}{2}$	52.	1096 2 $4\frac{3}{4}$
43.	501 17 6	53.	9402 8 $7\frac{1}{2}-\frac{1}{4}$
44.	6170 12 6	54.	5505 7 $2\frac{3}{4}$
45.	37 14 0	55.	53 18 $8\frac{3}{4}-\frac{3}{4}$
46.	2002 4 0	56.	47 7 $2\frac{3}{4}$
47.	254 7 6	57.	2321 13 $2\frac{3}{4}$
48.	923 0 0	58.	5208 9 $5\frac{3}{4}-\frac{1}{2}$
49.	18 11 3	59.	39264 7 $9-\frac{6}{7}$
50.	60 13 $10-\frac{3}{4}$	60.	81637 4 $4\frac{1}{4}-\frac{3}{5}$

COMPOUND DIVISION.

	£	s.	d.		£	s.	d.
1.	34	8	$10\frac{1}{4}$	18.	400	1	$9\frac{1}{2}-\frac{6}{10}$
2.	14	4	$1-\frac{1}{3}$	19.	723	9	$3\frac{1}{4}-\frac{2}{12}$
3.	17	9	$7\frac{1}{4}-\frac{1}{4}$	20.	778	19	$9\frac{1}{4}-\frac{4}{9}$
4.	149	15	$0-\frac{2}{5}$	21.	458	17	$10\frac{1}{4}-\frac{6}{8}$
5.	29	9	$11\frac{1}{4}-\frac{1}{6}$	22.	730	4	$9-\frac{3}{12}$
6.	58	4	$10\frac{1}{2}-\frac{1}{7}$	23.	19	7	$3\frac{1}{2}-\frac{2}{5}$
7.	1080	19	$8\frac{1}{2}-\frac{7}{8}$	24.	4	13	$5\frac{1}{2}-\frac{4}{10}$
8.	834	5	$11\frac{1}{4}-\frac{5}{9}$	25.	53	7	$0\frac{1}{2}$
9.	506	0	$0\frac{1}{2}-\frac{9}{10}$	26.	2	7	$11\frac{1}{2}$
10.	789	16	$3\frac{1}{4}$	27.	0	10	$8\frac{1}{2}-\frac{5}{9}$
11.	392	12	$7\frac{1}{2}-\frac{6}{12}$	28.	1	17	$6\frac{1}{4}-\frac{3}{9}$
12.	14	2	$1-\frac{1}{7}$	29.	8854	4	0
13.	5	19	$2\frac{1}{4}-\frac{3}{8}$	31.	1	14	$1\frac{1}{2}-14$
14.	7	11	$0-\frac{5}{9}$	32.	2	2	$6\frac{1}{4}-34$
15.	72	0	$1\frac{1}{2}-\frac{7}{12}$	33.	3	6	$10-95$
16.	97	19	$1\frac{1}{4}$	34.	2	3	$9\frac{1}{4}-33$
17.	62	5	$7-\frac{1}{5}$	35.	2	1	$0-457$

36.	£6 16 5½—531	58.	£10 3 3¼—455
37	8 15 3 —454	59	11 9 6½—16
38.	6 0 3¼—109	60	979 2 8
39	17 9 1¼—¼	61.	85½
40.	1 5 8¼—62	62.	0 16 6—12
41.	3 6 1 —111	63.	25000000 dia
42	3 5 10¼—194	64.	2852—2220
43.	2 0 7¼—184	65.	14 10 3¼—388
44.	9 0 6½—136	66.	0 5 0¼—1916
45.	10 7 1½—387	67.	21 5 11½
46.	10 0 5¼—609	68.	4 16 0¼—24
47.	12 4 1¼—3	69.	0 0 2—8491
48.	10 7 7¼—3	70.	0 0 0¼—228504
49.	12 12 8¼—15	71.	0 0 8¼—22162
50.	17 16 10½—86	72.	0 0 0¼—85791
51.	12 7 3 —54	73.	0 0 0¼—183482
52.	9 8 0¼—185	74.	0 0 3—166957
53.	13 13 2	75.	0 4 7¼—8770
54.	9 4 7¼—9	76.	0 0 0½—469854
55.	4 11 11¼—39	77.	0 0 9¼—192206
56.	10 1 9½—109	78.	0 0 1—511821
57.	9 10 9¼—201	79.	0 0 4½—115068

 REDUCTION

1	11882 farthings.	7.	87552 farthings
2.	63478 pence.	8.	10692 pence.
3.	350150 farthings.	9.	£3394 10s.
4.	118865 halfpence.	10.	£444 13s 3d.
5.	69552 pence.	11.	1751 gs. 18s.
6.	71520 farthings.	12.	1146 cr. 2s. 10d

13	113067 fourpences.	22.	118801½ seven shillings.
14.	1880 crowns.	23	36672 fivepences.
15.	£1884 10s.	24.	2282 eightpences ¼d.
16.	494½ 6d	25.	16048 half-sovs. 2s.
17.	873740 threepences	26.	7327539 farthings.
18.	57552 fivepences.	27.	2890160 farthings.
19.	9621 fourpences 1½d.	28.	205072 ninepences.
20.	11932080 sixpences.	29.	237725 three farthings.
21.	33465 cr. 3s.	30.	6152 fivepences

WEIGHTS AND MEASURES.

AVOIRDUPOIS WEIGHT.

	cwt.	qrs.	lbs.	oz.	dr.
1.	29	1	19	0	0
2.	2	2	14	15	0
3.	6	2	11	0	0
4.	0	7	23	14	0
5.	46	2	14	0	0
6.	6	1	17	12	0
"	2	1	21	8	0
8	0	2	4	6	12½
9	3	2	27	0	0
10	9	3	4	0	0
11	519	3	19	0	0
12	21	0	18	12	0
13	2854	1	27	2	13
14.	4	1	12	3	7
15.	211	3	1	4	0

REDUCTION.

AVOIRDUPOIS WEIGHT.

1.	854 lbs.	4.	7032 lbs.
2.	1564 oz.	5.	812 parcels
3.	89 lb. 3 oz.		

TROY WEIGHT

6.	5760 dwt.
7.	5 oz. 2 dwt. 20 gr.
8.	5184 gr.
9.	6 spoons.
10.	23 oz. 2 dwt. 0 gr.
11.	21 spoons.

CLOTH MEASURE.

21.	3936 nails.
22.	299 yds. 2 nls.
23.	8 shirts.—8
24.	7 suits.—8

APOTHECARIES WEIGHT.

12.	27160 grains.
13.	5oz. 1dr. 1scr. 7gr
14.	186 scruples.
15.	252 days.

MEASURE OF CAPACITY.

25.	197 pints.
26.	585gal. 3qts. 1pt
27.	3863 pecks
28.	1199 bushels.
29.	2016 gills.

LONG MEASURE.

16.	24560 perches.
7	1332 yds. 1 ft. 4 in.
18	200640 yards.
19	57200 times.
20	39600 times.

TIME.

30.	1094 hours.
31.	51dys. 20hrs 57m
32.	5316480 minutes
33.	341640 times.

SIMPLE PROPORTION.

1.	108s.	14.	165 ft. 2 in.—8
2	£3 18 0	15.	405 men.
3	£44 12 7½	16.	9d.—6
4	44 9 4	17.	12 days.
6	0 5 2	18.	7 dys. 9 hrs.
6	3 13 5⅓	19.	3¾ months.
7	147 6 8	20.	1½ month.
8	5 0 2¾	21.	13½ days.
9	5lb. 4oz. 6dr.—6	22.	1800 lbs.
10	5s. 9¾d.—264	23.	6¼d.—1276
11	£196 16s. 0¾d.—48	24.	£11 8s. 8½d.—6
12	1333lbs. 9oz.—4	25.	137lbs. 7oz.—26
13	£2380 10s.	26.	£75 15s. 4¼d.—336

COMPOUND PROPORTION.

1	425 roods.—369	6.	10 horses.
2	£38 8s.	7.	2250 men.
3	240 acres.	8.	55½ days.
4.	58½ suits.	9.	£37 3s. 7½d.
5.	145 men.	10.	£5 3s.

BILLS OF PARCELS

BOOKSELLER'S BILL,	£5 18 6
HOSIER'S BILL,	3 16 4
GROCER'S BILL,	11 10 1

BILL OF BOOK DEBTS

WINE MERCHANT'S BILL,	£49 18
---------------------------------	--------

PRACTICE.

1.	£6 15 1½	33.	£131 0 1
2.	7 13 6	34.	147 13 2
3.	1 3 0	35.	517 8 0
4.	0 4 0	36.	118 8 0
5.	1 6 9	37.	72 0
6.	8 3 4	38.	871 4 0
7.	30 6 4	39.	81 0 0
8.	4 11 0	40.	673 4 0
9.	180 19 0	41.	610 8 0
10.	169 9 4	42.	64 16 0
11.	26 15 3	43.	642 16 0
12.	19 3 9	44.	1419 0 0
13.	17 8 3	45.	1513 12 0
14.	43 9 7¼	46.	918 15 0
15.	35 14 2	47.	1230 18 0
16.	63 12 4½	48.	910 14 0
17.	45 14 2	49.	1441 12 0
18.	99 2 11¼	50.	3940 4 0
19.	94 12 0	51.	1800 10 0
20.	133 9 8¼	52.	3172 8 0
21.	48 16 9½	53.	1262 8 0
22.	105 8 7½	54.	3908 9 0
23.	102 9 10½	55.	5331 18 0
24.	175 18 8	56.	1512 0 0
25.	123 2 7½	57.	2949 12 0
26.	125 13 1½	58.	1027 13 0
27.	297 1 4½	59.	3710 14 0
28.	278 13 0¼	60.	7258 19 0
29.	328 13 9	61.	89 12 0
30.	87 19 7½	62.	93 4 11
31.	182 11 5	63.	32 14 0
32.	172 16 6¼		

64.	£263	6	1½
65.	149	9	0
66.	606	18	0
67.	1140	6	8
68.	1588	0	4
69.	905	15	7½
70.	8280	2	5
71.	2694	14	6
72.	1931	4	0¾
73.	3380	6	10½
74.	5099	17	11
75.	770	12	10
76.	1885	14	0
77.	4795	10	11¼
78.	3651	19	1
79.	8067	12	2¼
80.	3637	2	9¼
81.	2261	4	8
82.	2862	17	9
83.	6631	2	2¼
84.	625	6	8
85.	2966	15	2
86.	1935	11	3
87.	3676	9	3
88.	7661	10	0
89.	59530	18	0
90.	41565	2	4
91.	42161	18	9
92.	25030	2	1½
93.	95335	17	9
94.	34203	5	5
95.	82671	6	0

96.	£32039	4	0
97.	92421	6	4
98.	56595	1	4
99.	46824	9	3¼
100.	109872	15	0
101.	163931	19	3
102.	137446	13	4
103.	86621	5	11
104.	250427	9	5

CASE VI.

105.	20	2	7¼
106.	351	0	5
107.	351	15	8¼
108.	42	10	2¼
109.	143	3	9
110.	69	9	9¾
111.	53	6	11¼
112.	37	6	6½
113.	95	11	9¾
114.	182	7	9¾
115.	260	9	1½
116.	230	9	5¼
117.	169	9	7¾
118.	400	6	11¼
119.	372	4	8¾
120.	443	13	7¾
121.	237	0	3¾

CASE VII.

122.	16875	18	9
123.	34226	16	½

124.	3599 12 2		129	8606 6 8
125.	1188 13 2 $\frac{1}{4}$		130	3382 4 9 $\frac{1}{2}$
126.	3436 17 9		131.	13747 9 6 $\frac{1}{2}$
127.	41269 7 7 $\frac{1}{4}$		132.	32411 10 5
128.	50375 5 10 $\frac{1}{2}$		133.	4822 13 3 $\frac{1}{4}$

TARE AND TRET.

1.	49cwt. 2qrs. 9lbs. net		8.	56cwt. 3qrs. 15lb.
2.	10 0 2		9.	46 3 21 $\frac{1}{4}$
3.	42 3 24 $\frac{1}{2}$		10.	22 1 24
4.	23 2 0		11.	167 2 25 $\frac{1}{2}$
5.	175 1 25		12.	30 2 9
6.	41 0 12		13.	36 1 14
7	9 2 15		14.	£93 6s. 5 $\frac{1}{2}$ d.

SIMPLE INTEREST.

1.	£53 8 0		14.	£757 1 1 $\frac{1}{2}$
2.	231 10 9 $\frac{1}{2}$		15.	132 9 7 $\frac{1}{4}$
3	479 12 5		16.	1116 10 7 $\frac{1}{4}$
4.	237 5 3 $\frac{3}{4}$		17.	2380 15 9 $\frac{1}{2}$
5.	13077 9 0		18.	1338 9 2
6.	551 3 8 $\frac{1}{4}$		19.	2 15 9 $\frac{1}{2}$
7.	2041 19 0 $\frac{1}{4}$		20.	14243 8 10 $\frac{3}{4}$
8.	6619 2 11 $\frac{1}{2}$		21.	53 14 9 $\frac{1}{2}$
9.	566 12 4		22.	2 3 8
10.	1428 2 3 $\frac{1}{2}$		23.	876 15 7 $\frac{3}{4}$
11.	2 13 8 $\frac{1}{4}$		24.	1206 19 10
12.	5 10 7 $\frac{1}{2}$		25.	120 6 6 $\frac{1}{2}$
13.	11 2 11 $\frac{1}{2}$		26	266 0 8

DISCOUNT.

1.	£581 16 4½	3.	£4 10 1½
2.	26 12 0½	4.	2 5 2½

COMMISSION, BROKERAGE, INSURANCE,
BUYING AND SELLING STOCKS.

1.	£12 8 4¼— $\frac{4}{5}$	13.	£835 16 0
2.	6 4 4½— $\frac{2}{5}$ $\frac{4}{5}$	14.	726 3 3¼— $\frac{2}{5}$
3.	59 9 4¼— $\frac{1}{2}$ $\frac{7}{8}$	15.	12546 4 9½— $\frac{2}{5}$
4.	3 2 3¾	16.	10 14 10¼— $\frac{4}{5}$
5.	28 13 7¾	17.	14 11 7¾
6.	408 2 0	18.	44 15 4¼— $\frac{1}{5}$
7.	80 3 6¼— $\frac{1}{5}$	19.	270 13 6
8.	172 17 9½— $\frac{2}{5}$	20.	802 11 2¼— $\frac{2}{5}$
9.	286 18 0¼— $\frac{2}{5}$ $\frac{3}{5}$	21.	29 17 0
10.	592 5 7¾	22.	3872 12 6
11.	494 8 5¾— $\frac{1}{2}$ $\frac{3}{5}$	23.	205 13 0¼— $\frac{2}{5}$
12.	86 15 8¼— $\frac{6}{8}$ $\frac{6}{23}$		

COMPOUND INTEREST.

1.	£66 4 0½	4.	£155 12 3¼
2.	720 6 5¾	5.	964 10 7¼
3.	497 10 11¼	6.	237 14 5¼

B A R T E R .

1.	34½ pairs.	4.	254 $\frac{1}{16}$ lbs.
2.	32 lbs.	5.	427 $\frac{1}{4}$ — $\frac{1}{16}$ lbs.
3.	63 $\frac{2}{3}$ gals.		

PROFIT AND LO

1.	£25 12 0	6.	£12 16 4— $\frac{13}{10}$
2.	6 15 4	7.	49 10 11— $\frac{32}{37}$
3.	7 17 4	8.	18 15 0
4.	2 14 0	9.	5 0 0
	9 10 0		

PARTNERSHIP.

	£	s.	d.		£	s.	d.
1.	A's share,	240	1	11 $\frac{1}{2}$	5.	A's share,	172 13 4 $\frac{1}{2}$
	B's share,	723	13	0 $\frac{1}{2}$		B's share,	633 4 10 $\frac{1}{2}$
2.	A's share,	136	3	2 $\frac{1}{2}$		C's share,	1542 1 8 $\frac{1}{2}$
	B's share,	238	3	7 $\frac{1}{2}$	6.	A pays	25 18 4
	C's share,	149	13	1 $\frac{1}{2}$		B pays	28 6 11 $\frac{1}{2}$
3.	A's share,	29— $\frac{60}{468}$				C pays	43 14 8 $\frac{1}{2}$
	B's share,	41— $\frac{306}{468}$			7.	A's share,	78 12 3 $\frac{1}{2}$
	C's share,	25— $\frac{12}{468}$				B's share,	101 1 6 $\frac{1}{2}$
4.	A's share,	44 8 10 $\frac{1}{2}$ — $\frac{12}{18}$				C's share,	123 10 9
	B's share,	33 6 8				D's share,	134 15 4 $\frac{1}{2}$
	C's share,	22 4 5 $\frac{1}{2}$ — $\frac{6}{18}$					

VULGAR FRACTIONS

REDUCTION.

CASE I.			
1.	2487 $\frac{2}{3}$	8.	1 $\frac{1532}{2104}$
2.	604 $\frac{1}{2}$	9.	96 $\frac{4731}{7687}$
3.	227 $\frac{25}{33}$	10.	351
4.	92 $\frac{21}{808}$	11.	1 $\frac{4401}{327602}$
5.	93 $\frac{86}{86}$	12.	104 $\frac{4457}{7676}$
6.	199 $\frac{22}{43}$	13.	130 $\frac{1080}{3684}$
7.	11 $\frac{502}{886}$	14.	176 $\frac{1878}{868}$

44	<u>148</u>			
	<u>1735</u>		50.	7
45.	<u>191</u>			—
	<u>1310</u>			8
46	<u>161</u>		51.	11
	<u>432</u>			—
47	<u>55</u>			13
	<u>128</u>			
48	<u>1</u>			
	<u>180</u>			
49	<u>249</u>			
	<u>44</u>			
54.	<u>2223</u>	<u>1463</u>	<u>1716</u>	
	<u>2717</u>	<u>2717</u>	<u>2717</u>	
55.	<u>8073</u>	<u>4752</u>	<u>6624</u>	
	<u>9936</u>	<u>9936</u>	<u>9936</u>	
56	<u>315588</u>	<u>325584</u>	<u>159120</u>	<u>340704</u>
	<u>445536</u>	<u>445536</u>	<u>415536</u>	<u>445536</u>
57.	<u>3769038</u>	<u>3893292</u>	<u>5861934</u>	<u>2919969</u>
	<u>8435466</u>	<u>8435466</u>	<u>8435466</u>	<u>8435466</u>
58.	<u>10561057803</u>	<u>1800355167</u>	<u>7046929530</u>	<u>1111498075</u>
	<u>12048530733</u>	<u>12048530733</u>	<u>12048530733</u>	<u>12048530733</u>
59.	<u>1738284308040</u>	<u>201170391800</u>	<u>666658671252</u>	
	<u>857382543080</u>	<u>857382543080</u>	<u>857382543080</u>	
	<u>98700070840</u>			
	<u>857382543080</u>			

CASE V.

	<u>63</u>	<u>56</u>	<u>48</u>
52.	—	—	—
	84	84	84
	360	567	439
53.	—	—	—
	648	648	648

ADDITION.

1.	<u>1⁹⁶</u>		7.	<u>1⁸⁷⁴</u>
	<u>135</u>			<u>10926</u>
2.	<u>2¹⁷⁹</u>		8.	<u>314193</u>
	<u>1001</u>			<u>31122</u>
3.	<u>2¹⁰⁷</u>		9.	<u>53215</u>
	<u>2578</u>			<u>378</u>
4.	<u>2165113</u>		10.	<u>4⁰⁷⁸³</u>
	<u>351747</u>			<u>27043</u>
5.	<u>1194675</u>		11.	<u>1410759</u>
	<u>198237</u>			<u>38833</u>
6.	<u>3126945</u>		12.	<u>1173425</u>
	<u>4558622</u>			<u>456455</u>

SUBTRACTION.

1.	$\frac{5}{28}$	6.	$2\frac{11}{18}$
2.	$\frac{34}{99}$	7.	$1\frac{11}{40}$
3.	$\frac{81}{195}$	8.	$2\frac{37}{78}$
4.	$\frac{93}{247}$	9.	73
5.	$3\frac{30}{32}$	10.	143
		11.	$1\frac{73}{1512}$
		12.	$154\frac{2}{3}$
			$63\frac{7}{12}$

MULTIPLICATION.

1.	$\frac{15}{32}$	6.	$2\frac{9}{13}$
2.	$\frac{56}{99}$	7.	$60\frac{15}{32}$
3.	$\frac{2}{4}$	8.	$17\frac{25}{48}$
4.	$\frac{18}{351}$	9.	$5\frac{1}{18}$
5.	$3\frac{31}{48}$	10.	$5\frac{57}{91}$
		11.	$115\frac{256}{288}$
		12.	$181\frac{611}{936}$

DIVISION.

1.	$3\frac{3}{55}$	7.	8.
2.	$\frac{7}{8}$	8.	$8\frac{3}{4}$
3.	$\frac{111}{84}$	9.	$\frac{19}{27}$
4.	$2\frac{54}{105}$	10.	$2\frac{13}{21}$
5.	$\frac{86}{111}$	11.	$65\frac{2}{3}$
6.	$\frac{12}{39}$	12.	$\frac{1}{2}$

REDUCTION, CONTINUED

1.	CASE VI	3.	$\frac{4}{105}$ guinea.
2.	$\frac{3}{8720}$ £	4.	$\frac{192}{7}$ farthing.
	$\frac{960}{7}$	5.	$\frac{7}{2160}$ crown.

6.	$\frac{3}{70}$ week.	18.	$\frac{15456}{1}$ oz.
7.	$\frac{1176}{9}$ hour.	19.	$\frac{900}{1}$ dwt.
8.	$\frac{4}{80}$ yard.	20.	$\frac{973}{1440}$ day.
9.	$\frac{200704}{8}$ dram.		
10.	$\frac{4}{8800}$ mile.		

CASE VII.

11.	$\frac{20}{40}$ £
12.	$\frac{13}{15}$ £
13.	$\frac{01}{320}$ £
14.	$\frac{213}{1}$ d.
15.	$\frac{319}{1}$ farthing.
16.	$\frac{49}{100}$ day.
17.	$\frac{1795}{28672}$ cwt.

CASE VIII.

21.	17s. $1\frac{1}{2}$ — $\frac{1}{4}$ d.
22.	10d.
23.	4s.
24.	19h. 38min. $10\frac{1}{10}$ sec
25.	11s. $10\frac{1}{2}$ — $\frac{1}{2}$ d.
26.	1 ft. 4 in.
27.	9 oz. 15 dwt.
28.	13 oz.
29.	3qr. 11lb. 6oz. $8\frac{1}{2}$ d.
30.	5fur. 26per. 3yd. 2ft

PROMISCUOUS EXERCISES.

1.	9s. $4\frac{1}{2}$ — $\frac{2}{3}$ d.	12.	4 cr. $1\frac{1}{8}$ d.
2.	3s. 3d. $\frac{1}{12}$ d.	13.	7 yds. 2 qrs.
3.	12s. 8d.	14.	2s. 6d.
4.	$3\frac{1}{2}$ — $\frac{47}{8}$ f.	15.	$2\frac{1}{2}$ d.
5.	11s. $8\frac{1}{2}$ — $\frac{1}{2}$ f.	16.	£4 2s. $11\frac{1}{2}$ d.
6.	4s. $3\frac{1}{10}$ d.	17.	6s 4d.
7.	5 $8\frac{1}{4}$ $\frac{63}{305}$.	18.	£227 12s. 1d.
8.	£1 4 $11\frac{1}{2}$ $\frac{1578}{2340}$.	19.	6s. $1\frac{1}{2}$ — $\frac{1}{4}$ d.
9.	1 mile, 3 fur.	20.	14 lbs.
10.	$1558\frac{2}{3}$ oz.	21.	£51 8s. $1\frac{1}{8}$ d.
11.	8s. $4\frac{1}{2}$ d.		

DECIMAL FRACTIONS.

ADDITION.

1.	671·458	5.	4541·03777
2.	806·699	6.	7396·1408
3.	1133·372	7.	5558·5850
4.	1374·2784	8.	1341·58517

SUBTRACTION.

1.	67·517	6.	182·7044
2.	8·045	7.	70·0346
3.	34·1202	8.	810·8879
4.	297·0121	9.	242·245787
5.	669·021	10.	327·2158

MULTIPLICATION.

1.	·0729	7.	110440·5021
2.	14·3561	8.	·492961
3.	7766·1112	9.	78·6
4.	·04118408	10.	3·6465
5.	·5642	11.	·40006
6.	8·79	12.	·76

DIVISION.

1.	2·8803+	7.	19·0202+
2.	1·784+	8.	9·114+
3.	10·354+	9.	3·81009+
4.	1·7807+	10.	2·161+
5.	·24	11.	248·618+
6.	2·96	12.	3·4689

REDUCTION.

CASE I.

1.	·625
2.	·25
3.	·875
4.	·333+
5.	·833+
6.	·166+
7.	·5625
8.	·0133+
9.	·9411+
10.	·7272+
11.	·0715+
12.	·00053+

CASE II.

1.	$\frac{1}{2}$
2.	$\frac{5}{8}$
3.	$\frac{3}{8}$
4.	$\frac{1}{300}$
5.	$\frac{1}{100}$
6.	$\frac{1}{1000}$
7.	$\frac{41}{100}$
8.	$\frac{21}{1000}$
9.	$\frac{7}{1000}$
10.	$\frac{19}{1000}$

CASE III.

1.	£9729+
2.	£790625
3.	£6666+
4.	£0375
5.	cwt. 3·57142
6.	yd. 1·4166+
7.	wk. ·00263
8.	mile ·63437
9.	guin. ·0188
10.	oz. ·275
11.	acre ·575
12.	mile ·00994

CASE IV.

1.	15s. 3d.
2.	6s. 9½d.
3.	1¼d.
4.	3qrs. 1lb. 9oz. 1dr
5.	14oz. 15dr.
6.	15lbs. 10oz. 14d
7.	8¼d.
8.	4½d.
9.	22hrs. 7min. 23sec
10.	1qr. 3al. 2in.
11.	25per. 2vda. 1ft. 9½
12.	8oz. 15dwt. 16dr.
13.	15drams.
14.	19dwt. 17gr.
5.	12oz. 7dr.

INVOLUTION.

1	64	4.	2476095
2.	2197	5.	129146796*
3.	1048576		

EVOLUTION.

1.	176	6.	157.08
2.	789	7.	7
3.	1111		$\overline{12}$
4.	45.3	8.	14
5.	69.247+		$\overline{37}$

CUBE ROOT.

1	72	6.	37.5
2	38	7.	19.86+
3	73	8.	.376
4.	103	9.	.829+
5	439	10.	1.93+

DUODECIMAL MULTIPLICATION.

	ft.	in.	''	'''	''''	9.	£7 0s. $4\frac{1}{2}$ — $\frac{2}{3}$ f.
1.	42	7	6	0	0	10.	564ft. 0in. 9"
2.	44	5	2	7	6	11.	£6 9s. $7\frac{1}{8}$ f.
3.	106	9	0	9	3	12.	£126 9s. $4\frac{1}{2}$ — $\frac{1}{3}$ f.
4.	565	11	4	9	8	13.	116 ft. 10 in. 6"
5.	1040	8	4	4	6	14.	100 ft. 4 in. 1" 6'''
6.	17105	2	3	4	6	15.	3419ft 2in. 7" 2''' 10'''' 6''''
7.	27	9	4	0	0	16.	£2 1s. $1\frac{1}{4}$ d.
8.	68	1	0	0	0	17.	77 ft. 6 in. 5"
						18.	£49 19s. $9\frac{1}{4}$ — $\frac{1}{4}$ f.

THE END

