

A B S T R A C T S

OF


METEOROLOGICAL OBSERVATIONS

MADE AT THE

MAGNETICAL OBSERVATORY, TORONTO,

CANADA WEST,

DURING THE YEARS 1854 TO 1859, INCLUSIVE.



TORONTO:
PRINTED BY LOVELL AND GIBSON, YONGE STREET,
1864.

C O N T E N T S .

	<small>PAGE</small>
INTRODUCTION	<small>vii</small>
General monthly meteorological abstracts, 1854 to 1859 inclusive, giving the daily mean values of the meteorological elements, the daily resultant directions, resultant velocities and mean velocities of the wind, the daily extremes of temperature, with the amount and approximate duration of rain and snow for each day on which rain or snow fell	2
TABLES	
I.—Monthly means of the temperature of the air at each of the six observation hours, from 1854 to 1859 inclusive.....	74
II.—Monthly and annual means of the temperature of the air, furnished by six daily observations from 1854 to 1859 inclusive	78
III.—Differences of the monthly and annual means of the temperature of the air from 1854 to 1859 inclusive, in excess or defect from the normal monthly and annual means, both being derived from six daily observations	78
IV.—Monthly means of the temperature of the air at each of the six observation hours, for the period 1854 to 1859 inclusive.....	79
V.—Differences of the mean monthly temperature at each observation hour, in excess or defect from the normal mean monthly temperature of the same hour, together with the means of the six hourly differences	79
VI.—Monthly mean differences, without regard to sign, between the normal temperatures of the day and hour and the observed temperatures at the same day and hour, for each month of the years 1854 to 1859 inclusive	80
VII.—Monthly mean differences, without regard to sign, between the normal temperatures of the day and hour and the observed temperatures, for each of the six observation hours, for the period 1854 to 1859 inclusive ..	80
VIII.—Mean differences, without regard to sign, between the temperatures observed at 2 P.M. on consecutive days, for each month in the years 1854 to 1859 inclusive, the effect of the annual variation being eliminated ..	81
IX.—Shewing for each month (for the period 1854 to 1859 inclusive) the number of cases in a hundred when the change of temperature observed at 2 P.M. on consecutive days was increasing, with the average values of the increasing and of the decreasing changes	81
X.—Mean difference of the temperature of the air, from the normal at the hour of observation, for each of the sixteen points of the wind's direction, with the number of observations from which the means are derived, for the years 1853 to 1859 inclusive	82
XI.—Monthly means of the diurnal change of temperature, exclusive of that due to annual variation, from 6 A.M. to 6 A.M., for the period 1854 to 1859 inclusive, arranged according to the daily resultant direction of the wind	83
XII.—Frequency of increasing changes of temperature, the total number in each month and direction being 100 ..	83
XIII.—Aggregate of increasing changes for each direction, the joint aggregate of increasing and decreasing changes for any one month and direction being expressed by 100	83

TABLES

	PAGE
XIV.—Monthly and yearly means of the diurnal change of temperature, without regard to sign, and excluding that due to annual variation, from 6 A.M. to 6 A.M., for the period 1854 to 1859, arranged according to the daily resultant direction of the wind	84
XV.—Comparative diurnal changes of temperature in the same month that are due to different winds, being the numbers in Table XIV. expressed in terms of the arithmetic mean change in that month for all winds..	84
XVI.—Comparative diurnal changes of temperature that are due in different months to the same wind, being the numbers in Table XIV. expressed in terms of the annual arithmetic mean for that wind	84
XVII.—Monthly means of the daily maxima, minima, and ranges of temperature, for the years 1854 to 1859 inclusive	85
XVIII.—Highest and lowest temperatures in each month, and monthly ranges of temperature, for the years 1854 to 1859 inclusive	86
XIX.—Monthly means of the barometer at each of the six observation hours, from 1854 to 1859 inclusive	87
XX.—Monthly and annual means of the barometer, furnished by six daily observations, 1854 to 1859 inclusive..	91
XXI.—Differences of the monthly and annual means of the barometer, for 1854 to 1859 inclusive, in excess or defect from the assumed normal monthly and annual means, both being derived from six daily observations	91
XXII.—Monthly means of the barometer at each of the six observation hours, for the period 1854 to 1859 inclusive	92
XXIII.—Differences of the mean monthly readings of the barometer at each observation hour, in excess or defect from the assumed normal for the hour, together with the means of the six hourly differences	92
XXIV.—Monthly mean differences, without regard to sign, between the observed readings of the barometer and the assumed normals proper to the day and hour, for each month of the years 1854 to 1859 inclusive	93
XXV.—Monthly mean differences, without regard to sign, between the observed readings of the barometer and the assumed normals for the day and hour at each of the six observation hours, for the period 1854 to 1859 inclusive	93
XXVI.—Mean differences, without regard to sign, between the heights of the barometer observed at 2 P.M. on consecutive days for each month, in the years 1854 to 1859 inclusive	94
XXVII.—Shewing for each month (for the period 1854 to 1859 inclusive) the number of cases in a hundred when the height of the barometer observed at 2 P.M. on consecutive days was increasing, with the average values of the increasing and of the decreasing changes	94
XXVIII.—Mean difference of the reading of the barometer from the normal at the hour of observation, for each of the sixteen points of the wind's direction, with the number of observations from which the means are derived, for the years 1853 to 1859 inclusive	95
XXIX.—Monthly and yearly means of the diurnal change in the readings of the barometer (corrected to temperature 32°) from 6 A.M. to 6 A.M., for the period 1854 to 1859 inclusive, arranged according to the daily resultant direction of the wind	96
XXX.—Frequency of increasing changes in each month, the total number in each direction being 100	96
XXXI.—Aggregate of increasing changes for each direction, the joint aggregate of increasing and decreasing changes in the month for any one direction, being expressed by 100	96
XXXII.—Monthly and diurnal means of the diurnal change, without regard to sign, in the readings of the barometer (corrected to temperature 32°) from 6 A.M. to 6 A.M., for the period 1854 to 1859, arranged according to the daily resultant direction of the wind	97
XXXIII.—Comparative diurnal changes in the height of the barometer in the same month that are due to different winds, being the numbers in Table XXXII. expressed in terms of the mean change in that month for all winds	97

CONTENTS.

V

TABLES

	PAGE
XXXIV. —Comparative diurnal changes in the height of the barometer that are due in different months to the same wind, being the numbers in Table XXXII. expressed in terms of the annual arithmetic mean for that wind	97
XXXV. —Highest and lowest readings, and monthly ranges of the barometer in each month, from 1854 to 1859 inclusive	98
XXXVI. —Monthly means of the pressure of dry air at each of the six observation hours, for the years 1854 to 1859 inclusive	99
XXXVII. —Monthly and annual means of the pressure of dry air furnished by six daily observations, for 1854 to 1859 inclusive	103
XXXVIII. —Monthly means of the pressure of dry air at each of the six observation hours, for the period 1854 to 1859 inclusive	103
XXXIX. —Monthly means of the pressure of vapour at each of the six observation hours, for the years 1854 to 1859 inclusive	104
XL. —Monthly means of the relative humidity at each of the six observation hours, for the years 1854 to 1859 inclusive	108
XLI. & XLII. —Monthly and annual means of the pressure of vapour and relative humidity, furnished by six daily observations, for 1854 to 1859 inclusive	112
XLIII. & XLIV. —Monthly means of the pressure of vapour and relative humidity at each of the six observation hours, for the period 1854 to 1859 inclusive	113
XLV. —Monthly means of the extent of sky clouded at each of the six observation hours (the hemisphere being unity) for the years 1854 to 1859 Inclusive.....	114
XLVI. —Monthly and annual means of the extent of sky clouded, from six daily observations, for 1854 to 1859 inclusive	116
XLVII. —Monthly means of the extent of sky clouded at each observation hour, for the period 1854 to 1859 inclusive	116
XLVIII. —Mean clouded sky for each of the sixteen points of the wind's direction, with the number of observations from which the means are derived, for the years 1853 to 1859 inclusive	117
XLIX. —Comparative view of the annual variations of certain meteorological elements derived from the series 1842 to 1848, and from the series 1854—59	118
L. —Comparative view of the diurnal variations at the six observation hours, for the same two series.....	118
LI. —Resultant direction, resultant velocity, and mean velocity of the wind for each month	119
LII. —Monthly and annual resultant directions of the wind for each hour of Toronto astronomical time, for the period 1854 to 1859 inclusive	120
LIII. —Monthly and yearly resultant velocities of the wind, for each hour of Toronto astronomical time, for the period 1854 to 1859 inclusive, the velocities being in miles per hour	121
LIV. —Monthly aud yearly mean velocities of the wind for each hour of Toronto astronomical time, for the period 1854 to 1859 inclusive, the velocities being in miles per hour.....	122
LV. —Mean velocity of the wind for each of the sixteen points of the wind's direction, with the number of observations from which the means are derived, for the years 1853 to 1859 inclusive	123

TABLES

	PAGE
LVI.—Ratios shewing the comparative duration of different winds in each separate month, being the absolute durations of the different winds in the month, expressed in terms of the monthly mean duration for all winds	124
LVII.—Ratios shewing the comparative duration of each separate wind in the different months, being the numbers in Table LVI. expressed in terms of the annual means given at the foot of each column	124
LVIII.—Ratios shewing the comparative duration of different winds for each separate hour, being the absolute durations for the hour, expressed in terms of the duration of all winds for the same hour.....	126
LIX.—Ratios shewing the comparative duration of each separate wind in different hours, being the absolute durations for the hour, expressed in terms of the mean duration of that wind for all hours	128
LX.—The number of days in which rain fell, its approximate duration in hours, and depth in inches, for each month of the years 1854 to 1859 inclusive.....	130
LXI.—The number of days in which snow fell, its approximate duration in hours, and depth in inches, for each month of the years 1854 to 1859 inclusive	131
LXII.—The number of days in which either rain or snow fell, their approximate duration in hours, and depth in inches, for each month of the years 1854 to 1859 inclusive; one inch of snow being reckoned as equivalent to one-tenth of an inch of rain.....	132
LXIII.—Comparative duration of the several winds during the days in any part of which rain or snow fell, from observations in the years 1853 to 1859 inclusive	133
LXIV.—Comparative duration of the several winds during the hours in any part of which rain or snow fell, from observations in the years 1857 to 1859 inclusive	134
LXV.—Comparative duration of the several winds during the days in any part of which snow fell, from observations in the years 1853 to 1859 inclusive, the snow storms being arranged in four classes, according to the amount of snow, and each class being taken to include all the higher classes	135
LXVI.—Comparative duration of the several winds during the hours in any part of which snow fell, from observations in the years 1857 to 1859 inclusive, the snow storms being arranged in four classes, according to the amount of snow, and each class being taken to include all the higher classes	136

INTRODUCTION.

The Toronto Magnetic and Meteorological Observatory is situated in the grounds of the University of Toronto, in Latitude $43^{\circ} 39'.4$ N, Longitude* 5h. 17m. 33s. W., 108 feet above Lake Ontario, and approximately 342 feet above the level of the sea.

The early history of the Observatory, including the circumstances which led to its establishment by the British Government in 1839-40, are given in detail in the introduction to the 1st Volume of the Observations, published under the superintendence of General Sabine, R. A., which, together with the 2nd and 3rd volumes, contain the magnetical and meteorological observations, from 1840 to 1848 inclusive.

The operations of the Observatory as an imperial establishment were brought to a close in the early part of the year 1853. The magnetical observations, which had ceased preparatory to the removal of the instruments, were resumed under the authority of the Provincial Government in July of the same year, while the meteorological observations were continued without intermission. The non-commissioned officers of the Royal Artillery, Messrs. Walker, Menzies and Stewart, who had acted as observers under Captain Lefroy, R. A., and other officers of the Royal Artillery, were permitted by the indulgence of the Military authorities to continue in the same capacity till they became permanently attached to the Observatory on their retirement from the army in 1855.† The general supervision was committed to the Professor of Natural Philosophy‡ in University College, Toronto, till the appointment of the present director, G. T. Kingston, M.A. in August, 1855.

In the Autumn of 1853 a new building was commenced, to take the place of the old Observatory. The principal part of the present structure is in form rectangular, about 54 feet from North to South, in the direction of the magnetic meridian, 44 feet from East to West, and 16 feet in height, exclusive of the roof. Its western portion is occupied by the entrance, the two offices, and the dark room, which communicate towards the east with the principal room containing the magnetical differential instruments, mounted on their original stone pedestals, which latter, during the progress of the work, were boxed over for protection.

In the north-west corner, and included in the same horizontal dimensions, is a square tower, side 16 feet and height 43 feet, including a balustrade $2\frac{1}{2}$ feet high.

* Determined by electric telegraph with Boston in January, 1857. It accords with the result of chronometric comparison with Boston in 1840, see Toronto Observations, p. 17, Vol. I. The heights 108 feet and 342 feet refer to the level of the mercury in the cistern of the barometer.

† The staff of observers was increased in January, 1857, by the appointment of Mr. W. F. Davidson.

‡ J. B. Cherriman, M.A., late Fellow of St. John's College, Cambridge,

The whole of the main building, together with the tower, are of stone, whose freedom from magnetism had been carefully ascertained, prior to its employment in the construction. The nails and other fastenings are either copper or zinc.

From the southern face of the chief room extends a passage $4\frac{1}{2}$ feet wide, which communicates at its southern extremity with a room 20 feet by 13, appropriated to the observations of absolute magnetic intensity. On the east and west of the passage, and communicating with it by a second transverse passage, are two small rooms, the former for observing transits, and the latter for the observations of absolute declination. The three rooms with their connecting passages form a cross 72 feet from north to south, 73 feet from east to west, and $8\frac{1}{2}$ feet in height. The extreme length of the whole building is thus 126 feet, and its greatest width 73 feet.

The three small rooms are built of stone, the passages being of lath and plaster on stone foundations. These buildings, which were the first erected, were used as offices during the demolition of the old observatory and the erection of the large room and tower, which latter work was commenced in June, 1854 and completed in June 1855.

The meteorological observations for the years 1854 to 1859, the results of which are given in this volume, were made with the following instruments :—

The Standard Barometer, by Newman, is described on page lxxiii. of the 1st volume of the Toronto observations. The interior diameter of the tube is 0.6 inches. In conformity with the practice in the preceding observations, the corrections for capillarity amounting only to .002 inches, have not been applied.

The Standard Thermometer is the instrument described on pp. xcvi. and xcvi. of the 2nd volume of the Toronto observations. It is by Fastré of Paris, and is graduated *& l'échelle arbitraire*.

All the observations on the temperature of the air were made by this thermometer, excepting when the temperature fell lower than the limits of the scale, (about -8°) when the thermometer employed was one supplied from the Kew Observatory.

The wet bulb thermometer is also by Fastré, and is graduated according to an arbitrary scale.

The position occupied by the thermometers till June 24, 1854, was on the outside and near the middle of the north wall of the principal room in the old building. They were protected above by a double projecting roof, and on the east and west and north by double venetian shutters descending to about 4 feet from the ground. The thermometers were attached to horizontal strips of wood extending east and west, and were read from an aperture in the wall made for that purpose, and fitted with a shutter and sliding window. The bulbs, which were perfectly free, were about $4\frac{1}{2}$ feet from the ground.

On June 24, 1854, the thermometer shed was removed from the wall, and placed against the south fence of the Observatory enclosure. The thermometers remained under the shed in this position till the completion of the new Observatory. On June 15, 1855, at 3 P.M., they were moved to the new thermometer shed on the outside of the north wall of the tower. The projecting roof above, and Venetian or rather Louvre shutters of the new shed are single and painted white, instead of being double and green as in the old shed.

The interior length of the new shed, from east to west, is $13\frac{1}{2}$ feet, the distance of the northern shutter from the northern wall of the Observatory 5 feet, and the height, exclusive of the slope of the

roof, $9\frac{1}{2}$ feet. The shutters extend down to a distance of 2 feet from the ground. The thermometers are attached to horizontal strips of wood extending east and west, their bulbs, which are perfectly free, being $4\frac{1}{2}$ feet from the ground, and 14 inches from the inside of the shutters. The shed is entered by a door communicating with the interior of the building, but the thermometers can also be read through a window by the aid of a telescope.

The self-registering thermometers, for recording the extremes of temperature in the shade, are attached to the same horizontal strip of wood with the standard and wet bulb thermometers.

The anemometer (Robinson's) prior to June 1854, was mounted over a temporary shed attached to the N. W. corner of the old Observatory. The floor of this shed, its roof and the horizontal plane in which the cups revolved were respectively 6 feet, 12 feet and 20 feet above the floor of the Observatory.

On June 26th, 1854, the anemometer was moved to the top of a conical wooden tower standing at a distance of about 20 feet N.W. from the N.W. corner of the main building. This tower, originally built for Osler's anemometer, was about 30 feet in height. The anemometer continued in operation in this latter position from June 28th, 1854, till June 11th, 1855, when it was mounted on the tower of the new Observatory. The centres of the cups in the present position of the anemometer revolve in a horizontal plane $4\frac{1}{4}$ feet above the balustrade. The clockwork and papers for recording the direction and velocity of the wind are supported by a platform immediately under the deck roof of the tower.

The Rain Gauge in use is simply a rectangular vessel with an aperture of 10 inches by 20 inches, placed 7 feet above the ground, and communicating by a pipe with a receiver beneath. The volume of water received is measured by a glass graduated to cubic inches and parts of an inch.

The frame supporting the rain gauge stands in the enclosure surrounding the Observatory, and at a distance from other objects sufficient to secure it from the effect of eddy winds.

The barometer, standard thermometer and wet-bulb thermometer were read six times each day, namely, at 6 A.M., 8 A.M., 2 P.M., 4 P.M., 10 P.M., and midnight, excepting on Sundays, Christmas Day, and Good Friday, when these instruments were read at 6 A.M. and 2 P.M. only. These latter readings, though recorded in the daily registers, are not included in the hourly means for those hours. From the temperature of the air and of evaporation, the pressure of vapour and the relative humidity were deduced by hygrometric tables. Prior to the 1st January, 1858, Kupffer's hygrometric tables were in use, but after that date the tables employed were those calculated by Professor Collin, of Lafayette College, Pennsylvania, from the more recent experiments of Regnault.

The differences between the barometric pressure and the pressure of vapour were recorded at each observation, in conformity with ordinary usage, as the *Pressure of Dry Air*.

At the same six observation hours, a record was also made of the direction and velocity of the wind, with the general appearance of the sky, including the class, distribution, and motions of the clouds.

The meteorological day having been regarded since the establishment of the Observatory as beginning at 6 A.M., local civil time of the day of date, the custom was introduced in January, 1856, of reading and setting both the maximum and minimum self-registering thermometers at 6 A.M., terminating the day of date, with the view of ascertaining the highest and lowest temperatures that occurred within each successive space of twenty-four hours.

INTRODUCTION.

As the reading the minimum thermometer at 6 A.M.; from the proximity of that hour to the time of minimum temperature, necessarily led to the loss of many of the true minima, and to the record as such of other lower temperatures which were in fact not true minima; and since the aggregate of the temperatures recorded as minima was consequently lower than the aggregate of the true minima, the hour of reading the minimum thermometer was changed, January 1, 1858, from 6 A.M. to 2 P.M., the temperature being recorded as the minimum of the day that included the hour of reading. By thus reading the minimum thermometer at an hour near to the ordinary time of maximum, no minimum could be lost, excepting when the temperature at 2 P.M. was lower than any that had occurred during the previous twenty-four hours. The maximum thermometer continued to be read as before, at 6 A.M., the temperature that it indicated being recorded as the maximum of the twenty-four hours just terminated.

From Robinson's Anemometer a record was made of the general direction of the wind during each hour of every day (Sundays and other holidays *included*), and the mean velocity or number of miles travelled by the wind during the same hour, the space of each hour being designated by the hour with which it commenced. For each of the six observation hours, the instantaneous direction and approximate velocity at the hour was also recorded, such velocity being the number of miles travelled by the wind during the half hour preceding and the half hour following the hour of observation.

The resultant direction and resultant velocity for any day or other group of consecutive hours, or for a group consisting of like hours on different days, were calculated from the directions and velocities in the several hours composing the group by the formulæ

$$\tan \bar{\theta} = \frac{\sum (V \sin \theta)}{\sum (V \cos \theta)}; \bar{V} = \frac{\sum (V \cos \bar{\theta})}{n \cos \bar{\theta}}$$

Where θ represents the angular distance to the right of north of the point from which the wind blew during the hour, V the corresponding velocity, $\bar{\theta}$ and \bar{V} the values of θ and V corresponding to the resultant, and n the number of hours in the group under consideration.

The depth of the rain or snow recorded as having fallen during any day was measured at 9 A.M. of the following day, prior to January 1, 1856; but after that date the time was changed to 6 A.M., the termination of the meteorological day as regards the other elements.

In the general monthly abstracts in pp. 2 to 73, the numbers given in the six columns headed "*daily means*" are the daily averages of the observations made at the six observation hours, and are uncorrected for diurnal variation. The resultant directions and velocities and the mean velocities of the wind are derived from the twenty-four hourly directions and velocities.

The numbers at the bases of the columns of daily means, as well as those of the mean velocity of the wind, and of the extremes of temperature, are the averages of the numbers under which they stand, Sundays being excluded only in the first six columns. Under the columns containing the daily resultant directions and resultant velocities of the wind are entered the monthly resultant directions and velocities; and under the columns for the rain and snow are entered the sums of the numbers which those columns respectively contain. In the rain or snow columns, the occurrence of a star (*) indicates that the amount was inappreciable, or the duration less than half an hour. Where rain and melted snow are combined, ten inches of snow are reckoned as equivalent to one inch of rain.

REMARKS ON THE TABLES.

The normals to which reference is made in the temperature tables (Tables I. to XVIII.) are the normal temperatures proper to Toronto in its actual circumstances, and not those proper to the parallel of latitude on which Toronto stands. They have been deduced from the table of twenty-four-hour daily means (*a*) given by General Sabine in his paper on "the periodic and non-periodic variations of temperature at Toronto," by applying the diurnal variations (*b*) contained (though with contrary signs) in a table given in the same paper.

The normals thus computed have been tabulated, and are kept as standards to which the actual temperatures are referred; the abnormal variations, with their proper signs, being entered in the daily register side by side with each observed temperature.

Table I. gives the monthly means of the temperature of the air at each of the six observation hours in the years 1854 to 1859 inclusive. The numbers in the last column on the right are the means of the numbers in the six preceding columns, and are uncorrected for diurnal variation.

The final columns for the several months in Table I. are exhibited at one view in Table II., which contains the monthly and annual means of temperature, furnished by six daily observations, in each of the years 1854 to 1859 inclusive, as well as for the period consisting of the same six years.

In Table III. the monthly means of temperature given by Table II. are compared with the corresponding normal means, namely, those derived from the normals proper to the six observation hours. It will be seen that on the average of the six years the temperatures have been in excess of the normals in the summer and autumn months, and in defect throughout the winter and spring, the mean of the whole year being $0^{\circ}.36$ in defect.

The numbers at the foot of each of the several monthly parts of Table I. are collected in Table IV. which shews, on the average of the six years, 1854 to 1859, the monthly means of temperature for each month, at each of the six observation hours.

In Table V. the hourly means in Table IV. are compared with the corresponding normals.

The extent of the oscillations of temperature above and below the normals proper to the day and hour are shewn by Table VI. which contains the average abnormal variations or digressions of temperature, without regard to sign, for every month and for the mean of the twelve months in each of the six years of observation. From the final column we learn, that taking one month with another, the temperature on the average of the whole series made oscillations to the extent of $6^{\circ}.7$ above or below the normal proper to the time of observation, and that their mean amplitudes in different years never differed by more than $0^{\circ}.5$ from the average ($6^{\circ}.7$). The progression from month to month in the monthly mean digressions is not perfectly continuous, but the general character of the annual period is shewn by the quarterly averages of the six-year means at the foot of the table, which are $6^{\circ}.2$ in spring, $5^{\circ}.2$ in summer, $5^{\circ}.9$ in autumn, and $9^{\circ}.4$ in winter.

In Table VII. a comparison is made for each month between the abnormal digressions of temperature, without regard to sign, at each of the six observation hours.

(a) *Philosophical Transactions* for 1858, pp. 154-159.
 (b) " " " " pp. 145, 146.

If the annual means alone be regarded, there is nothing to warrant the belief that one hour is, to any great extent, more subject than another to thermic disturbances; but if the numbers in the columns for 10h., 12h., 18h. and 20h. be compared with those for 2h. and 4h., it will be seen that in the six winter months (October to March) the former group are in nearly every case, number for number, greater than the latter group, and that exactly the reverse takes place in the other six months. The winter half-yearly means are in every case greater, and the summer half-yearly means less at each of the hours, 10h., 12h., 18h. and 20h. than at 2h. and 4h.. The half-yearly means for the two groups, each taken collectively, are as follows:

At 10h., 12h., 18h. and 20h., winter half-year,	$8^{\circ}.25$: summer,	$5^{\circ}.13$	
" 2h. and 4h., " "	$7^{\circ}.48$	" "	$5^{\circ}.90$;

From this it appears that in the winter half-year there is on the average a greater steadiness of temperature at 2h. and at 4h. than at the other observation hours, and also that this is reversed in the summer half-year, the greater steadiness of the temperature being then at the hours of the night and morning.

The mean abnormal digressions, while they shew the *extent* of the temperature oscillations, do not afford any measure of their *duration*, nor do they indicate whether the temperature passes gradually or suddenly from one abnormal condition to another.

The rate per day at which the temperature changes, irrespective of diurnal and annual variation, will be found by taking the algebraical differences between the abnormal digressions at the same hour of consecutive days. These differences being taken for 2 P.M., their monthly averages without regard to sign have been collected in Table VIII. From inspecting the table it will be seen that one day with another through the year, the average difference in the temperature at 2 P.M. on consecutive days was $5^{\circ}.83$; the maximum $7^{\circ}.38$ occurring in January, and the minimum $4^{\circ}.73$ in August; while the quarterly means were $7^{\circ}.17$ for winter, $5^{\circ}.70$ for spring, $5^{\circ}.24$ for summer, and $5^{\circ}.21$ for autumn.*

The ratios at the foot of the table, which express the means of each month in terms of the mean for the year, exhibit the comparative changeableness of temperature in the different months.

In Table VIII. no distinction is made between the increasing and the decreasing changes of temperature, and it does not appear whether the changes of one sign are numerous and of small magnitude and those of the opposite sign few and abrupt, or whether the changes in either direction are on the average equal in number and magnitude. These points are considered in Table IX. The numbers in the first line are each obtained by dividing 100 times the number of all the *increasing* changes that occurred in the group of months of the same name by the *total* number of changes in the same group of months. The numbers in the third line are the quotients arising from the division of the *sum* of all the increasing changes in the group of months of the same name by the *number* of increasing changes. The numbers in the fifth line are derived in an analogous manner. It appears from the table that in eight months in the year there is a preponderance in the number of increasing changes of temperature, the mean percentage in the year being 54, that the average value of an increasing change is $5^{\circ}.44$, and

* The differences were subsequently taken between the temperatures at 6 A.M. on consecutive days, for the purpose of forming Tables XIV. to XVI., in which the differences are connected with the daily resultant winds. The quarterly and annual means thence derived are $9^{\circ}.41$ for the winter, $5^{\circ}.31$ for the spring, $3^{\circ}.90$ for the summer, $6^{\circ}.75$ for the autumn, and $6^{\circ}.35$ for the year.

The fact stated with reference to Table VII., namely, that the temperature at 2 P.M. is systematically more irregular in summer and less irregular in winter than at 6 A.M., will explain why the summer mean is less and the winter mean greater when the differences are taken between 6 A.M. That the annual mean is also greater in the latter case is owing to the circumstance that the temperature at 6 A.M. is more irregular on the average of the year than at 2 P.M.

of a decreasing change $6^{\circ}.34$. For the different seasons the average percentage of the numbers of increasing changes of temperature, and the average values* of the changes are as follows :

	Percentage.	Average Increase.	Average Decrease.
Winter.....	51	6.95	7.49
Spring.....	55	5.16	6.38
Summer.....	55	4.73	5.87
Autumn.....	54	4.92	5.61

Hence it appears that the descending changes of temperature are systematically more sudden at all seasons than the ascending changes.

In Table X. the abnormal variations of the temperature with their proper signs are arranged according to the different directions of the wind at the six ordinary hours of observation. Regarding each point in the table as including an angular space of $11^{\circ} 15'$ on each side of it, it appears that the temperature was above or below the normal at the time of observation, according as the wind blew from a point lying to the south or to the north of a line drawn from N.E. b E. to S.W. b W. The greatest depression of temperature $3^{\circ}.58$, accompanied a wind from N.N.W., and the greatest elevation $3^{\circ}.61$ occurred with a S.S.W. wind, giving a range of $7^{\circ}.19$.

In Table X. the dependence of the actual temperature on the actual direction of the wind is considered, but no regard has been had to the duration of the wind in its actual direction, cases being embraced in which the wind had just begun to blow from a given direction, as well as those in which it was about to shift. If it be admitted that in the long run the epoch of observation may be considered as occurring at the middle of the space of time in which the proposed wind was blowing, the mean observed effect on the temperature, corresponding to a given direction, will be a combination of the effect due to the actual wind during half the time of its action, and that due to the preceding winds. To escape from the difficulty which these considerations involve, instead of employing as a standard of reference the normal temperature of the day and hour, which includes the joint effect of all the winds, it would seem better to refer the actual temperature to that which existed when the actual wind began to blow. Where hourly observations both of temperature and of wind are recorded, the question might be investigated, though with some labour, as to the rate of change per hour in the temperature effected by a given wind; but in the absence of hourly observations of temperature, the effect of a certain wind may be approximately known by arranging the changes of temperature after consecutive intervals of twenty-four hours, according to the resultant direction of the wind during the interval. The resultant direction of the wind having been computed at Toronto for every day, commencing and ending at 6 A.M., at which hour the temperature is recorded every day, Sunday included, the differences between the temperatures at 6 A.M. on consecutive days throughout the series 1854 to 1859 have been arranged in separate months, and in eight groups corresponding to the eight principal points of the compass, each difference or change of temperature being placed in the group most nearly corresponding to the resultant direction of the wind during the day in which the change occurred. The algebraical sum of the changes of temperature that accompanied a given resultant wind during a group of months of the same name, being divided by the number of times that this resultant wind occurred in the same month, the quotient will be the number in Table XI. corresponding to that month and wind.

* The quarterly averages are found independently of the separate months, by dividing the quarterly sums of the increasing or decreasing changes by the corresponding numbers.

In tracing the connection between a change in the value of any meteorological element and the direction of the wind during the interval of time in which the change occurred, the practice of referring the change to the *resultant* wind is admissible, provided that the direction undergoes no great change during the interval; but if the change of the wind's direction be great, the resultant computed in the ordinary way, although geometrically equivalent to the several component winds, in the direction with which they reach the anemometer, may possibly be far from equivalent in physical effect, and should it be from a direction for which the resultants are comparatively few, errors may thus be introduced sufficient possibly to disguise the true character of the relation sought, unless the errors be subdivided and thus rendered inappreciable by the combination of a series of sufficient length. From these considerations, the results arrived at, where the series, as in the present instance, comprises only six years, will possibly demand modification when combined with the observations of future years, and particularly with regard to the conclusions relative to single months.

It will be seen on examining Table XI. that in every month with a resultant wind from N., N.W. and W. the temperature was lowered; in every month with a resultant wind from S.W., S., S.E. and E. the temperature was raised; and that with a resultant wind from N.E. the temperature was raised in some months and depressed in others, the collective effect in the whole year being a rise of temperature with a resultant wind from the N.E. Taking the average of the year, with the wind from any point between N.E. through East and South to S.W. inclusive the temperature was raised, and with the wind from any point between West and North both inclusive the temperature was lowered. The S.E. wind accompanied the greatest rise, and the N.W. wind the greatest depression, the opposite effects being nearly equal, and the range 9°.1.

The greatest ascent of temperature occurred with the S.E. wind in seven months; but in January, March, July, November and December, a south wind corresponded to the greatest rise. The greatest depression of temperature occurred with a N.W. wind in all months but March, when the most cold producing wind was from the west, and August and October, when the North wind accompanied the greatest depression.

Table XII. gives for each resultant direction—for each month and for each year, the number of days that an increase of temperature occurred out of a hundred days, in which the resultant wind was from the same direction in the same month.

Cases of a rise of temperature exceed the number of falls with the resultant wind from N.E., E., S.E., S., and S.W., in all months, with three exceptions for N.E. and one exception for each of the points East, South and S.W.

The temperature fell more frequently than it rose in all months with the resultant wind from W., N.W. and N. Taking the year round, the number of cases in which the temperature rose exceeded those in which it fell, with the wind from N.E., E., S.E., S., and S.W., the mean percentage being 69, while with the wind from W., N.W., and N. the number of increasing changes fell short of the depressions, the mean percentage being 34.

In Table XIII. we have for each month and for the year the relative *amount* of the ascending change of temperature with each wind, as compared with the whole amount of ascending and descending changes with the same wind.

In Table XIV. are given, for each month and for the year, the means (without regard to sign) of the changes of temperature in twenty-four hours that accompany different resultant winds. The

numbers in the final column are not the arithmetic means of those in the preceding columns, as they would be if the wind blew an equal number of times in all months, but are obtained by dividing the aggregate amount of all the changes, without regard to sign, for the corresponding wind, by the number of times that that wind occurred. The numbers at the foot of the table are the *arithmetic means** of the numbers in the columns under which they stand.

In Table XV. the effects of different winds in the same month are compared by aid of the ratios of the numbers in table XIV. to the arithmetic means over which severally stand. For the most part the South wind would seem to be most productive of change in the colder months, and the N.W. wind in the summer months, while for the whole year the effects of the cold winds seem to be greater, and those of the warm winds less than the average effect of all winds.

In Table XVI. the effects of the same wind in different months are compared. It has been already seen from Table VIII. that the average change of temperature in twenty-four hours, irrespective of the direction of the wind, is least in the warmer months and greatest in the colder months. Table XVI. shews that this holds also for each wind taken separately, the greatest contrasts between the effects in cold and hot months being those presented by the north and south winds, the effect produced by the north winds in January being more than four times its effect in July, and the effect of the south wind in January and December being at least five times that produced in June.†

Table XVII. gives the monthly means of the daily maxima, minima, and ranges of temperature, and Table XVIII. the absolute maxima, minima, and ranges for each month and for the year, in each of the years 1854 to 1859, and on the average of the six years.

BAROMETRIC TABLES.

The means or approximate normals employed as standards of comparison in the barometric tables (Tables XIX. to XXXV. inclusive), are the hourly means in each month, derived from the observations of seven years for the first nine months, and from the observations of six years for the rest of the year.

Table XIX. gives the monthly means of the height of the barometer, corrected to temp. 32° Fahrenheit, at each of the six observation hours in the years 1854 to 1859. The numbers in the last column are simply the monthly six-hour means, or the means of the numbers in the six preceding columns.

The final columns for the several months in Table XIX. are exhibited in one view in Table XX., which contains the monthly and annual means of barometric pressure furnished by six daily observations in each of the years 1854 to 1859, as well as for the period consisting of the same six years.

In Table XXI. the monthly means of the barometer given by Table XX. are compared with the corresponding approximate normal means.

The numbers at the foot of each of the several monthly parts of Table XIX. are collected in Table XXII. which shews, on the average of the six years, the monthly means of barometric pressure, for each month, at each of the six observation hours.

* These means are of course not the same as those from which the quarterly averages are derived, that are given in the foot note to the remarks on Table VIII.

† Tables XIV. to XVI. were formed for the purpose of tracing the connection (should such connection exist) between the resultant directions of the wind and thermometric movements generally, without reference to the directions or signs of those movements. As the computations were made, the tables have been given, though the results do not indicate anything very definite. A combination with a few additional years, might possibly lead to more satisfactory conclusions.

In Table XXIII. the hourly means in Table XXII. are compared with the corresponding assumed normals.

Table XXIV. is designed to shew the monthly averages of the extent of the barometric abnormal oscillations. The numbers whose averages are tabulated are the differences between the actual heights of the barometer and the assumed normal heights proper to the month and hour.

The annual distribution of these mean abnormal variations of the barometer resembles in its general character the corresponding distribution in the abnormal variations of temperature. The maximum is 0.249 in January, the minimum 0.119 in August, and the mean 0.183. The quarterly means of the abnormal digressions are 0.230 for the winter, 0.190 for the spring, 0.122 for the summer, and 0.191 for the autumn.

Table XXV. shews the distribution of the abnormal variations of the barometer at the different hours. The diurnal progression, unlike that shewn in the corresponding table for temperature, is well marked on the average of the twelve months. The greatest digression, which took place at 8 A.M. on the average of the year, maintained the same hour in every month but February and December. The minimum digression occurred on the average of the year at 10 P.M., and at either 10 P.M. or midnight in every month but November, when it took place at 4 P.M.

The numbers in Table XXVI. are obtained by dividing the monthly sums of the differences between the corrected readings of the barometer at 2 P.M. on consecutive days by the number of the days in the month. The average change in the whole year was 0.195, the maximum, 0.232, being in December, and the minimum, 0.123, in July; while the quarterly means were 0.267 for winter, 0.210 for spring, 0.125 for summer, and 0.182 for autumn.* The ratios at the foot of the table exhibit the relative rate of the diurnal change in the barometer in the different months.

From Table XXVII. it is seen that on the whole the barometric pressure passed from one condition to another by gradations, of which those in which the pressure increased are nearly equal in number and magnitude to those in which the pressure diminished, the average magnitudes of the ascending and descending changes being respectively 0.194 and 0.197.

Table XXVIII. gives the mean abnormal variations of the barometer, with their proper signs, arranged according to the actual direction of the wind at the six ordinary observation hours. According to the table the barometer was above the normal when the wind was blowing from any point between east and south, both inclusively, and below the normal with the wind from any point between S.S.W. through west to N.W.

The change in the state of the barometer dependent on the direction of the wind has been sought by a method similar to that employed in the temperature tables, namely, by collecting in Table XIX. the monthly and yearly means of the differences between the corrected readings of the barometer at 6 A.M. of consecutive days, arranged according to the resultant direction of the wind.

From this table we learn that the barometer rose during the twenty-four hours when the resultant wind was from West, N.W. and North, in all months; that it fell with a wind from N.E., E., S.E. and S. in all months, and that with a wind from S.W. it rose in some months and fell in others. Taking

* The quarterly means given in the text are nearly identical with those obtained from the differences taken between 6 A.M. and 6 A.M. on consecutive days, namely, 0.260 for winter, 0.211 for spring, 0.121 for summer, 0.189 for autumn, and 0.198 for the whole year. In connection with this subject, it may be noticed that the annual mean abnormal variations given in Table XXV. for 6 A.M. and 2 P.M. are nearly identical.

the year collectively, the barometer rose with a wind from W., N.W., and N., and fell with a wind from N.E., E., S.E., S., and S.W.

From Table XXX. it appears that a rise of the barometer was more frequent than a fall in all months with a resultant wind from W., N.W., and N., that a fall was more frequent than a rise in all months with a wind from E., S.E., and S., and that with a wind from N.E. and S.W. the number of ascents of the barometer exceeded the number of descents in some months and fell short of it in others, the number of months in which the number of descents preponderated being greater in both cases than the number of months in which the number of ascents preponderated. Taking the year collectively the barometer rose more frequently than it fell with a resultant wind from W., N.W., and N., and it fell more frequently than it rose with a resultant wind from N.E., E., S.E., S., and S.W., the mean percentage in the number of ascents being 78 for the first group of winds and 27 for the latter group.

In Table XXXI. a comparison is made between the *amounts* of the ascending and of the descending changes of the barometric pressure corresponding to the different resultant winds. The joint amount of the change of both signs for each wind and month being represented by 100, the number in this table will of course exceed or fall short of 50, according as the signs in Table XXIX. are positive or negative.*

Table XXXII. gives for each month and for the year the mean changes in the height of the barometer, irrespective of sign, between 6 A.M. and 6 A.M. on consecutive days, arranged according to the resultant direction of the wind.

In Table XXXIII. the relative influence of each of the several winds is compared for each month separately, as well as for the year, by expressing the numbers in Table XXXII. in terms of the monthly and annual arithmetic means for all winds. Taking the year collectively, it will be found that the N.W., S.E., and E. winds were most productive of barometric change, and that the least change accompanied the South wind. The greatest change corresponded to the N.W. wind in May, June, July, and October, and to either the E. or S.E. winds in the other months. The least change corresponded to either the South or S.W. winds in seven months, and to other winds in the remaining five months.

In Table XXXIV. a comparison is made of the relative influence of the same wind in different months, by expressing the twelve monthly numbers for each wind in Table XXXII. in terms of the arithmetic means of the same monthly numbers. The table shews that for each wind separately, as well as for all winds collectively, (as shewn by Table XXVI.) the minimum change of barometric pressure in twenty-four hours took place in one of the cold months, occurring in January for four directions in December for two directions, in February for one, and in March for one. For each wind also, the minimum change of barometer occurred in June or July, excepting that the minimum for the N.E. wind was approximately the same in October as it was in July. †

Table XXXV. gives the highest and lowest readings of the barometer recorded each month in the several years 1854 to 1859, and their differences or the monthly ranges. The final column in the table of ranges gives the difference between the highest and lowest readings in each year. On the average of the six years, the greatest monthly range occurred in December and the least in July. The mean monthly range for all months was 1.035, being 0.793 for the six months, April to September, and 1.277 for the remaining six months.

* In January and August, although the number of ascending changes that accompanied a S.E. wind were respectively .20 and .08 of the number of all the changes in these months for the S.E. wind, the amounts of increasing changes were in each case less than .005 of the whole change, and are therefore represented as (0) in Table XXXL

† See note to remarks on Tables XIV. to XVI.

The monthly and annual means at each observation hour for the separate years, 1854 to 1859, and for the period embracing these years, are given in Tables XXXVI. to XLVII. inclusive, for the following elements, namely, pressure of dry air, pressure of vapour, relative humidity and extent of sky clouded.

From Table XLVI. it appears that 0.59 was the average amount of cloudiness in the year, December and August being, respectively, the most cloudy and the least cloudy months.

Table XLVII. shews that, among the six observation hours, 2 P.M., on the average of the year, was the most cloudy hour, and midnight the hour most free from clouds.

In Table XLVIII. the numbers expressing the extent of sky clouded are classified according to the sixteen principal directions of the wind. If the sixteen points be arranged in four groups, each embracing four contiguous points, and the mean cloudiness for each point be treated as though it were of equal weight, it appears that the means of cloudiness during winds from directions included within the four quadrants, with their respective differences from the general mean, 0.59, were as follows :

Centres of groups, N.E.b.E.	S.E.b S.	S.W.b.W.	N.W.b.N.
0.72	0.54	0.61	0.51
+0.13	-0.05	+0.02	-0.08

From this we gather that the sky was most cloudy on the average during winds from N.E.b.E., and most clear with winds from N.W.b.N., and that there was a second maximum for winds from S.W.b.W. and a second minimum for winds from S.E.b S.

In forming Tables XLIX. and L, that give a comparative view of the annual and diurnal variations of certain meteorological elements, as derived from the series 1842-48, and from the series 1854-59, the monthly and annual means of temperature as given by six daily observations have been reduced to the twenty-four-hour means by applying corrections derived from the table on pp. cxvi-vii. of the introduction to the second volume of the Toronto observations. The independence of the annual variations of temperature for 1854-59 will therefore be affected to the extent of the differences between the monthly and annual values of these correction—differences which in no case exceed 0°.11.

The independence of the diurnal variations of temperature for 1854-59 will be affected by the annual mean value of the correction, a quantity amounting only to 0°.02.

RESULTANT DIRECTIONS OF THE WIND IN THE DIFFERENT MONTHS.

The comparison of the monthly resultants derived from the period 1854 to 1859, and given in Table LI., shews that the general direction of the atmospheric current is considerably more from the westward in the winter than in the summer months, the monthly resultants oscillating about N. 43° W. from April to September, inclusive, and about N. 72° W. during the remaining six months.

There is a much nearer approach to uniformity of direction in the different years for some months than for others ; thus taking the angular difference between a monthly partial resultant on a particular year, and the corresponding monthly resultant for the six years, as a rough measure of the irregularity of the partial resultant, it is found that the averages of these differences are 7° for January, and about 75° for June and July. The quarterly averages of the differences are, for winter (commencing December 1st) 20°, for summer 53°, for spring 29°, and for autumn 27° ; their half-yearly averages being 46° from April to September, and 19° during the rest of the year.

RESULTANT VELOCITIES AND MEAN VELOCITIES IN THE DIFFERENT MONTHS.

The resultant velocities and mean velocities have each their maximum in March and their minimum in July. The change from month to month is regular in both, with the exception of a small interruption of continuity in August and another in December.

RESULTANT DIRECTIONS OF THE WIND IN THE DIFFERENT HOURS.

Confining our attention in the first instance to the annual resultants given in Table LII. we find that during the hour commencing noon the resultant wind is from N. 103° W. its extreme distance left of North. From this point at which the wind is nearly steady during the three hours commencing at noon, it draws round towards the north regularly and continuously till it makes its nearest approach to the North (N. 39° W.) at 5 A.M. About this point it remains nearly steady from midnight to 7 A.M. and then rapidly recedes again to the westward.

The extreme recession of the resultant direction from the north takes place during the first three hours after noon in all months excepting November, when it occurs between 11 A.M. and noon, and in December, when it is between 3 P.M. and 5 P.M. It occurs in May between 1 P.M. and 2 P.M., but in a contrary direction to that of all other months, being 108° to the *east* of north.

The hours of nearest approach to the north are not so well marked, and are included within wider limits. In most months they are found between midnight and sunrise, but in May, June, and November, they occur in the early part of the night. The angular diurnal range in the direction of the resultant is 180° in July (its maximum), and 15° in November (its minimum). The quarterly averages of the diurnal ranges are 25° from December to February, 85° from March to May, 152° from June to August, and 65° from September to November. The half yearly averages are 135° from April to September, and 29° from October to March.

MEAN RESULTANT VELOCITIES OF WIND IN THE DIFFERENT HOURS.

By Table LIII. it is seen that the maximum resultant velocity for the whole year occurs during the hour commencing 1 P.M., and the minimum during the two hours between 4 A.M. and 6 A.M.; the progression being continuous from the maximum to the minimum and to the maximum again, if the second place of decimals be disregarded.

The maximum takes place in one of the three hours commencing noon in every month but April and May, when it is found in the hours commencing respectively at 9 P.M. and 7 A.M. The hours of minimum are not well marked; and in July, August, and September there is a double progression.

MEAN VELOCITY OF THE WIND IN THE DIFFERENT HOURS.

On the average of the year as shewn in Table LIV. the maximum velocity is from 1 P.M. to 2 P.M. and the minimum from 1 A.M. to 2 A.M. The maximum occurs in every month during one of the four hours commencing noon, and the minimum in most months within three hours of midnight, a prominent exception being December, when the minimum is at 7 A.M.

MEAN VELOCITIES OF THE WIND IN DIFFERENT DIRECTIONS.

From Table LV., which includes only winds at the six observation hours, we learn that the wind has a maximum velocity of 10.90 miles per hour when it blows from N.W., and a minimum velocity

of 5.22 miles per hour when it blows from S.E. There is an interruption to the continuity of the progression amounting to a second minimum at about N.N.E., and a second maximum at about E.N.E.

ANNUAL DISTRIBUTION OF THE DIFFERENT WINDS WITH RESPECT TO DURATION.

The results given in Table LI. to LIV. depend on the *velocities* as well as on the *durations* of the different winds, and as the average velocities in some directions are much greater than in others, these tables convey but indirect information as to the comparative prevalence of the different winds with respect to their duration. Tables LVI. to LIX., which are given to supply this want, were computed in the following manner:—From the monthly abstracts which give the direction of the wind during each hour of each day, tables were formed for each month in the seven years 1853 to 1859, containing the number of times during like hours that the wind blew from the sixteen principal points, as well as the number of absolute calms in each group of like hours. By combining these tables the two following auxillary tables were then prepared.

Table A giving the absolute duration in hours of the different winds and of the calms for the several months, each month embracing the observations of seven years.

Table B. giving the absolute duration of the different winds and calms for each of the* twenty-four hours, each hour including all the winds recorded for that hour in the seven years.

Table LVI is derived from table (A) by expressing the absolute durations of each wind in each month and in the year, in terms of the monthly and annual mean durations for all winds. It is designed to give, for each month separately, and for the year collectively, a comparative view of the durations of the different winds.

It appears from this table that winds from between S.S.W., through West to North, have a more than average duration as compared with other winds, taking the whole year collectively; but it is only those from N.N.W. that have a duration exceeding the average in each separate month.

Winds from E.N.E. and E. are above the average on the whole year as well as in each separate month, but December, January, February, and August. The North wind is above the average on the whole year and is above the average in some months and below it in others, but without any perceptible annual period.

The South wind is below the average on the whole year collectively, and in each separate month but May, June, July, and August.

The wind of maximum duration for the whole year collectively is N.N.W., and the wind of minimum duration S.E., with a second maximum at East and a second minimum at N.N.E.

The principal maximum is found at some point between W.S.W. and N.N.W. in seven months; but in April, May, and June, East winds are the most frequent, and in July and September the most frequent wind is from S.S.W.

The wind of least duration is from S.E., S.S.E. or South in seven months; but in May, July, August and September† the least frequent wind is from W.S.W., and in June it is from N.N.E.

* The space of the hour has been always designated by the point of time with which it commences, thus, the winds for noon are those between noon and 1 P.M.

† In September the duration of the E.S.E. wind is nearly identical with that of the W.S.W. wind.

In Table LVII. the durations of the same wind in different months are compared. As the months are of different lengths, instead of comparing the absolute durations, which for the longer months would be unduly great, this table is obtained by expressing the numbers of table LVI. in terms of the annual arithmetic means for the several winds.

The change in duration from month to month, exhibited by this table, is for most winds very irregular, the only instance of a distinct period being in the case of the South wind, which decreases in duration regularly from its maximum in June to its minimum in December; the maximum being to the minimum nearly in the ratio of 8 to 1.

If N_3 be taken to denote the ratio which the duration of the winds, from the three points N.N.W., North, and N.N.E. in the six winter months (October to March), bears to the duration of the winds from the same points in the summer half year, and N_7 the corresponding ratio when the winds from North are associated with those from the three points on either side of it, from W.N.W. to E.N.E.; the ratio for the analogous combinations about the three other cardinal points being represented by S_3 , S_7 , E_3 , E_7 , W_3 , W_7 ; it will be found that

$$\begin{aligned}N_3 &= 0.91; \quad S_3 = 0.49; \quad E_3 = 0.65; \quad W_3 = 2.24 \\N_7 &= 1.01; \quad S_7 = 0.91; \quad E_7 = 0.70; \quad W_7 = 1.39\end{aligned}$$

Again if the durations of the winds in the Northern and in the Western groups be compared with those of the groups diametrically opposite, and $\left(\frac{N}{S}\right)_3$ be employed to denote the ratio whose first term is the duration of the winds from the three points about North, the ratios between other groups being expressed in an analogous manner; we have

$$\begin{aligned}\text{In Winter } \left(\frac{N}{S}\right)_3 &= 1.94; \quad \left(\frac{N}{S}\right)_7 = 1.36; \quad \left(\frac{W}{E}\right)_3 = 2.18; \quad \left(\frac{W}{E}\right)_7 = 2.25. \\ \text{In Summer} \dots &= 1.04; \quad \dots = 1.22; \quad \dots = 0.63; \quad \dots = 1.13 \\ \text{Year} \dots &= 1.34 \quad \dots = 1.30 \quad \dots = 1.25 \quad \dots = 1.59\end{aligned}$$

DIURNAL DISTRIBUTION OF THE DIFFERENT WINDS WITH RESPECT TO DURATION.

The comparative duration, for each hour, of the sixteen winds and the calms are obtained by dividing the absolute duration of each wind in the hour by the average duration of all winds, including calms, in the same hour. From Table LVIII., in which the results are given, the following facts may be gathered.

- I. The durations of the winds from W.S.W. to N.N.W. inclusive, for each hour separately as well as for all hours collectively, are above the average duration of all winds.
- II. The durations of winds from E. and E.N.E., taking the twenty-four hours collectively, are above the average; and one or other or both of these winds are above the average at all hours, excepting from 2 A.M. to 3 A.M.
- III. The durations of the North winds are above the average for the whole day collectively and have a marked diurnal period, their duration being above the average duration of all winds from 9 P.M. to 9 A.M., and below the average from 9 A.M. to 9 P.M.
- IV. The South winds have a duration less than the average, taking one hour with another, and they also have a diurnal period, their durations being above the average duration of all winds from 10 A.M. to 6 P.M., and below the average during the rest of the twenty-four hours.

The principal maximum occurs with the wind from S.S.W. from 11 A.M. to 4 P.M., that is to say, during a portion of the time when the duration of the South wind is above the average, and it occurs with the N.N.W. and North wind mostly at the hours when the duration of the North wind is above the average; a second maximum vibrating from East to E.N.E. during the whole of the day and night. From 9 A.M. to 11 A.M. and from 4 P.M. to 7 P.M., namely, when the North and South winds respectively are near their average as compared with other winds, and when the winds in the N.W. quadrant are more equally distributed among its several points, the easterly or second maximum surpasses in value the westerly or principal maximum.

The character of the diurnal periodicity of the different winds is better seen by Table LIX., in which the duration of each wind at each hour is expressed in terms of the average duration of that wind in the twenty-four hours.

If the columns corresponding to the four cardinal points be examined, it is found that the West wind during the night is mostly above the twenty-four-hour average, and below the average during several hours of the day; but the range is small, the maximum being to the minimum in the ratio of 1.36 to 1.

The East wind from 8 A.M. to 9 P.M. is above the average of twenty-four hours for that wind, and is below the average from 9 P.M. to 8 A.M.; its diurnal range, or the ratio of the maximum to the minimum being 2.40 to 1.

The North wind is above the average from 10 P.M. to 9 A.M., and below the average from 9 P.M. to 10 P.M., the range being 3.44 to 1.

The South wind is above the average from 10 A.M. to 7 P.M., and below it from 7 P.M. to 10 A.M., and its range is 4.82 to 1.

Calms occur eight times as often between midnight and 1 A.M. as they do between 1 P.M. and 2 P.M. The hours of maximum and minimum frequency of calms are very nearly the same as the hours of minimum and maximum mean velocity, a correspondence, which, as appears from Table LVII., does not hold in the case of the *annual* distribution of calms.

RAIN AND SNOW.

The approximate durations of rain and snow forming parts of Tables LX., LXI., and LXII. are found by the addition of the durations in hours recorded on each day from *estimation*. The numbers given are probably not far from the truth, but must not be regarded as strictly accurate.

The monthly average number of days in which rain fell, as given by the six years terminating with 1859, are month for month, with one exception, either equal to or greater than the corresponding monthly averages for the series of 15 years terminating also with 1859, the excess on the whole year being 12 days in favour of the shorter series. The same remark applies, and without any exception, to the monthly averages of the number of days of snow as well as to those of rain and snow, where the two are regarded indiscriminately; the number of days of either rain or snow for the whole year, given in the shorter series, being 24 days in excess of the number given by the series of 15 years.

With respect to the *quantity* of rain the case is reversed, the average annual depth in the six-years series being less than that in the fifteen-years series by about 0.6 of an inch; but this deficiency in the

amount of rain is in part made up by a greater amount of snow; so that in combining together the rain and snow, the average amount generally of aqueous precipitation in the year differs only by little more than a tenth of an inch in the two series; and this difference would disappear if eight inches of snow instead of ten inches were taken as equivalent to one inch of water.

RELATION BETWEEN RAIN AND SNOW AND THE DIRECTION OF THE WIND.

As no instrument was in use during the years 1853 to 1859 for recording the hours in which rain fell, an attempt has been made to trace the connection between the fall of rain and the direction of the wind by means of the ratios which express the duration of each wind, on the days in any part of which rain fell, in terms of the whole duration of the same wind during the same series of years. The method employed will be understood by referring to Table LXIII.

Column (1) contains the number of hours that each wind blew during the days on which rain fell, in the years 1853 to 1859. Column (2) contains the corresponding numbers for snow, and column (3) the numbers for rain or snow. The latter are not accurately the sums of the numbers in columns (1) and (2) from the fact that when both rain and snow fell on the same day, the duration of each wind on that day is reckoned *twice*, namely, in both of the columns (1) and (2), whereas it is reckoned once only in column (3).

If each wind blew an equal number of hours through the year, the numbers in column (1) or rather the ratios that they severally bear to their mean for all winds, would exhibit the comparative frequency of the different winds during rainy days; but as the numbers of hours during which the different winds blew were not equal, it is necessary that the numbers in column (1) should be divided by the numbers in column (4) that express the *whole* duration of the corresponding wind during the years 1853 to 1859. From the quotients, which are given in column (5), we learn that of 1000 hours in which the wind blew from E.N.E. as many as 545 hours were comprised in days during some part of which rain fell, but that of 1000 hours of North wind, only 248 hours belonged to days of rain.

Similarly from column (6), 330 hours in 1000 hours of West winds, and only 86 hours in 1000 hours of South winds were included in days in which snow fell; also from column (7), 637 hours in 1000 hours of winds from E.N.E., and 412 hours in 1000 hours of South winds were included in days in which a fall occurred of either rain or snow.

Column (8) contains the numbers in (5) expressed in terms of their arithmetic mean for all winds, and columns (9) and (10) are derived in a similar manner from columns (6) and (7).

From column (9) it appears that during days of rain, winds from N.E. through South to S.W. are above or not below the average duration of all winds, and that winds from N.N.E. through North to W.S.W. are below the same average; also, that the most rainy wind is from E.N.E. and the winds for which rain is most rare are from North and N.N.W.

In the case of the snow the winds whose durations are above the average of all winds are from N.E. through North and West to W.S.W., and the winds that have a less than average duration are from E.N.E. through South to S.S.W., the greatest number of winds relatively that occurred during days of snow being from the West with a second maximum at N.E., and the least number being from South and S.S.W.

The two sets of ratios in (8) and (9) produce by their superposition a double progression in column

(10), the chief maximum being at E.N.E., with a second maximum at West ; the winds that are least frequently accompanied by rain or snow being those from the north and south points.

During the years 1857 to 1859 a record was made each day of the *hours* during any part of which rain or snow was seen to fall, or was believed to have fallen, from the best evidence that could be procured at the time when the entries were made. The want of any suitable instrument during that period precluded any more certain mode of procuring the requisite facts ; but although the entries do not claim the same confidence as those made at the observation hours, or by self-registering instruments, it is believed that they furnish very fair data for determining approximately the relative frequency of the winds that blew during the same hours with rain or snow.

The distribution of the winds that blew during the same hours with rain or snow is given in Table LXIV.

Column (1) gives the number of hours during any part of which rain fell during the years 1857 to 1859, arranged according to the direction of the wind during the same hour. Column (2) gives the corresponding numbers for snow ; and column (3) those for rain or snow. For a reason already explained, the numbers in (3) are frequently less than the sum of those in (1) and (2).

Column (4) contains the whole number of hours that each wind blew during the years 1857 to 1859. The quotients arising from the division of the the numbers in (1) by those in (4), and which are contained in column (5), are measures of the frequency of rain for each wind. Thus, it rained during some part of each of 219 hours out of 1000 hours in which the wind was from E.N.E., and 39 hours only out of 1000 hours of N.W. wind.

Similarly from column (6), derived in a like manner from (2) and (4), it is seen that snow was falling during part of each of 140 hours in 1000 hours of N.E. wind, and only 18 hours in 1000 hours of South wind.

Column (7) shews that of 1000 hours of E.N.E. winds (and the same is true for N.N.E. winds), it rained or snowed during parts of each of 282 hours, whereas it rained or snowed only 84 hours in 1000 hours of N.W. wind.

Columns (8), (9) and (10) give the ratios of the numbers in (5), (6) and (7) to their respective means for all winds.

From (8) it appears that during rain, winds from N.N.E. through East to S.S.W., with an interruption at South, have a duration above the average for all winds, and that winds from North through West to S.W. have a duration below the same average.

The most rainy wind is from E.N.E. ; and the N.W. wind is that which is least frequently accompanied by rain.

During snow, winds from North to E.N.E. are decidedly above the average, the wind of greatest frequency being that from N.E. Winds from the remaining points of the compass do not follow any regular progression. They are for the most part below the average ; but there is a trace of a second maximum between W.N.W. and W.S.W.

In column (10) the second maximum is obliterated by the superposition of the two sets of ratios ; the progression becomes single and is uninterrupted, excepting that at the South point the winds are slightly less numerous than at either S.S.E. and S.S.W., and that the ratio at N.E. is rather less than at either of the contiguous points. During precipitation generally, making no distinction between rain

and snow, the winds whose relative durations are above the average, are limited to N.N.E., N.E., E.N.E., East, and E.S.E.; the relative durations of other winds being all less than the average.

Comparing the ratios in Table LXIV. with those from Table LXIII., which have been placed side by side with them for that purpose, it may be noticed that the range is much greater in the former than in the latter table; and also that during snow, the west wind, instead of being, as in Table LXIII., the wind of greatest frequency, now touches or is slightly below the average, the principal maximum being transferred in Table LXIV to N.E.; at which point the wind is two and a half times as frequent as the west wind during the *actual fall* of snow, although during days of snow, the west wind blows for more hours than the N.E. wind.

RELATION BETWEEN RAIN AND THE DIRECTION OF THE WIND WHEN THE LIGHTER AND THE HEAVIER FALLS ARE EXAMINED SEPARATELY.

As it is probable that in the enquiries that have been made with reference to the distribution of the different winds during rainy days and during hours of rain, the lighter showers may have given by their number a greater prominence to certain winds than is their due, and have diminished also in some degree the preponderance of those which are properly the rainy winds; tables LXIII. (*bis.*) and LXIV. (*bis.*) have been formed, for the purpose of shewing the distribution of the winds among the several points of the compass, under different circumstances as regards the amount of rain in the day.

The ratios in these tables are obtained in a manner precisely similar to that employed in computing the final columns of tables LXIII. and LXIV.

Table LXIII. (*bis.*) contains the ratios which express the relative* durations of each wind during days of rain, in terms of the mean of the relative durations of all winds during days of rain; (1) when the rain that falls in a day is less than half an inch; (2) when the rain is not less than half an inch; and (3) when light and heavy rain are taken together.

When the rain that falls in the day is less than half an inch, it is shewn by column (1) that the points for which the relative duration of the wind is above the average, as well as the points of the greatest and least relative duration, are the same as when the heavy and light rain are taken together; the range also is very nearly the same, being slightly less than 2 to 1.

When the heavy rains only are taken into account, the winds whose relative durations are above the average, are limited to the six points from N.E. to S.S.E.; the wind of maximum relative duration remains as before at E.N.E., but the minimum is transferred to W.S.W., and the range greatly increases; the E.N.E. winds having a relative duration nearly nine times that of the W.S.W. winds. The increase in the relative durations of the winds from the six points N.E. to S.S.E. inclusive, as compared with those of the other ten winds, is shewn by the averages of the corresponding ratios in columns (1), (2), and (3.)

	(1.)	(2.)	(3.)
Averages of ratios for the six points, N.E. to S.S.E.	1.18	1.75	1.25
Averages for remaining ten points.....	0.89	0.59	0.85

The ratios in table LXIV. (*bis.*) express the relative duration of each wind during the hours, in

*The term *relative duration* is here employed to denote the ratio of the absolute duration of a given wind during rainy days, or during hours of rain, to the whole absolute duration of the same wind, with and without rain, during the same period.

any part of which rain fell, in terms of the mean of the relative durations of all winds during hours of rain.

When rain under half an inch is taken alone, the winds of more than an average duration, if we except an interruption that occurs at N.E., are the same as when no account is taken of the amount that fell in the day; the wind of least duration is still from N.W., but that of the greatest duration is no longer so decidedly at E.N.E.

When rains amounting to less than half an inch are omitted, the most rainy and least rainy winds are still from E.N.E. and N.W.; but the relative duration of the E.N.E. wind is eighteen times as great as that of the N.W. wind. The winds also whose relative durations are above the average, are limited to the four points N.N.E., N.E., E.N.E., and East.

TABLE LXIII.—(Bis.)

RATIOS comparing the relative durations of the several winds during days in any part of which rain fell, from observations in the years 1853 to 1859 inclusive, the falls under half an inch in the day, those of half an inch and upwards, and rain generally, without reference to its amount, being considered separately.

Direction of the wind.	Rain under half an inch. (1)	Rain half an inch and upwards. (2)	Rain generally. (3)
N.	0.73	0.64	0.72
N.N.E.	0.76	0.88	0.77
N.E.	1.01	1.40	1.06
E.N.E.	1.41	2.71	1.58
E.	1.36	2.43	1.50
E.S.E.	1.17	1.61	1.23
S.E.	1.06	1.12	1.07
S.S.E.	1.07	1.20	1.09
S.	1.04	0.73	1.00
S.S.W.	1.14	0.88	1.11
S.W.	1.07	0.80	1.03
W.S.W.	0.94	0.30	0.85
W.	0.86	0.34	0.79
W.N.W.	0.80	0.47	0.76
N.W.	0.81	0.43	0.76
N.N.W.	0.77	0.45	0.72
Calms.	1.00	0.62	0.95

TABLE LXIV.—(Bis.)

RATIOS comparing the relative durations of the several winds during the hours in any part of which rain fell, from observations in the years 1857 to 1859, the falls under half an inch, those of half an inch and upwards, and rain in general, without reference to its amount, being considered separately

Direction of the wind.	Rain under half an inch. (1)	Rain half an inch and upwards. (2)	Rain generally. (3)
N.	0.68	0.67	0.68
N.N.E.	1.49	2.18	1.68
N.E.	0.93	1.55	1.10
E.N.E.	1.65	4.37	2.41
E.	1.34	1.71	1.44
E.S.E.	1.68	0.83	1.45
S.E.	1.29	0.67	1.12
S.S.E.	1.17	0.75	1.05
S.	1.00	0.60	0.89
S.S.W.	1.20	0.67	1.05
S.W.	0.79	0.83	0.80
W.S.W.	0.64	0.43	0.58
W.	0.68	0.36	0.59
W.N.W.	0.58	0.28	0.49
N.W.	0.50	0.24	0.43
N.N.W.	0.64	0.39	0.57
Calms.	0.74	0.48	0.67

RELATION BETWEEN SNOW AND THE DIRECTION OF THE WIND WHEN THE SNOW STORMS ARE DIVIDED INTO CLASSES ACCORDING TO THE QUANTITY THAT FELL DURING THE TWENTY-FOUR HOURS.

In Tables LXIII. and LXIV., which contain the ratios that exhibit the comparative frequency of the different winds during days of snow or during the actual fall of snow, no distinction is made between snow storms of different magnitude; light falls, lasting for a few minutes, and the heaviest

storms being ranked together indiscriminately. With a view of examining whether the distribution of the winds found to prevail during snow generally, is maintained in the case of the heavy falls, the methods employed in computing Tables LXIII. and LXIV. have been applied to the following four classes of snow storms :—

Class I. including every instance where snow was recorded.

Class II. limited to those cases in which the snow in twenty-four hours was equal to or exceeded one inch.

Class III. limited to falls of three inches and upwards.

Class IV. limited to falls of six inches and upwards.

In Table LXV. is shewn the distribution of the winds during *days* of snow, arranged in the above-named four classes, and in Table LXVI. the distribution of the winds during the *hours* in any part of which snow fell, the falls of snow by this method also being arranged in the same four classes.

On comparing the four final columns of Table LXV., we find that the second maximum at N.E. in column (10) becomes very decidedly the principal maximum in column (11) wherein snow amounting to less than an inch in the day is excluded, and increases greatly as the storms become more heavy. The West wind also, which was the principal maximum when light snow was included, is now decidedly below the average, and rapidly decreases in frequency in columns (12) and (13). The North wind maintains a more than average frequency till the falls of snow are limited to those of six inches and upwards.

The progressive increase in the predominance of winds from the five points, N.N.E. through East to E.S.E. in passing from Class I. to Class IV., and the diminished frequency of other winds, are made apparent by the averages of the ratios for the former five points, and of the remaining eleven points. The averages are as follows :—

	AVERAGE RATIOS.			
	Class I.	Class II.	Class III.	Class IV.
Five winds from N.N.E. to E.S.E.	1.00 ..	1.70 ..	2.10 ..	2.55
Eleven remaining winds	1.04 ..	0.74 ..	0.57 ..	0.35

On turning to Table LXVI. we find that the principal maximum at N.E., in column (10), increases rapidly in the higher classes, and that the second maximum at or near West in column (10) disappears when the snow amounts to one inch. The North wind continues above the average during falls of snow whereof all less than an inch are excluded, but is below the average when falls of less than three inches are excluded, and is wholly absent when the storms included are only those of six inches and upwards.

It appears further, with reference to the heaviest snow storms, that although during some part of the day in which the storm takes place, the wind may blow more or less from any point of the compass, during the actual fall of snow the directions of the wind are limited to the four points N.N.E., N.E., E.N.E., and East.

The increasing frequency in the easterly group of winds from N.N.E. through East to E.S.E., *during the actual fall of snow*, as more and more of the lighter falls are excluded, and the diminishing frequency of all other winds, are shewn by the averages of the corresponding ratios in the manner already employed with reference to table LXV.

The averages are the following:—

	Class I.	Class II.	Class III.	Class IV.
Five winds from N.N.E. to E.S.E.	1.41 ..	2.16 ..	2.59 ..	3.22
Eleven remaining winds	0.84 ..	0.52 ..	0.33 ..	0.00

The distribution of the winds among the several points of the compass during falls of snow in which the amount in the day falls short of one inch, will be found by subtracting the relative durations in column (7) from those in column (6). The progression in the resulting series, omitting minor irregularities, becomes single; the maximum is decidedly between the three points W.N.W., West, and W.S.W.; and the minimum is in the S.E. quadrant, the winds from N.E. being well below the average.

TORONTO

METEOROLOGICAL OBSERVATIONS.

GENERAL METEOROLOGICAL ABSTRACT,—JANUARY, 1854.

Days.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW				
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	°	S 74 W	5.56	Miles	5.71	26.4	13.2	13.2	...	0.2	3.0	0.020	3.0		
2	16.00	0.081	86	29.717	29.635	0.8	S 77 W	8.98	9.10	19.8	3.9	15.9		
3	23.88	.120	88	.646	.526	1.0	S 12 E	2.36	4.29	10.2	13.0	27.2		
4	39.42	.210	86	.535	.325	0.8	S 88 W	3.89	8.38	46.4	28.8	17.6		
5	34.35	.183	91	.576	.393	1.0	N 85 E	3.50	7.38	41.0	25.2	15.8	0.255	10.5		
6	20.60	.086	75	.837	.751	0.7	N 57 W	6.67	7.96	27.5	13.0	14.5		
7	17.60	.082	81	.785	.703	1.0	S 74 W	6.76	6.84	20.5	12.4	8.1		
8	N 7 W	3.37	4.12	20.2	0.2	20.0		
9	14.80	.076	83	.659	.583	0.7	S 49 W	3.83	5.73	27.8	4.0	23.8	...	0.8	4.0	.080	4.0	
10	29.60	.146	88	.525	.378	0.8	N 89 E	1.11	1.81	37.5	21.5	16.0	...	*	...	*	...	
11	30.75	.156	88	.551	.395	1.0	N 64 E	6.92	7.10	40.6	20.2	20.4	.485	12.0485	12.0	
12	39.40	.229	95	28.889	28.660	1.0	S 70 W	4.14	7.73	44.2	30.5	13.7	.190	7.0190	7.0	
13	30.82	.151	88	29.100	28.949	1.0	S 74 W	9.70	10.24	35.6	18.4	17.2	...	0.2	4.0	.020	4.0	
14	25.23	.117	84	.668	29.552	1.0	N 45 W	4.95	5.29	28.2	23.2	5.0	
15	S 63 E	3.57	4.57	35.2	21.0	14.2	.080	2.0	*	
16	31.78	.156	86	.509	.353	1.0	N 78 W	3.72	3.76	36.4	19.4	17.0080	2.0	
17	22.10	.093	76	.833	.740	0.3	N 50 W	3.99	5.24	28.4	15.0	13.4	...	0.6	3.0	.060	3.0	
18	19.85	.095	85	.857	.762	1.0	N 42 E	5.95	6.06	26.0	17.3	8.7	...	0.4	4.0	.040	4.0	
19	26.90	.133	89	.778	.646	1.0	N 57 E	6.24	7.54	31.0	21.6	9.4	...	1.8	9.0	.180	9.0	
20	30.63	.164	94	.093	28.930	1.0	S 89 E	1.23	8.46	37.5	22.8	14.7	.090	5.0090	6.0	
21	15.65	.086	83	.444	29.358	0.6	S 87 W	15.77	15.83	15.2	-1.0	16.2	...	1.5	4.0	.150	4.0	
22	N 85 W	7.01	7.14	12.0	2.8	9.2		
23	5.87	.048	79	30.001	.953	0.3	S 88 W	11.43	11.66	12.2	2.5	9.7		
24	6.32	.044	71	29.949	.905	0.2	N 46 W	4.30	7.56	14.2	-5.4	19.6	...	0.5	2.0	.050	2.0	
25	11.92	.074	77	.919	.846	0.9	S 75 E	6.39	7.50	36.2	-3.4	39.6	...	0.6	4.0	.060	4.0	
26	32.70	.169	89	.364	.195	0.8	N 62 W	7.21	8.21	40.0	15.8	24.2		
27	17.47	.082	79	.608	.526	0.5	N 63 W	7.43	8.70	22.8	-3.0	25.8	...	0.2	1.0	.020	1.0	
28	1.58	.038	76	30.131	30.093	0.1	N 21 E	5.45	5.52	5.6	-2.6	8.2	...	0.7	4.0	.070	4.0	
29	N 73 E	5.13	5.98	27.4	9.8	17.6	...	*	0.2	*	0.2	
30	33.18	.164	86	29.588	29.424	1.0	S 26 W	5.61	6.42	36.8	25.0	11.8	.060	1.5060	1.5	
31	35.47	.189	92	.210	.021	1.0	S 63 W	2.35	2.51	35.9	34.4	1.5	.110	0.5110	0.5	
	°	0.122	84	29.607	29.485	0.8	N 77 W	2.44	6.91	29.31	13.53	15.78	1.270	39.5	7.5	42.2	2.020	81.7

* Inappreciable.

GENERAL METEOROLOGICAL ABSTRACT,—FEBRUARY, 1854.

GENERAL METEOROLOGICAL ABSTRACT,—FEBRUARY, 1854.																		
DAILY MEANS.							WIND.			EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW.	
Days.	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	37.12	0.198	90	.29.168	.28.970	1.0	N 44° W	3.15	4.40	42.8	16.2	26.6	*	*	0.8	3.0	0.080	3.0
2	9.48	.063	83	.591	.29.529	0.7	N 1° W	9.22	9.48	18.2	10.8	29.0	1.5	9.0	.150	9.0		
3	4.62	.048	79	.805	.757	0.3	N 55° W	2.79	3.62	14.9	4.2	19.1			1.0	2.0	.100	2.0
4	8.27	.057	82	.935	.878	0.8	N 19° W	1.04	2.34	18.8	1.8	17.0			1.0	3.0	.100	3.0
5	N 45° E	5.31	6.68	23.4	5.2	28.6						
6	10.80	.068	79	30.079	30.011	0.5	S 73° W	1.03	1.08	23.6	3.4	27.0						
7	22.87	.108	83	29.856	29.748	1.0	S 62° E	6.33	6.58	31.0	13.8	17.2	3.2	10.0	.320	10.0		
8	32.87	.171	91	.150	28.979	0.8	S 56° W	2.67	6.44	36.0	22.5	13.5	.465	5.7			.465	5.7
9	28.55	.138	87	.199	29.060	0.9	S 82° W	7.09	8.39	35.4	15.0	20.4	0.2	2.0	.020	2.0		
10	15.07	.076	82	.761	.685	0.5	N 55° W	4.71	4.91	20.2	3.5	23.7						
11	11.07	.067	84	30.118	30.051	0.6	S 79° E	4.81	5.95	22.2	0.4	21.8	*	*	*	*	*	*
12	S 87° E	10.83	10.93	36.0	16.4	19.6	.685	10.0			.685	10.0
13	36.10	.203	96	29.447	29.245	1.0	N 4° E	4.64	5.52	38.6	27.5	11.1	.065	3.5	0.2	1.5	.085	5.0
14	28.10	.142	91	.484	.342	1.0	N 74° E	8.61	9.46	33.0	23.5	9.5	*	*	0.5	4.5	.050	4.5
15	27.98	.141	90	.461	.320	1.0	S 81° W	7.07	7.62	35.2	20.6	14.6						
16	21.22	.101	85	.737	.636	0.7	N 82° W	4.84	4.98	24.8	7.2	17.6			0.1	2.0	.010	2.0
17	17.85	.083	79	.915	.832	0.1	S 74° W	7.59	7.69	26.0	9.4	16.6						
18	31.28	.161	90	.568	.407	1.0	N 81° W	6.25	8.63	41.0	15.6	25.4			0.2	3.7	.020	3.7
19	N 19° E	3.86	4.52	24.6	17.2	7.4						
20	20.53	.089	78	.621	.532	0.2	N 69° E	9.01	9.78	24.8	15.0	9.8						
21	25.57	.121	85	.605	.484	0.6	S 31° W	2.56	4.17	33.9	17.0	16.9			0.1	1.0	.010	1.0
22	26.60	.145	92	.412	.267	1.0	N 54° W	8.81	13.19	26.6	-0.5	37.1			2.5	2.5	.250	2.5
23	10.55	.061	79	.941	.880	0.4	N 70° W	5.60	6.66	23.2	0.3	22.9						
24	25.28	.124	87	.860	.736	1.0	N 18° E	4.57	8.39	35.1	8.4	26.7			0.2	1.6	.020	1.6
25	17.70	.090	87	.997	.907	1.0	S 88° E	10.87	10.99	32.8	15.5	17.3	.105	1.0	1.0	2.0	.205	3.0
26	N 50° E	9.87	12.49	34.0	13.0	21.0	.140	5.0	5.5	13.0	.690	18.0
27	15.87	.083	87	.972	.889	0.0	N 6° E	6.93	6.99	31.8	-0.6	32.4						
28	21.25	.110	85	.991	.881	0.7	S 88° W	0.56	1.63	31.6	8.2	23.4						
21.09	0.110	86	29.695	29.584	0.7	N 7° E	1.73	6.91	29.63	9.15	20.17	1.460	25.2	18.0	60.8	3.260	86.0	

TORONTO METEOROLOGICAL OBSERVATIONS.

GENERAL METEOROLOGICAL ABSTRACT,—MARCH, 1854.

Days.	DAILY MEANS.					WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW			
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	
1	30.72	0.148	85	29.886	29.738	0.2	S 24 W	Miles.	2.78	3.59	37.5	20.5	17.0	
2	33.98	.185	94	.581	.396	1.0	N 87 E	Miles.	10.56	10.66	39.0	32.0	7.0	0.875	14.5	
3	39.07	.209	89	.303	.095	0.2	S 53 W	Miles.	8.59	8.79	42.0	30.2	11.8	
4	35.12	.160	80	.389	.228	0.4	N 81 W	Miles.	7.45	9.65	42.8	25.5	17.3	
5	N 70 W	Miles.	6.57	7.04	33.7	22.4	11.3	
6	29.75	.141	85	.871	.730	1.0	S 34 E	Miles.	1.34	3.01	33.8	25.2	8.6	
7	34.90	.184	91	.524	.340	1.0	S 88 E	Miles.	3.15	3.38	37.8	31.8	6.0	.240	2.0	
8	35.02	.187	93	.135	28.948	1.0	N 61 E	Miles.	3.19	5.03	37.4	31.0	6.4	.240	4.0	
9	32.67	.177	96	.436	.259	1.0	N 82 E	Miles.	4.54	5.12	35.6	30.0	5.6	.685	19.0	
10	34.68	.187	93	.387	.200	0.8	N 34 W	Miles.	6.33	6.73	36.6	28.0	8.6	.040	12.4	
11	33.70	.165	85	.781	.616	0.2	S 80 W	Miles.	5.20	7.39	40.2	27.0	13.2	
12	S 39 W	Miles.	4.94	4.96	43.8	32.8	11.0	
13	44.00	.242	84	.595	.353	0.8	S 82 E	Miles.	3.12	4.52	55.0	35.0	20.0	.040	2.5	
14	41.50	.245	93	.487	.242	1.0	S 89 W	Miles.	3.25	4.98	50.1	32.0	18.1	.045	1.0	
15	41.67	.237	90	.219	28.982	0.8	S 27 W	Miles.	1.75	2.84	48.6	35.5	13.1	
16	43.38	.241	85	.052	28.812	0.1	N 68 W	Miles.	10.22	10.60	55.1	28.0	27.1	
17	27.15	.138	89	.097	28.961	0.7	N 61 W	Miles.	10.23	13.03	34.2	10.0	24.2	
18	18.05	.081	79	.624	29.543	0.8	N 57 W	Miles.	14.43	14.68	21.2	16.0	5.2	
19	N 62 W	Miles.	10.17	11.14	30.2	13.0	17.2	0.2	1.0	.020	1.0	
20	18.58	.080	75	.949	.869	0.4	N 20 W	Miles.	5.41	6.48	24.5	12.4	12.1	
21	26.43	.120	82	.901	.781	0.3	S 56 E	Miles.	4.10	5.08	31.4	21.2	10.2	
22	32.80	.168	90	.267	.099	0.8	S 73 E	Miles.	6.86	7.50	36.8	29.0	7.8	.100	5.5	0.4	4.2	.140
23	33.37	.153	80	.131	28.984	0.9	N 62 W	Miles.	12.26	12.94	41.4	15.2	26.2	*	*	*
24	17.47	.085	84	.316	29.231	0.7	N 41 W	Miles.	11.03	11.38	22.5	11.8	10.7	*	*	*
25	20.05	.090	78	.376	.286	0.7	N 46 W	Miles.	14.83	14.89	26.0	14.0	12.0	*	*	*
26	N 49 W	Miles.	14.02	14.17	30.0	13.5	16.5	
27	17.53	.085	82	.737	.652	0.3	N 49 W	Miles.	10.42	10.60	24.2	7.4	16.8	
28	17.17	.063	64	.949	.886	0.1	N 31 W	Miles.	8.13	8.37	25.5	8.2	17.3	
29	21.83	.085	70	30.013	.928	0.0	S 31 W	Miles.	1.55	4.94	29.8	13.4	16.4	*	*	*
30	29.42	.139	84	29.755	.618	0.4	S 88 E	Miles.	9.04	9.18	34.2	27.0	7.2	*	*	*	*	*
31	38.22	.205	89	.394	.190	1.0	N 89 E	Miles.	3.70	6.30	45.0	32.2	12.8	.160	2.0160
	30.68	0.156	85	29.525	29.369	0.6	N 53 W	Miles.	3.39	8.03	36.32	22.94	13.38	2.425	62.9	2.8	10.2	2.705
																	73.1	

GENERAL METEOROLOGICAL ABSTRACT,—APRIL, 1854.

Days.	DAILY MEANS.					WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW				
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity. Miles.	Mean Velocity. Miles.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	
1	32.50	0.155	83	29.448	29.293	0.8	N 62 W	11.95	12.5	38.8	20.2	18.6	0.2	1.0	0.020	1.0	
2	N 75 W	4.88	6.17	33.2	22.2	11.0	
3	35.03	.158	78	30.062	.904	0.5	S 21 W	6.50	6.75	39.8	27.8	12.0	
4	40.27	.204	82	29.877	.673	0.4	S 13 E	2.66	3.10	51.0	29.0	22.0	
5	44.65	.259	88	.704	.415	0.7	S 35 W	3.48	3.66	55.2	35.4	19.8	
6	47.00	.250	77	.407	.158	0.7	N 63 W	6.05	11.78	60.2	24.8	35.4	0.040	0.3040	0.3	
7	33.53	.162	83	.892	.730	0.6	N 57 E	2.51	5.48	40.6	24.4	16.2	
8	41.83	.233	87	.674	.411	0.9	N 81 E	5.88	6.42	47.8	33.2	14.6	.185	1.2185	1.2	
9	N 72 E	6.58	7.29	43.4	34.0	9.4	.810	10.0840	10.0	
10	37.32	.199	90	.394	.195	0.7	N 21 E	7.88	8.21	43.0	28.0	15.0	.105	2.5105	2.5	
11	36.20	.170	81	.720	.550	0.0	S 24 W	2.41	4.98	43.5	28.2	15.3	
12	43.72	.206	74	.719	.512	0.3	S 2 W	0.71	5.27	54.0	31.5	22.5	
13	33.37	.160	84	.977	.817	0.4	N 83 E	5.16	5.83	41.7	25.0	16.7	
14	S 85 E	12.12	12.31	33.8	27.2	6.6	
15	35.12	.151	74	.674	.523	0.9	N 74 E	9.82	10.21	39.0	30.5	8.5	
16	N 70 E	10.05	10.60	39.5	29.0	10.5	
17	37.10	.166	76	.633	.466	0.5	S 70 E	3.18	5.25	45.4	25.5	19.9	
18	44.07	.158	56	.586	.428	0.5	N 89 W	1.40	4.29	54.8	32.0	22.8	.060	1.0060	1.0	
19	42.30	.223	83	.476	.253	0.9	S 80 E	1.14	2.67	51.5	35.0	16.5	.070	1.0070	1.0	
20	43.60	.223	80	.468	.245	0.4	S 55 E	2.25	3.65	51.5	30.2	21.3	
21	48.35	.248	76	.554	.306	0.3	N 86 E	5.05	5.40	61.0	40.4	20.6	.020	1.0020	1.0	
22	46.12	.283	92	.359	.076	1.0	N 46 E	6.06	6.67	53.5	40.0	13.5	.185	12.0185	12.0	
23	N 6 E	7.94	8.06	61.8	31.2	30.6	
24	50.98	.217	67	.610	.393	0.2	S 35 E	1.75	2.69	59.0	41.0	18.0	
25	54.15	.292	73	.426	.134	0.7	S 83 E	2.92	3.95	64.5	40.0	24.5	.630	2.6630	2.6	
26	50.23	.327	91	.173	.28.816	1.0	N 28 E	5.74	7.30	60.2	30.5	29.7	.375	2.2	2.0	2.0	2.6	.575	4.8
27	33.63	.163	87	.581	.29.415	1.0	N 27 E	11.28	11.35	36.0	25.8	10.2	0.5	3.0	.050	3.0	
28	36.48	.144	68	.995	.851	0.4	N 20 E	9.88	9.97	43.8	30.5	13.3	
29	37.32	.194	88	.869	.674	1.0	N 35 E	7.67	8.00	40.8	32.2	8.6	.070	6.0	*	2.3	.070	8.3	
30	S 42 W	3.15	4.30	46.4	36.0	10.4	.105	2.0105	2.0	
31	
	41.04	0.207	80	29.638	29.430	0.6	N 50 E	2.57	6.81	47.82	30.69	17.13	2.685	41.8	2.7	8.9	2.955	50.7	

GENERAL METEOROLOGICAL ABSTRACT,—MAY, 1854.

DAYS.	DAILY MEANS.				WIND.			EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW		
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.
1	46.75	0.246	78	29.487	29.241	0.6	S 17° E	2.9	3.56	59.0	37.5°	21.5	:	:	:	:	:
2	47.52	.289	88	.405	.116	0.9	S 31° E	2.09	3.35	54.5	37.2	17.3	0.265	7.5	1.0	:	:
3	46.62	.265	85	.506	.210	0.5	N 3 W	6.90	7.15	56.6	33.0	23.6	.025	:	:	:	:
4	51.53	.261	71	.519	.258	0.1	S 16° E	1.82	3.08	62.0	42.0	20.0	:	:	:	:	:
5	46.78	.231	74	.476	.245	0.5	N 45 W	10.60	10.73	53.8	29.2	24.6	:	:	:	:	:
6	33.63	.119	63	.638	.519	0.2	N 20 W	11.37	11.94	39.0	25.2	13.8	:	:	:	:	:
7	:	:	:	:	:	:	N 22 W	9.37	9.46	48.8	27.5	21.3	:	:	:	:	:
8	47.80	.196	68	.601	.406	0.1	S 35 W	2.79	4.29	58.8	31.8	27.0	:	:	:	:	:
9	45.83	.211	69	.393	.182	0.7	S 73 E	3.15	3.33	57.0	36.8	20.2	:	:	:	:	:
10	50.53	.314	85	.306	28.993	0.7	N 45 E	0.38	4.05	62.2	31.6	30.6	.235	3.5	*	6.0	*
11	50.72	.263	73	.505	29.242	0.3	S 48 W	5.06	6.74	62.4	31.8	30.6	*	*	6.0	*	*
12	55.07	.264	62	.743	.479	0.0	N 84 E	4.19	5.25	64.8	43.3	21.5	:	:	:	:	:
13	62.43	.384	69	.696	.312	0.4	S 82 E	7.98	8.17	71.4	55.0	16.4	.010	0.8	:	:	
14	:	:	:	:	:	:	S 49 E	1.16	3.42	63.2	35.2	28.0	.455	:	:	:	
15	56.70	.347	76	.557	.211	0.5	S 75 W	2.78	6.62	66.0	35.2	30.8	*	6.0	*	*	*
16	54.72	.316	76	.596	.280	0.2	S 89 E	6.32	7.38	64.8	50.8	14.0	:	:	:	:	:
17	59.13	.401	82	.183	28.781	0.8	S 46 E	3.00	6.25	68.8	39.2	29.6	.915	4.0	:	:	:
18	55.38	.318	76	.353	29.035	0.6	S 35 W	7.97	8.38	63.4	37.0	26.4	:	:	:	:	:
19	50.12	.288	80	.515	.227	0.3	S 11 E	3.51	5.33	64.5	35.7	28.8	.505	3.3	:	:	:
20	49.03	.287	83	.567	.280	0.6	S 43 W	3.81	4.46	59.2	39.5	19.7	.275	5.0	:	:	:
21	:	:	:	:	:	:	S 66 W	2.11	4.92	58.5	35.5	23.0	.315	3.0	:	:	:
22	48.28	.257	81	.876	.619	0.3	S 66 W	1.37	3.63	58.6	32.0	26.6	:	:	:	:	:
23	50.38	.260	73	.917	.657	0.1	S 41 E	3.71	3.93	61.4	36.8	24.6	:	:	:	:	:
24	:	:	:	:	:	:	S 69 E	2.59	3.55	64.0	43.4	20.6	.765	5.0	:	:	:
25	61.15	.459	87	.481	.022	0.6	N 42 W	2.02	4.17	70.2	48.0	21.2	.835	0.6	:	:	:
26	58.63	.392	80	.665	.273	0.0	N 72 W	1.14	3.50	69.6	39.8	29.8	:	:	:	:	:
27	59.93	.344	69	.687	.342	0.1	S 73 E	2.28	2.63	71.0	41.0	30.0	:	:	:	:	:
28	:	:	:	:	:	:	S 56 E	1.04	1.37	70.0	47.8	22.2	:	:	:	:	:
29	60.88	.331	65	.601	.270	0.6	N 85 E	5.11	5.51	68.2	47.2	21.0	:	:	:	:	:
30	58.55	.254	51	.586	.332	0.2	N 73 E	4.85	5.85	68.0	35.8	32.2	:	:	:	:	:
31	49.03	.184	54	.858	.674	0.0	S 74 E	4.15	4.65	56.8	33.0	23.8	:	:	:	:	:
	52.20	0.288	74	29.566	29.278	0.4	East	0.40	5.38	61.82	37.90	23.92	5.630	39.7			

GENERAL METEOROLOGICAL ABSTRACT,—JUNE, 1854.

Date.	DAILY MEANS.					WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW		
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Maximum.	Minimum.	Difference.	Miles	Miles	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	54.25	0.269	66	28.919	29.650	0.2	S 83° E	1.69	2.95	63.8	35.2	28.6
2	58.55	.289	60	.832	.543	0.0	S 42 W	1.64	2.55	69.0	40.8	28.2
3	62.28	.370	69	.709	.339	0.0	S 1 W	1.40	1.70	74.6	44.0	30.6
4	S 23 E	1.53	2.69	78.0	45.8	32.2
5	67.28	.434	68	.511	.077	0.6	N 40 W	1.00	2.15	79.0	49.8	29.2
6	60.67	.378	73	.427	.049	0.6	N 81 E	5.59	5.81	70.0	49.8	20.2	0.085	1.5
7	60.05	.402	86	.384	28.982	0.9	N 81 E	5.24	5.69	72.4	44.8	27.6	.085	2.0
8	53.60	.380	94	.308	28.928	1.0	S 9 E	1.69	2.83	56.7	46.4	10.3	.635	12.0
9	56.08	.411	92	.436	29.025	1.0	S 88 W	2.22	3.87	61.0	41.4	19.6	.055	3.0
10	59.85	.430	86	.703	.273	0.7	S 47 W	3.33	4.07	70.0	49.2	20.8
11	N 85 E	2.15	3.88	66.6	49.0	17.6
12	63.92	.453	78	.535	.082	0.4	South	1.36	2.67	76.4	50.0	26.4
13	66.80	.459	73	.490	.030	0.3	N 85 W	1.86	3.55	79.8	52.8	27.0	.105	2.0
14	67.92	.439	66	.507	.067	0.4	S 72 W	2.03	3.63	78.0	50.2	27.8	.020	1.0
15	70.62	.514	70	.539	.025	0.4	N 15 W	3.59	4.94	82.0	51.4	30.6
16	59.87	.347	69	.750	.403	0.3	S 54 E	2.20	3.62	69.8	39.4	30.4
17	58.50	.301	64	.738	.437	0.7	N 84 E	3.98	4.45	68.5	44.0	24.5
18	S 65 E	0.84	1.65	76.4	54.0	22.4
19	71.45	.546	72	.601	.055	0.2	N 37 W	2.14	3.12	81.6	57.2	24.4
20	67.82	.432	66	.607	.175	0.4	N 86 E	4.82	5.21	73.5	55.0	18.5
21	63.92	.462	80	.434	28.972	0.8	N 85 E	5.39	5.14	70.0	53.0	17.0	* 0.5
22	66.37	.471	74	.454	28.983	0.3	S 69 E	2.62	3.04	77.8	51.2	23.6	.090	1.0
23	61.83	.447	83	.466	29.019	0.6	N 45 W	2.86	4.85	73.6	47.2	26.4	.255	2.2
24	N 24 W	5.92	6.20	71.8	51.4	20.4
25	S 37 W	1.44	3.82	77.2	53.2	24.0
26	75.67	.673	77	.457	28.784	0.4	92.5	66.0	26.5
27	70.33	.544	75	.530	28.986	0.1	82.4	60.0	22.4
28	73.00	.498	67	.481	28.983	0.7	N 49 W	6.00	9.87	89.2	47.4	41.8
29	63.97	.460	79	.467	29.007	1.0	N 88 E	1.51	1.57	76.0	58.0	18.0	.130	1.0
30	68.57	.414	67	.499	.055	0.2	N 24 W	10.26	10.43	78.4	54.6	23.8
31
	64.12	0.434	74	29.55	29.117	0.5	N 24 E	0.71	4.15	71.53	49.84	24.69	1.160	26.2

NOTE.—On the 24th, 26th, and 27th, the observations were imperfect, in consequence of the removal of the instruments preparatory to the demolition of the old Observatory building.

GENERAL METEOROLOGICAL ABSTRACT,—JULY, 1854.

DAYS.	DAILY MEANS.					WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW				
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mins.	Miles.	°	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.
1	69.50	0.410	64	29.782	29.342	0.3	S 80 E	1.73	3.10	83.8	54.6	29.2
2	S 76 E	2.72	2.82	83.0	55.0	28.0
3	81.32	.650	63	555	28.905	0.1	S 19 W	2.20	2.25	95.4	64.5	30.9
4	78.60	.635	68	424	28.789	0.7	S 63 W	2.86	4.58	96.3	51.8	44.5	0.895
5	69.55	.509	72	.582	29.073	0.1	N 29 W	0.62	3.77	81.0	50.4	30.6
6	71.83	.554	73	.699	.145	0.2	S 49 E	1.08	1.86	84.2	65.0	19.2
7	73.00	.531	69	.657	.126	0.9	N 83 E	3.31	3.37	83.2	62.0	21.2
8	79.23	.738	76	.522	28.784	0.6	S 70 W	2.72	6.24	92.2	29.4	32.8	.350	4.0
9	N 32 W	7.03	7.26	72.6	47.4	25.2
10	67.28	.420	66	.709	29.289	0.0	S 17 W	2.02	2.98	81.0	50.5	30.5
11	67.87	.478	72	.653	.175	0.3	S 58 W	0.79	4.03	81.2	42.5	38.7	.075	0.5
12	62.40	.318	59	.803	.485	0.1	N 23 W	7.50	7.72	73.6	43.0	30.6
13	61.98	.386	71	.818	.432	0.1	N 78 E	3.87	4.55	76.0	45.2	30.8
14	72.15	.504	67	.690	.186	0.4	N 73 E	0.82	2.68	83.6	53.4	30.2
15	72.13	.498	66	.726	.227	0.2	S 14 E	1.39	2.42	87.6	54.0	33.6
16	S 83 E	1.67	3.32	85.4	63.2	22.2	*	*
17	79.42	.515	54	.744	.229	0.3	S 83 W	0.49	4.55	90.4	64.6	25.8
18	74.93	.581	70	.683	.102	0.2	S 78 E	2.39	2.55	86.4	62.0	24.4
19	72.83	.671	86	.547	28.876	0.5	S 84 W	1.10	3.00	98.0	66.4	31.6	1.135	8.5
20	79.95	.738	78	.521	28.783	0.3	S 71 W	1.26	3.12	96.8	67.0	29.8	.640	0.6
21	75.23	.666	78	.626	28.960	0.5	N 72 E	3.96	4.51	84.4	69.0	15.4
22	75.22	.666	79	.588	28.922	0.6	N 41 E	1.53	3.07	86.2	61.1	21.8	.565	0.6
23	S 10 E	0.78	2.02	82.0	66.2	15.8	*	*
24	75.45	.606	72	.628	29.022	0.4	N 67 E	2.39	2.77	86.9	66.8	20.1
25	78.98	.676	71	.387	28.711	0.5	S 5 E	5.66	6.97	88.6	67.8	20.8
26	69.72	.451	63	.563	29.112	0.3	N 86 W	11.75	12.82	80.4	53.0	27.4
27	64.52	.397	68	.813	.416	0.0	S 16 E	3.09	3.63	76.8	52.6	24.2
28	71.70	.543	74	.740	.197	0.6	S 21 E	2.16	2.83	81.6	66.2	15.4	.395	8.0
29	73.32	.614	77	.469	28.855	0.7	S 57 W	6.89	7.88	85.4	62.0	23.4
30	S 87 W	1.61	2.22	87.9	61.4	26.5	.675	3.5
31	65.98	.518	83	.715	29.197	0.4	S 82 E	0.67	0.69	76.5	61.0	15.5	.075	0.5
	82.47	0.550	71	29.640	29.090	0.4	S 49 W	0.37	4.03	81.79	58.46	26.33	4.805	28.7

GENERAL METEOROLOGICAL ABSTRACT,—AUGUST, 1854.

Days.	DAILY MEANS.				Wind.	EXTREMES OF TEMPERATURE.			Rain.	Snow.	Rain and Melted Snow							
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.		Pressure of Dry Air.	Couded Sky.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	77.12	0.733	81	29.510	28.776	0.5	S 82° W	2.22	3.29	89.4	60.5	28.9	.025	1.0				
2	70.10	.448	65	.606	29.157	0.2	N 45° W	6.35	6.72	81.0	48.6	35.4						
3	65.45	.470	77	.559	.089	0.8	Calm	0.00	0.00	77.6	55.8	21.8						
4	67.85	.551	83	.475	28.925	0.9	N 67° W	1.30	2.43	78.2	56.0	22.2	.210					
5	67.23	.504	78	.557	29.053	0.4	S 22° W	1.85	2.07	80.2	57.4	22.8						
6							N 73° W	10.30	10.73	78.1	48.0	30.1						
7	59.95	.255	54	.720	.466	0.1	N 57° W	9.60	9.71	71.8	48.8	23.0						
8	63.48	.412	70	.836	.424	0.0	S 69° E	0.44	3.42	74.5	46.4	28.1						
9	64.22	.392	67	.773	.381	0.7	N 65° E	3.66	3.92	74.2	52.5	21.7						
10	67.92	.462	71	.645	.183	0.9	N 60° E	4.43	4.61	78.2	62.0	16.2	*					
11	69.07	.550	80	.596	.016	0.7	N 82° E	1.83	2.06	81.4	63.0	18.4						
12	71.65	.582	78	.526	28.944	0.7	S 24° E	1.10	1.58	88.2	65.5	22.7	*					
13							N 72° W	9.28	9.62	86.0	49.4	36.6						
14	62.45	.344	63	.739	29.395	0.3	S 18° E	0.65	3.17	74.5	49.5	25.0						
15	62.98	.380	70	.496	.116	0.7	N 65° W	7.81	8.26	75.8	47.2	28.6						
16	64.45	.354	63	.630	.276	0.4	N 81° W	9.07	9.36	78.2	52.8	25.4						
17	58.60	.331	69	.689	.358	0.3	S 86° W	2.19	4.10	74.4	45.6	28.8						
18	61.83	.368	64	.779	.410	0.0	S 37° E	2.53	2.85	81.4	49.8	31.6						
19	66.28	.423	70	.633	.210	0.0	S 1° E	2.09	2.28	82.2	51.5	27.7						
20							N 26° W	6.87	7.33	86.4	52.6	33.8						
21	74.87	.550	66	.634	.084	0.0	S 54° W	3.93	5.02	88.5	55.4	33.1						
22	77.67	.561	62	.658	.097	0.1	N 2° W	3.76	6.91	91.0	60.9	30.1	.105	1.0				
23	62.40	.444	81	.748	.304	0.9	N 72° E	2.20	2.29	69.8	57.0	12.8						
24	80.43	.590	64	.572	28.982	0.3	N 80° W	8.58	8.79	99.2	60.8	38.4						
25	69.22	.463	68	.646	29.183	0.4	N 71° E	2.08	2.76	76.4	58.4	18.0	.040	0.3				
26	73.45	.583	73	.547	28.964	0.3	S 64° W	4.06	4.80	89.4	54.0	35.4						
27							N 51° E	1.22	1.98	72.2	54.4	17.8						
28	65.65	.413	70	.786	29.373	0.2	S 60° E	1.64	1.80	78.2	54.2	24.0						
29	67.42	.530	81	.713	.183	0.2	S 82° E	2.19	2.49	81.4	63.0	18.4						
30	74.87	.649	78	.620	28.971	0.6	S 13° W	2.80	4.35	91.8	67.0	24.8	.075	0.5				
31	67.20	.565	87	.795	29.230	1.0	N 71° E	3.66	3.96	69.8	62.0	7.8	*	*				
	68.03	0.478	72	29.648	29.170	0.5	N 64° W	1.76	4.60	80.72	55.26	25.46	0.455	5.3				

TORONTO METEOROLOGICAL OBSERVATIONS.

GENERAL METEOROLOGICAL ABSTRACT,—SEPTEMBER, 1854.

DAILY MEANS.		W. N. D.		Extremes of TEMPERATURE.		RAIN.		SNOW.		RAIN AND MELTED SNOW.	
Days.	Pressure of Air.	Relative Humidity.	Barometric Pressure.	Temperature of Air.	Relative Humidity.	Wind Velocity.	Direction of Wind.	Depth in hours.	Depths.	Approximate duration in hours.	Approximate duration in hours.
1	63.97	0.526	91	29.732	29.206	1.0	N 71° E	67.6	61.2	6.4	1.330
2	71.40	.641	84	.624	28.380	0.9	S 68° W	62.0	.595	1.0	...
3	71.83	.611	80	.664	29.053	0.0	S 79° E	2.23	2.33	80.8	64.0
4	77.95	.676	75	.550	28.874	0.2	S 16° W	1.26	1.35	92.6	64.5
5	77.63	.666	73	.524	28.858	0.7	S 73° W	1.31	5.22	92.7	56.5
6	63.48	.437	77	.714	29.277	0.3	S 60° W	5.43	5.77	79.6	18.2
7	60.17	.407	81	.607	29.000	0.9	S 14° E	1.35	4.60	70.2	19.8
8	57.95	.414	88	.503	.089	1.0	N 22° E	5.30	5.35	60.0	32.0
9	60.42	.415	81	.582	.167	0.6	S 71° E	2.60	3.30	70.8	15.0
10	61.68	.441	74	.592	.150	0.4	S 21° W	7.61	8.40	76.6	46.4
11	56.57	.336	74	.848	.512	0.6	S 68° E	4.58	5.01	68.5	47.5
12	61.25	.493	93	.623	.130	1.0	S 6° E	1.98	2.06	65.6	55.5
13	54.93	.312	74	.825	.524	0.4	S 44° W	6.16	6.44	41.0	31.0
14	53.85	.295	72	.983	.688	0.4	S 11° W	2.47	2.96	69.6	13.5
15	63.37	.485	83	.632	.167	0.6	S 61° E	0.93	0.99	63.2	18.4
16	66.92	.488	78	.366	.28.878	0.4	S 41° W	3.22	3.68	74.6	15.2
17	48.51	.219	65	.751	.29.532	0.4	S 73° W	9.37	10.57	77.5	18.2
18	50.77	.257	72	.938	.681	0.6	S 15° W	8.62	8.92	55.8	35.8
19	51.98	.292	76	.30.081	.789	0.0	S 70° E	1.87	3.16	64.0	36.0
20	56.78	.357	79	.825	.468	0.0	S 23° W	3.41	3.69	71.2	41.0
21	63.55	..	80	.464	.28.955	0.5	S 5° E	1.05	1.43	51.0	23.8
22	62.85	.484	86	.568	.29.056	0.4	S 46° W	1.36	1.54	73.2	31.5
23	65.08	.534	87	.517	.013	0.5	N 68° W	1.10	1.31	75.8	32.0
24	59.03	.346	73	.700	.354	0.1	N 2° E	2.42	4.22	70.4	47.8
25	50.70	.272	76	.30.048	.776	0.1	N 60° E	2.04	3.84	60.6	37.6
26	51.47	.269	73	.29.923	.654	0.4	S 41° E	2.08	2.45	61.0	14.6
27
28
29
30
...
	61.04	0.430	79	29.701	29.271	0.5	N 22° W	1.33	4.01	72.39	49.09
										23.50	37.5
										49.8	...

GENERAL METEOROLOGICAL ABSTRACT,—OCTOBER, 1854.

Days.	DAILY MEANS.				Clouded Sky.	WIND.	EXTREMES OF TEMPERATURE.		RAIN.	SNOW.	RAIN AND MELTED SNOW		
	Temperature of the Air. °	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.			Miles. Miles.	Resultant Velocity. Miles.	Mean Velocity. Miles.	Maximum. Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.
1	... 51.55	0.251	69 29.453	29.202	0.2	N 58 W S 33 W	3.59 1.87	5.45 2.83	64.2 65.2	39.0 43.8	25.2 21.1	.145	2.5
2	55.77	.365	83 28.885	28.519	0.9	S 34 W	6.62	7.86	63.8	44.0	19.8	.465	2.2
4	47.35	.224	70 29.313	29.089	0.5	N 72 W	10.07	10.46	57.2	29.8	27.4
5	45.33	.229	78 28.856	28.626	0.5	S 88 W	2.37	2.72	57.0	34.0	23.0
6	54.05	.285	69 28.837	28.552	0.0	S 38 W	1.27	4.34	65.0	44.2	20.8
7	61.48	.404	77 28.810	28.436	0.3	S 65 W	1.36	1.88	75.4	53.2	22.2	.005	0.1
8	N 87 E	1.27	1.54	70.0	50.8	19.2
9	57.18	.370	80 28.629	28.259	0.9	N 6 E	1.76	3.21	70.9	48.6	22.3	.035	1.0
10	50.05	.309	87 28.718	28.438	1.0	N 71 E	5.26	5.35	52.8	46.6	6.2	.275	2.3
11	56.82	.387	85 28.549	28.162	0.7	S 39 W	2.17	2.55	69.0	47.2	21.8	.110	3.5
12	56.10	.387	86 28.524	28.137	0.8	N 24 W	3.89	5.03	65.0	41.4	23.6	.015	1.2
13	46.07	.252	81 28.715	28.465	0.8	N 70 E	3.19	3.59	51.5	40.2	11.3	.205	1.5
14	45.97	.239	77 28.885	28.446	0.5	N 42 W	13.10	13.80	54.8	34.8	20.0
15	N 41 W	10.18	10.62	45.7	29.0	16.7
16	43.05	.230	84 28.324	28.094	0.9	N 15 W	6.72	7.25	52.6	35.5	17.1	.010	3.0
17	40.75	.212	84 28.580	28.368	0.9	S 78 W	2.48	3.57	52.0	31.8	20.2
18	36.60	.149	70 28.743	28.594	0.7	N 33 W	9.19	9.40	43.2	26.4	16.8
19	35.78	.158	76 28.033	28.876	0.4	S 71 W	1.47	2.23	45.5	30.2	15.3
20	43.85	.211	74 28.019	28.808	0.8	N 57 E	0.97	2.08	53.0	35.4	17.6
21	44.50	.202	71 28.995	28.793	0.1	N 45 E	1.61	2.41	56.6	39.6	17.0
22	N 69 E	6.78	7.13	54.2	44.3	9.9	.055	5.0
23	51.40	.292	78 28.890	28.598	1.0	East.	3.54	3.69	53.6	48.0	5.6
24	52.77	.314	80 28.975	28.661	0.4	S 52 E	0.41	0.80	63.8	44.8	19.0
25	53.32	.328	81 28.087	28.759	0.7	N 75 E	0.39	1.02	62.0	44.2	20.8
26	48.72	.287	84 28.036	28.749	0.0	N 56 E	0.94	1.76	61.0	40.2	20.8
27	46.22	.289	92 28.942	28.653	0.6	N 85 E	0.25	0.29	57.4	37.4	20.0	.040	8.0
28	50.90	.327	89 28.839	28.512	0.7	N 52 E	1.90	2.34	60.8	45.2	15.6	.015	7.5
29	N 58 E	2.19	2.30	57.8	53.6	4.2	.050	6.0
30	58.62	.101	84 28.574	28.173	0.8	N 75 E	3.83	3.95	65.4	55.0	10.1	.035	1.0
31	53.42	.371	92 28.311	28.940	1.0	S 64 W	8.27	10.40	61.8	45.7	16.1	.035	0.5
	49.52	0.287	80 29.696	29.408	0.6	N 45 W	1.52	4.57	58.97	41.32	17.65	1.495	45.3
	*	*											

GENERAL METEOROLOGICAL ABSTRACT,—NOVEMBER, 1854.

Days.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW				
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Miles Miles	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	45.82	0.227	76	29.428	29.201	0.4	S 87° W	9.42	9.70	53.0	34.0	19.0	0.095	0.7	0.095	0.7		
2	47.35	.217	69	.535	.318	0.6	S 85 W	10.23	13.77	55.1	34.0	21.4	.005	0.1	.005	0.1		
3	37.07	.156	69	.844	.689	0.6	N 32 W	7.82	8.77	42.2	27.8	14.4	*	*	*	*
4	24.53	.089	66	30.143	30.054	0.7	N 2 W	8.95	9.01	30.0	15.0	15.0	*	*	*	*
5	S 2 E	7.13	8.60	44.0	14.9	29.1	*	0.1
6	44.48	.223	77	29.230	29.007	1.0	S 40 W	8.87	9.54	48.2	29.8	18.4	.140	3.7140	3.7
7	37.82	.175	77	.243	.068	0.6	N 45 W	5.7	6.74	47.8	28.0	19.8	.020	0.6020	0.6
8	34.10	.145	73	.005	.460	0.6	N 46 W	6.19	6.72	43.4	23.6	19.8
9	34.08	.155	80	.825	.670	0.8	N 75 E	5.37	5.70	37.8	30.2	7.6
10	44.50	.255	86	.501	.216	1.0	S 87 E	3.01	3.75	50.2	35.2	15.0	.150	6.0150	6.0
11	42.82	.224	81	.517	.293	0.4	N 72 W	3.59	4.32	48.4	27.6	20.8
12	N 64 E	6.90	9.93	48.5	31.2	14.3	.315	6.0315	6.0
13	37.00	.179	83	.435	.256	0.7	S 59 W	10.27	10.41	44.2	30.8	13.4	*	*	*	*
14	35.33	.178	86	.396	.218	0.9	S 51 W	8.52	8.84	39.4	33.0	6.4	.010	2.4	0.2	5.0	.060	7.4
15	38.83	.207	89	.186	28.979	1.0	N 3 E	2.30	2.41	42.2	31.0	8.2	.015	3.0045	3.0
16	34.38	.160	81	.370	29.210	1.0	N 51 W	4.53	8.35	38.8	30.0	8.8	.040	3.0040	3.0
17	37.92	.184	81	28.917	28.733	0.7	S 45 W	5.53	5.71	40.2	27.6	12.6	.085	3.0035	3.0
18	34.05	.161	82	29.151	28.990	0.6	N 65 W	3.98	4.28	42.8	30.8	12.0	*	*	*	*
19	N 29 W	5.25	5.30	36.4	28.0	8.4	0.1	2.5	.010	2.5
20	31.30	.153	87	29.543	29.391	0.6	N 34 W	1.80	1.92	35.2	18.6	16.6	0.2	3.0	.020	3.0
21	30.75	.149	85	.616	.167	1.0	N 85 E	3.77	4.48	36.2	22.2	14.0	0.8	6.0	.080	6.0
22	34.10	.172	88	.504	.332	1.0	N 14 W	0.07	0.07	38.2	31.0	7.2090	1.5
23	42.72	.233	86	.330	.097	1.0	S 61 E	1.27	1.56	48.6	37.4	11.2	.090	1.5135	3.5
24	48.05	.297	90	28.800	28.503	0.9	S 49 E	4.35	6.10	51.5	39.2	12.3	.135	3.5135	3.5
25	38.98	.188	80	28.825	28.637	0.7	S 47 W	9.96	10.22	42.2	33.0	9.2	.005	0.5065	0.5
26	S 68 W	12.77	13.87	36.6	26.3	10.3
27	33.37	.154	80	29.562	29.408	0.8	S 82 W	9.30	10.40	39.8	27.2	12.6
28	32.37	.147	80	.657	.510	0.7	S 49 W	10.57	10.90	36.0	27.0	9.0
29	34.93	.162	78	.523	.361	0.7	N 68 W	9.18	12.78	39.6	19.8	19.8
30	20.77	.085	73	.733	.648	0.4	N 49 W	11.67	12.05	25.5	13.8	11.7	*	*	*	*
	36.84	0.180	80	29.439	29.259	0.8	West.	3.44	7.51	42.08	28.13	13.94	1.115	34.1	1.3	16.5	1.245	50.6

GENERAL METEOROLOGICAL ABSTRACT,—DECEMBER, 1854.

DAYS.	DAILY MEANS.						WIND.		EXTREMES OF TEMPERATURE.		RAIN.		SNOW.		RAIN AND MELTED SNOW			
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Miles.	Miles.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	
1	28.70	0.129	79	29.498	29.369	0.8	N 70 W	9.48	11.50	31.0	10.0	24.0	0.2	3.0	0.020	3.0		
2	20.88	.079	66	.656	.578	0.9	N 70 E	4.17	7.11	27.6	13.8	13.8	3.0	12.0	.300	12.0		
3	N 16 E	13.76	17.67	28.2	14.6	13.6	3.0	8.0	.300	8.0		
4	15.28	.064	70	.241	.177	1.0	N 32 W	22.10	22.87	19.2	4.8	14.4	3.5	8.0	.350	8.0		
5	17.85	.080	77	.226	.146	1.0	N 87 W	14.24	15.73	22.8	12.8	10.0		
6	24.78	.120	87	28.954	28.834	1.0	S 76 W	11.22	13.24	28.6	13.8	14.8	2.0	4.5	.200	4.5		
7	11.22	.052	66	29.377	29.325	0.7	N 23 W	14.96	15.49	14.8	—2.8	17.6	0.2	1.0	.020	1.0		
8	8.63	.059	81	.919	.860	0.4	N 53 W	3.28	3.38	21.0	0.9	20.1		
9	26.60	.133	89	.887	.754	1.0	S 12 W	3.71	4.04	33.8	19.5	14.3	*	*	*	*		
10	S 79 W	6.78	7.32	39.0	28.8	10.2		
11	24.75	.111	79	.760	.649	0.9	N 66 W	9.02	9.57	32.0	15.1	16.9	0.1	1.0	.010	1.0		
12	23.23	.098	76	.708	.610	0.8	S 81 W	7.40	10.60	34.8	18.8	16.0	0.1	0.5	.010	0.5		
13	37.52	.181	81	.402	.221	1.0	S 74 W	6.71	7.14	41.0	27.0	14.0		
14	35.33	.163	80	.484	.321	1.0	S 46 W	4.73	4.97	40.9	29.0	11.9		
15	38.28	.208	91	.323	.114	1.0	N 54 W	3.15	5.66	44.8	27.5	17.3	.030	..	.030	*		
16	24.87	.101	74	.529	.428	0.5	N 4 E	9.78	16.88	29.2	10.0	19.2	0.4	5.0	.040	5.0		
17	S 31 E	7.30	7.67	12.4	2.4	10.0	2.5	10.0	.250	10.0		
18	6.47	.050	79	.694	.614	0.6	N 27 W	3.99	4.23	13.8	—4.8	18.6		
19	2.02	.046	88	.779	.732	0.2	N 52 W	3.19	3.63	14.2	—7.0	21.2		
20	20.77	.092	79	.481	.389	1.0	S 62 W	8.53	8.73	25.4	13.5	11.9	0.6	4.0	.060	4.0		
21	14.58	.073	79	.591	.518	0.6	N 5 W	10.76	12.05	28.0	—3.2	31.2		
22	3.27	.046	81	30.084	30.038	1.0	N 27 E	5.59	6.26	18.6	—2.0	20.6	*	*	*	*		
23	21.83	.102	81	30.054	29.952	1.0	S 86 E	3.75	7.10	35.6	18.6	17.6	.030	1.5	1.6	6.0		
24	S 47 W	5.31	5.44	39.4	34.8	1.6		
25	S 59 W	3.13	3.23	39.2	34.8	4.4		
26	37.23	.204	92	29.594	.390	1.0	N 79 E	5.40	5.69	36.6	33.5	3.1	.135	3.5	.135	3.5		
27	36.80	.190	88	.588	.398	0.9	N 7 E	1.9	2.81	10.0	31.4	8.6	.065	3.0	.065	3.0		
28	34.48	.179	87	.323	.114	0.9	N 45 W	10.48	11.36	39.1	15.0	24.1	.330	11.0	*	*		
29	12.47	.061	74	.780	.719	0.3	N 23 W	11.95	12.40	19.4	2.3	17.1	*	*	*	*		
30	19.20	.098	82	.752	.654	0.8	S 5 E	0.45	0.52	26.8	6.5	20.3		
31	N 38 E	4.12	4.17	33.0	27.0	6.0		
	21.88	0.100	80	29.587	29.479	0.8	N 41 W	4.30	8.56	29.46	14.38	15.08	0.590	19.0	17.2	63.0	2.310	8.20

GENERAL METEOROLOGICAL ABSTRACT,—JANUARY, 1855.

	Days.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW.			
		Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	28.40	0.129	82	30.011	29.881	1.0	N 78° E	9.49	9.50	31.0	25.4	5.6						
2	33.85	.148	77	30.011	.862	0.4	N 80° E	4.84	4.95	41.2	29.0	12.2						
3	38.03	.184	80	29.963	.780	0.5	S 78° E	1.47	1.49	45.8	34.0	11.8						
4	38.15	.210	88	30.024	.814	1.0	N 59° W	2.80	3.02	48.2	23.6	25.2	0.070	2.8				
5	28.17	.132	84	30.271	30.138	0.9	N 81° E	10.65	10.65	39.4	22.2	17.2	.040	1.5			0.070	2.8
6	41.87	.235	89	29.881	29.616	1.0	S 29° E	3.03	3.91	19.0	37.0	12.0	.015	1.0			.040	1.5
7	32.58	S 82° W	8.61	8.72	48.2	20.2	28.0					.015	1.0
8	37.58	.123	80	30.394	30.270	0.4	S 68° E	0.16	0.47	34.6	20.5	14.1						
9	31.73	.131	73	30.067	29.936	0.2	N 71° W	4.33	5.44	40.8	19.0	21.8						
10	23.23	.108	84	30.127	30.019	0.6	S 69° E	3.39	4.41	28.2	18.8	9.4					.020	3.5
11	30.00	.150	90	29.427	29.277	1.0	S 34° W	1.34	1.40	36.5	26.2	10.3	.040	0.5			.010	0.5
12	37.28	.199	90	.231	.032	1.0	S 73° W	0.13	0.13	42.8	29.0	13.8					.020	1.0
13	21.85	.096	75	.404	.308	0.6	N 45° W	17.56	17.87	29.6	—5.4	35.0						
14	S 36° W	6.38	6.61	25.2	—1.2	26.4						
15	26.42	.115	78	.539	.424	1.0	N 60° W	1.52	3.59	29.4	16.2	13.2					0.5	0.5
16	22.35	.106	85	.691	.585	1.0	S 83° E	3.55	3.87	32.0	16.0	16.0					.070	4.0
17	33.55	.165	86	.350	.185	0.9	S 64° E	0.92	2.95	39.8	29.6	10.2					.030	2.0
18	31.10	.137	78	.469	.332	1.0	N 66° W	7.29	7.69	37.2	24.0	13.2						
19	25.33	.109	78	.504	.395	0.9	N 10° W	4.86	4.96	28.4	20.0	8.4						
20	26.60	.131	89	.389	.258	1.0	S 86° W	0.34	0.85	30.2	21.5	8.7						
21	N 84° E	6.23	14.76	37.0	25.4	11.6	.360	4.0	3.0	8.0	.660	12.0
22	21.02	.107	89	.097	28.990	0.6	S 62° W	16.14	16.30	25.4	3.9	21.5						
23	9.95	.060	81	.633	29.573	0.7	S 78° W	6.13	6.21	17.2	2.8	14.4						
24	10.37	.051	67	.687	.636	0.2	S 69° W	2.63	2.65	21.4	2.4	19.0						
25	16.80	.086	83	.482	.396	0.7	N 29° E	5.76	7.87	23.3	3.4	19.9						
26	16.97	.087	88	.075	28.988	1.0	N 18° W	11.61	15.96	24.2	9.8	14.4						
27	16.10	.074	76	.234	29.160	0.9	N 75° W	12.35	12.76	21.8	11.0	10.8						
28	N 61° E	8.55	10.11	28.5	12.8	15.7						
29	23.28	.117	91	.080	28.963	1.0	S 46° W	15.46	16.54	29.0	16.2	12.8						
30	19.77	.092	83	.496	29.399	1.0	S 61° W	13.59	13.76	24.0	16.4	7.6						
31	20.88	.096	81	.730	.634	0.9	N 43° W	4.26	6.26	28.4	14.6	13.8						
	25.95	0.123	82	29.639	29.514	0.8	N 73° W	1.91	7.26	32.83	17.54	15.29	0.525	9.8	23.3	70.1	2.855	79.9

GENERAL METEOROLOGICAL ABSTRACT,—FEBRUARY, 1855.

Days.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.		RAIN.		SNOW.		RAIN AND MELTED SNOW					
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Clouded Sky.	Resultant Velocity.	Miles.	Miles.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	
1 12.27	0.070	78	.524	29.454	0.8	N 83 W	6.41	7.17	28.2	24°	30.6	0.5	4.5	0.050	4.5	
2 17.08	.080	80	.260	.180	0.9	S 75 W	10.74	11.40	23.4	3.2	20.2	0.4	4.0	.040	4.0	
3 8.12	.052	75	.350	.298	0.5	N 87 W	11.79	13.97	15.6	-14.5	30.1	0.5	3.0	.050	3.0	
4 7.62	.025	66	.457	.432	0.4	N 3 E	4.09	4.13	4.2	-13.2	17.4	0.3	5.0	.030	5.0	
5 -7.62	.023	68	.753	.730	0.7	N 26 E	9.13	9.19	6.2	-25.0	18.8	0.1	0.5	.010	0.5	
6 -14.38	.043	85	.546	.503	1.0	N 38 E	13.12	13.21	6.8	-7.2	14.0	2.5	10.0	.250	10.0	
7 -0.28	.063	80	.484	.421	1.0	N 4 E	6.77	6.92	16.4	7.0	9.4	2.5	15.0	.250	15.0	
8 11.12	.064	84	.591	.527	0.6	N 10 W	3.29	3.52	19.4	-2.5	21.9	0.1	1.0	.010	1.0	
9 9.28	.082	80	.691	.609	1.0	S 36 W	5.71	6.06	27.2	10.8	16.4	*	3.0	*	3.0	
10 17.67	.082	80	.691	.609	1.0	N 48 W	1.64	2.07	30.6	4.0	26.6	4.0	9.0	.400	9.0	
11																		
12 24.18	.118	87	.759	.611	0.9	S 78 E	10.81	11.14	33.0	15.0	18.0	5.0	9.0	.500	9.0	
13 33.50	.175	92	.571	.396	1.0	N 83 E	12.04	12.36	37.4	31.5	5.9	1.705	17.5	1.705	17.5	
14 34.83	.193	96	.480	.287	1.0	N 71 E	2.19	2.11	38.4	30.5	7.3	.065	3.0065	3.0	
15 33.07	.171	91	.473	.302	0.9	N 43 W	6.10	6.65	39.0	27.0	12.0	4.0	17.0	.400	17.0	
16 28.60	.143	90	.423	.280	1.0	S 85 W	4.57	4.86	36.4	24.8	14.6	1.5	12.0	.150	12.0	
17 26.80	.130	87	.567	.437	1.0	N 88 W	5.25	5.54	33.6	24.2	9.4	0.2	1.0	.020	1.0	
18														...	*	3.0	*	3.0
19 23.90	.114	86	.719	.603	1.0	N 29 W	13.74	13.95	28.8	19.2	9.6	0.2	1.0	.020	1.0	
20 23.15	.100	78	.910	.810	0.5	N 29 W	8.70	8.83	32.8	9.0	23.8	
21 20.75	.090	75	.936	.846	0.4	S 43 W	1.81	1.95	31.2	11.0	23.2	
22 26.47	.123	86	.712	.586	0.9	N 3 W	9.82	1.76	27.2	4.2	23.0	
23 4.63	.011	69	.842	.801	0.2	N 48 W	7.57	7.77	12.2	-8.0	20.2	
24 2.25	.042	75	.797	.756	0.4	N 69 W	6.77	6.90	16.6	-12.4	29.0	
25																		
26 11.70	.058	73	.433	.377	1.0	N 86 W	12.58	12.75	16.4	5.8	10.6	*	*	*	*	
27 11.30	.059	75	.705	.616	0.4	N 34 W	8.79	8.87	19.0	0.9	18.1	*	*	*	*	
28 11.40	.051	67	30.011	.960	0.1	N 30 W	2.01	2.65	21.4	-3.6	25.0	
	15.41	0.088	80	29.625	29.537	0.7	N 10 W	4.34	8.17	23.19	7.81	18.38	1.770	20.5	21.8	98.0	3.950	118.5

GENERAL METEOROLOGICAL ABSTRACT,—MARCH, 1855.

DAYS	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.		RAIN.		SNOW.		RAIN AND MELTED SNOW					
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Velocity.	Mean Velocity.	Miles. Miles. ⁰	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	19.22	0.097	82	30.001	29.901	0.5	S 55 W	7.19	7.74	34.4	2.9	37.3	1.0	4.0	0.010	.170	3.0	
2	29.65	.151	90	29.798	.617	0.9	S 42 W	5.27	5.46	35.2	25.4	10.1	1.0	4.0	0.010	.170	4.0	
3	33.32	.170	90	.625	.455	1.0	S 75 W	4.77	4.98	38.6	26.2	12.4	1.0	4.0	0.010	.170	3.0	
4							S 57 W	5.56	7.00	42.4	33.8	8.6	1.70	3.0				
5	37.65	.192	85	.182	28.990	0.9	S 82 W	13.57	15.44	43.7	25.4	18.3	0.05	1.0			.170	3.0
6	26.50	.126	85	.482	29.356	0.6	N 39	7.57	8.97	34.4	15.8	18.6005	1.0
7	23.35	.111	85	.584	.473	1.0	N 29 E	1.65	2.10	29.5	9.0	20.5	2.0	3.0		.200	3.0	
8	24.43	.117	86	.591	.474	0.7	S 64 E	2.14	2.42	33.6	16.4	17.2	1.2	4.5	.120	4.5		
9	24.42	.116	84	.501	.385	0.7	N 42 W	19.70	20.72	33.8	6.2	27.6	0.1	0.5	.010	0.5		
10	19.38	.092	80	.880	.788	0.6	N 15 E	1.31	3.75	28.4	8.0	20.4	1.0	4.0				
11							N 54 E	6.05	7.27	32.4	22.0	10.4	1.0	4.0				
12	27.95	.120	79	.726	.605	0.2	N 65 E	6.33	7.58	36.2	21.8	14.4	6.0	9.0	.600	9.0		
13	28.17	.139	88	.352	.213	1.0	S 89 E	20.02	20.74	34.4	24.2	10.2	6.0	9.0	.680	9.0		
14	36.57	.179	83	.311	.165	0.9	S 16 E	2.09	3.47	43.8	36.0	7.8	6.80	9.0		.680	9.0	
15	36.10	.181	86	.310	.129	0.7	N 61 W	6.12	10.92	42.2	22.3	19.9	4.0			.415	4.0	
16	31.13	.135	78	.730	.595	0.4	S 76 E	1.22	2.18	39.2	27.0	12.2	0.1	1.5	.010	1.5		
17	35.38	.159	79	.323	.164	1.0	S 41 W	4.79	17.70	41.9	29.0	12.9	2.15	3.0		.215	3.0	
18							S 85 W	6.70	6.83	39.8	21.2	18.3	1.0	4.0				
19	28.80	.129	77	.506	.377	0.3	S 52 W	6.86	9.72	40.2	19.4	20.1	0.5	0.2	.050	0.2		
20	23.73	.098	76	.613	.515	0.7	S 82 W	17.90	18.35	29.2	19.4	9.8	*	2.0	*	2.0		
21	24.03	.114	86	.934	.820	1.0	N 76 W	4.92	5.25	30.8	15.2	15.6	1.0					
22	25.43	.097	69	.652	.555	0.4	S 65 W	10.11	10.99	34.6	20.0	14.6	0.1	2.5	.010	2.5		
23	29.57	.133	79	28.981	28.849	0.8	S 81 W	12.25	13.31	35.0	6.6	28.4	0.3	4.0	.030	4.0		
24	17.15	.076	74	29.266	29.189	0.4	N 62 W	16.47	18.46	25.4	6.4	19.0	1.0					
25							S 85 W	12.46	12.72	35.6	23.0	12.6	0.3	3.0	.030	3.0		
26	27.82	.134	87	.113	28.979	0.9	S 1 W	0.60	10.88	33.2	19.0	14.2	6.5	10.0	.650	10.0		
27	23.12	.109	85	.429	29.320	0.7	N 44 W	11.63	12.52	31.5	11.2	20.3	1.0					
28	24.77	.102	75	.559	.457	0.9	N 85 W	14.41	14.82	31.7	20.6	11.1	1.0					
29	33.47	.131	69	.521	.390	0.0	S 73 W	10.34	10.55	44.2	27.0	17.2	1.0					
30	37.55	.160	72	.510	.380	0.5	S 55 W	5.56	5.90	47.4	32.4	15.0	1.0					
31	39.82	.194	81	.308	.114	0.4	S 65 W	4.20	6.74	49.4	21.8	27.6	1.0					
	28.46	0.132	81	29.513	29.381	0.7	N 88 W	4.76	9.95	36.52	19.63	16.89	1.485	20.0	18.1	44.2	3.295	64.2

TORONTO METEOROLOGICAL OBSERVATIONS.

17

GENERAL METEOROLOGICAL ABSTRACT,—APRIL, 1855.

Days.	DAILY MEANS.		WIND.		EXTREMES OF TEMPERATURE.		RAIN.		SNOW.		RAIN AND MELTED SNOW.											
	Temperature of the Air.	Pressure of Appliance.	Barometer.	Dry Air pressure of Reservoir.	Relative Humidity.	Wind.	Velocity.	Direction.	Maximum Wind.	Minimum Wind.	Depth in inches.	Approximate duration in hours.	Depth in inches.	Approximate duration in hours.	Depth in inches.	Approximate duration in hours.	Depth in inches.	Approximate duration in hours.	Depth in inches.	Approximate duration in hours.	Depth in inches.	Approximate duration in hours.
1	22.10	0.076	63	.29	.529	29.453	0.2	N 52° W 26.7	26.6	10.7	15.9	...	0.1	2.0	0.010	2.0	
2	25.62	.112	72	.875	.763	0.3	N 49° W 21.77	22.10	32.4	16.2	16.2	
3	33.27	.132	71	.872	.710	0.4	N 29° W 1.40	1.30	38.4	20.5	17.9	
4	35.10	.182	81	.483	.301	0.9	S 28° E 1.39	3.03	46.4	27.0	19.4	
5	32.10	.131	73	.508	.377	0.1	S 37° W 10.88	12.25	45.1	20.0	25.4	*	*	*	*	*	*	*	*	*	*	*
6	32.10	.131	73	.508	...	5	W 4.69	5.16	11.6	27.4	14.2	
7	32.10	.131	73	.508	...	5	W 6.70	8.83	53.8	32.2	23.6	.035	1.0	
8	32.10	.131	73	.508	...	5	W 6.70	8.83	53.8	32.2	23.6	.035	1.0	
9	42.63	.197	77	.516	.319	0.3	S 70° W 4.0	6.95	54.5	32.8	21.7	.015	0.5	
10	36.17	.163	79	.506	.343	0.9	S 64° W 11.52	14.63	40.2	27.0	22.2	
11	37.47	.160	74	.808	.648	0.2	S 26° W 21.04	21.06	45.4	28.5	16.9	
12	40.37	.146	62	.914	.765	0.4	S 17° W 7.64	7.98	52.2	32.4	19.8	
13	36.70	.184	84	.687	.506	0.9	S 77° E 3.97	4.88	41.8	34.5	7.3	.655	4.5	
14	47.30	.212	78	.442	.200	0.7	S 46° W 5.57	7.01	69.4	32.2	37.2	
15	S 8° W 2.03	2.17	65.3	35.0	30.3	
16	45.62	.221	72	.750	.529	0.0	S 8° W 2.03	2.17	65.3	35.0	30.3	
17	50.52	.245	75	.532	.326	0.7	S 83° E 1.69	1.75	64.8	44.5	20.3	.095	1.0	
18	53.60	.349	86	.473	.121	0.7	S 83° W 3.49	4.27	63.8	15.0	18.8	.025	1.0	
19	55.02	.336	80	.467	.131	0.9	S 17° E 1.17	1.17	67.2	12.0	22.2	*	1.0	
20	49.02	.247	73	.639	.392	0.5	S 6° W 2.87	1.91	61.0	30.4	30.6	
21	48.25	.233	71	.707	.474	0.3	S 12° E 0.73	1.27	63.6	39.8	23.8	
22	S 43° W 9.04	9.29	62.8	35.0	17.8	
23	49.68	.239	68	.757	.518	0.2	S 33° E 0.51	0.61	63.1	35.5	27.9	
24	54.98	.301	71	.637	.236	0.4	S 32° W 1.88	3.60	66.2	44.4	21.8	
25	45.83	.260	88	.713	.444	1.0	S 61° E 5.15	6.51	13.98	1.13	66.2	49.0	9.0	.605	8.0	
26	45.35	.228	76	.595	.367	0.6	S 35° W 10.37	1.29	55.2	29.4	35.8	
27	42.72	.135	52	.950	.815	0.1	S 55° E 7.88	8.11	43.0	33.5	9.5	*	2.0	
28	37.00	.158	73	.903	.745	0.9	S 55° E 6.61	6.65	42.2	36.5	5.7	.440	3.5	
29	47.00	.283	59	.470	.187	1.0	S 64° E 1.20	2.79	57.2	39.0	18.2	.070	0.5	
30	47.00	.283	59	.470
	42.43	0.208	75	29.654	29.146	0.5	N 36° W 3.99	7.57	52.932	0.620	57.2	0.30	23.0	1.6	8.0	2.190	31.0					

GENERAL METEOROLOGICAL ABSTRACT,—MAY, 1855.

DAYS.	DAILY MEANS.					WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW.				
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.		Resultant Velocity.	Miles.	Miles.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.		
1	57°.35	0.350	76	29.693	29.343	0.4	N 20 E	1.72	4.96	69.0	44.8	24.2							
2	51.72	.251	68	.795	.544	0.8	N 74 E	9.12	9.37	59.2	46.8	12.4							
3	52.20	.219	58	.763	.544	0.3	N 54 E	5.89	7.57	63.6	41.2	22.4							
4	52.05	.188	51	.784	.596	0.0	N 7 W	14.80	14.98	63.4	39.0	24.4							
5	53.28	.221	57	.761	.540	0.0	N 15 W	9.72	10.72	65.8	37.6	28.2							
6	N 17 W	9.60	10.63	64.0	37.0	27.0							
7	38.07	.141	63	.524	.383	0.2	N 58 E	4.73	6.09	43.0	33.0	10.0	1,000	10.0	0.3	4.0	1.030	14.0	
8	37.68	.202	90	.476	.274	0.9	N 22 E	7.59	8.23	47.4	33.2	14.2	300	9.0	0.6	3.0	.360	12.0	
9	45.38	.182	61	.770	.588	0.1	N 10 E	3.87	5.69	57.9	33.0	24.9							
10	50.12	.201	58	.816	.615	0.1	N 20 W	1.85	3.88	62.2	35.2	27.0							
11	51.97	.200	54	.651	.451	0.6	N 69 W	3.97	6.04	70.6	41.0	29.6	*	1.5				1.5	
12	54.33	.304	74	.588	.284	0.6	S 12 W	1.20	1.63	67.5	41.5	26.0	*	1.0				1.0	
13	S 87 W	1.68	1.42	71.2	43.4	27.8	285	3.5				285	3.5
14	56.17	.330	75	.607	.277	0.7	S 8 W	1.42	1.92	67.2	45.0	22.2							
15	59.85	.396	79	.380	.28.984	0.7	S 61 W	6.28	8.96	69.2	52.0	17.2	310	4.0				310	4.0
16	51.62	.276	74	.486	.29.210	0.4	N 39 W	8.43	8.85	66.1	36.4	29.7							
17	53.82	.215	54	.750	.535	0.1	N 19 W	3.94	4.63	67.2	38.4	28.8							
18	55.00	.232	56	.618	.416	0.6	N 68 E	6.73	6.83	63.2	47.0	18.2							
19	53.13	.303	76	.485	.182	1.0	N 75 E	1.21	1.32	61.6	47.0	14.6							
20	N 33 W	5.31	7.27	77.5	43.8	33.7							
21	53.28	.231	60	.526	.296	0.4	S 23 E	0.89	1.66	62.6	39.8	22.8							
22	56.53	.251	57	.512	.261	0.6	S 60 E	0.85	0.89	65.7	43.4	22.3							
23	56.17	.295	66	.528	.232	0.4	N 80 E	2.49	3.03	66.0	47.6	18.4	160	0.3				160	0.3
24	N 48 W	2.67	4.84	76.0	36.6	39.4							
25	54.90	.261	62	.801	.540	0.0	N 8 W	11.08	11.10	65.2	35.0	30.2							
26	53.22	.184	48	.833	.649	0.0	N 14 W	11.20	11.31	61.8	40.2	21.6							
27	S 80 W	1.01	4.72	64.8	40.5	24.3							
28	56.00	.261	60	.766	.505	1.0	S 81 E	1.41	1.82	68.6	38.4	30.2							
29	57.97	.268	58	.754	.486	0.4	S 73 E	1.10	1.48	73.2	42.3	30.9							
30	57.72	.314	74	.702	.358	0.8	S 87 E	2.56	2.82	72.6	47.0	25.6							
31	60.25	.400	78	.533	.133	0.9	S 18 W	5.82	6.04	72.0	57.0	15.0	480	1.6				480	1.6
	53.07	0.258	65	29.651	29.393	0.5	N 1° W	2.76	5.93	65.40	11.42	23.98	2	565	30.9	0.9	7.0	2.655	37.9

GENERAL METEOROLOGICAL ABSTRACT,—JUNE, 1855.

Days.	DAILY MEANS.					WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW	
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum Miles.	Minimum Miles.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	59.13	.0.461	93	29.289	28.828	1.0	N 54° W	0.92	4.57	65.0	48.2	16.8	0.315	6.0	:	:
2	54.80	.346	81	.371	29.025	0.9	N 27 W	2.13	4.39	69.2	45.5	23.7	0.025	1.2	:	:
3							N 86 W	2.79	4.14	60.0	37.6	22.4				
4	48.95	.252	74	.489	.237	0.9	S 81 W	3.51	4.23	55.2	42.5	12.7				
5	54.40	.306	73	.490	.184	0.2	N 75 W	5.22	6.60	69.0	38.2	30.8				
6	55.73	.314	71	.533	.219	0.5	S 14 E	1.38	1.87	69.5	47.0	22.5	*	1.5		
7	52.05	.351	91	.326	28.975	0.9	N 37 W	1.83	2.97	58.0	45.2	12.8	.290	9.0		
8	54.37	.319	76	.376	29.057	0.3				64.8	42.2	22.6	.010	0.2		
9	56.80	.332	73	.331	28.999	0.7				71.0	49.6	21.4	.490	6.0		
10										64.0	42.2	21.8	.205	5.0		
11	48.65	.245	73	.384	29.139	0.6				58.6	36.2	22.4				
12	50.28	.250	69	.649	.399	0.5	N 80 W	8.94	10.01	63.8	43.0	20.8				
13	53.37	.259	66	.736	.477	0.4	S 49 W	5.37	7.22	67.2	41.8	25.4				
14	64.08	.345	59	.608	.263	0.5	N 63 W	8.35	9.65	75.2	53.0	22.2				
15	63.58	.373	67	.427	.054	1.0	N 61 W	7.78	9.24	75.4	54.2	21.2	.015	1.0		
16	61.42	.393	74	.463	.070	0.7	N 8 E	1.19	3.95	69.2	50.6	18.6				
17							N 62 E	3.74	4.49	61.5	41.0	20.5				
18	60.20	.328	66	.731	.403	0.2	N 78 E	6.72	7.03	67.5	53.0	14.5	.175	3.0		
19	53.23	.369	93	.503	.134	1.0	N 54 E	6.21	6.33	55.6	50.4	5.2	.335	11.0		
20	55.87	.384	88	.501	.117	0.6	S 1 W	2.13	2.85	63.4	49.0	14.4				
21	58.23	.422	88	.446	.020	1.0	N 84 E	4.13	5.30	67.6	54.0	13.6	.580	10.0		
22	65.47	.483	80	.462	28.979	0.6	N 19 W	7.02	7.77	76.0	58.0	18.0				
23	64.00	.454	78	.649	29.186	0.8	N 67 W	3.32	5.03	72.0	59.0	13.0	.875	10.0		
24							N 3 E	8.62	10.36	67.0	58.5	8.5	.045	3.0		
25	64.95	.457	76	.510	.053	0.8	S 77 W	2.32	4.54	72.5	57.2	15.3	.060	2.5		
26	62.87	.487	87	.636	.149	0.7	S 15 W	5.26	5.57	74.2	57.0	17.2	.110	1.5		
27	67.62	.561	86	.054	.093	0.9	S 1 E	1.45	3.59	76.6	63.0	13.6	.495	2.6		
28	72.23	.631	83	.690	.059	0.4	S 39 W	3.86	5.11	80.2	66.0	14.2				
29	78.72	.722	78	.604	28.882	0.2	S 43 W	5.28	5.65	91.5	70.0	21.5				
30	77.32	.704	78	.502	28.798	0.4	S 20 W	5.65	5.83	86.0	67.4	18.6	.045	0.6		
	59.93	0.406	78	29.513	29.108	0.7	N 69 W	1.33	5.70	68.89	50.68	18.21	4.070	74.1		

TOPICAL METEOROLOGICAL OBSERVATIONS.

GENERAL METEOROLOGICAL ABSTRACT,—JULY, 1855.

DAYS.	DAILY MEANS.				WIND.				EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW	
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Miles.	Miles.	Resultant Velocity.	Mean Velocity.	Maximum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.
1	65.32	.433	75	29.529	29.096	0.6	S 14 W	8.92	9.24	81.4	62.2	19.2
2	65.32	.433	75	29.529	29.096	0.6	S 81 W	9.20	11.37	76.4	54.8	21.6
3	60.20	.386	77	.661	.274	0.6	N 84 E	8.10	8.79	65.4	56.0	9.4
4	68.23	.511	76	.475	28.934	0.7	N 75 W	6.30	8.69	80.2	53.2	27.0	.005	0.4
5	62.32	.413	76	.733	29.321	0.4	S 19 W	4.08	6.44	72.5	51.5	21.0
6	64.25	.422	71	.686	.264	0.6	N 16 W	3.95	6.55	75.0	55.2	19.8
7	59.93	.336	67	.758	.432	0.2	N 42 W	4.15	8.97	69.8	49.2	20.6
8	S 34 E	3.92	5.92	71.4	57.0	14.4
9	64.00	.471	79	.616	.145	1.0	S 4 E	6.29	8.01	72.0	59.8	12.2	.010	1.0
10	68.00	.488	73	.570	.082	0.5	N 62 W	4.68	5.82	80.8	52.2	28.6
11	68.65	.496	73	.533	.037	0.5	S 25 W	3.12	5.49	79.2	63.0	16.2	*	*
12	68.38	.554	82	.427	28.873	0.9	S 15 W	1.52	4.07	79.8	61.0	18.8	.410	5.5
13	62.88	.459	82	.449	28.990	0.6	N 33 W	3.77	6.27	72.6	50.2	22.4	.255	3.0
14	64.50	.363	62	.644	29.284	0.2	S 41 E	2.29	5.05	73.8	57.0	16.8
15	S 82 E	4.09	5.09	78.4	59.5	18.9
16	76.05	.675	78	.742	.067	0.1	S 26 W	7.58	9.11	83.2	69.2	14.0
17	78.78	.689	74	.688	28.938	0.3	S 78 W	4.59	5.98	91.6	65.0	26.6
18	76.50	.713	81	.616	28.903	0.4	S 19 W	8.08	8.41	85.6	71.0	14.6
19	79.45	.675	70	.492	28.817	0.6	N 62 W	9.34	13.08	92.8	59.8	33.0	.295	4.5
20	60.67	.428	83	.723	29.295	1.0	N 28 E	5.76	6.17	64.2	58.0	6.2	.090	3.0
21	60.65	.396	77	.768	.371	0.5	N 58 E	7.19	8.41	67.0	55.0	12.0
22	N 74 E	5.21	6.20	68.2	60.0	8.2	.035	0.5
23	64.85	.511	86	.712	.201	1.0	S 88 E	3.19	4.55	73.0	61.8	11.2	.325	3.5
24	64.92	.533	89	.669	.136	1.0	N 69 E	3.37	4.13	71.0	62.0	9.0	.065	1.5
25	68.68	.592	87	.661	.069	1.0	S 40 E	1.21	2.45	73.2	52.8	10.4	1.205	4.0
26	70.35	.662	92	.540	28.878	0.7	S 34 E	1.05	2.49	80.0	64.6	15.4	*	*
27	73.38	.690	86	.454	28.764	0.6	S 43 E	1.02	6.63	82.2	69.4	12.8	.315	6.0
28	72.97	.665	85	.459	28.795	0.5	S 88 W	2.14	4.23	81.4	64.5	16.9	.195	2.5
29	N 26 E	1.72	5.33	81.2	66.0	15.2	.040	1.5
30	70.20	.622	87	.612	28.990	0.6	S 66 E	1.43	4.00	77.2	64.6	12.6
31	71.58	.598	79	.672	29.074	0.8	N 70 E	1.56	3.67	78.8	66.0	12.8
	67.95	0.530	79	20.611	29.081	0.6	S 19 W	0.73	6.47	76.75	60.05	16.70	3.242	36.6			

GENERAL METEOROLOGICAL ABSTRACT,—AUGUST, 1855.

Days.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE			RAIN.		SNOW.		RAIN AND MELTED SNOW				
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Clouded Sky.	Resultant Direction.	Miles	Wind Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	
1	70.88	0.603	83	29.686	29.083	0.5	N 64° E	2.77	4.11	79.8	65.6	14.2		
2	71.77	.627	83	.715	.088	0.1	N 77° E	3.35	4.73	81.5	64.0	17.5		
3	74.67	.665	81	.685	.020	0.3	S 18° W	3.58	4.74	83.5	68.8	14.7	.015	0.5		
4	72.75	.681	87	.593	28.912	0.7	S 10° E	0.37	4.15	81.8	63.2	18.6	.380	0.7	
5	N 17° E	3.78	6.11	76.0	60.0	16.0	
6	68.77	.469	70	.575	29.106	0.3	N 43° W	1.64	6.83	77.6	54.2	23.4	
7	65.28	.434	72	.673	.238	0.4	N 58° E	3.06	9.47	77.0	60.0	17.0	.020	0.5	
8	65.58	.509	83	.501	28.992	1.0	S 78° E	6.37	7.88	72.6	63.8	8.8	.095	1.0	
9	69.78	.510	73	.204	28.691	0.4	N 88° W	16.49	16.95	79.2	53.0	26.2	
10	60.82	.320	62	.502	29.182	0.2	N 54° W	6.17	8.21	71.5	50.0	21.5	
11	62.68	.432	77	.658	.226	0.4	S 79° E	5.66	6.79	72.2	56.8	15.4	
12	N 79° W	1.81	6.34	79.2	61.2	18.0	.615	4.5	
13	66.13	.408	63	.786	.378	0.2	N 40° W	5.49	6.67	77.2	52.8	24.4	
14	64.40	.395	67	.793	.398	0.6	N 9° W	1.24	5.27	71.0	53.0	18.0	
15	67.78	.517	78	.533	.016	0.6	S 17° E	2.80	5.13	76.8	64.6	12.2	.295	0.5	
16	69.10	.497	71	.377	28.880	1.0	N 73° W	4.73	9.06	82.0	47.8	34.2	*	*	
17	53.93	.260	59	.560	29.500	0.6	W	15.29	15.45	67.8	42.8	25.0	.035	0.4	
18	53.92	.263	66	.878	.614	0.3	N 55° W	7.97	8.39	65.2	40.0	26.2	
19	S 18° E	2.87	4.15	67.2	45.6	21.6	
20	61.75	.409	76	.846	.437	0.0	S 6° E	4.31	4.91	74.2	51.8	22.4	
21	66.47	.493	79	.730	.237	0.3	S 13° W	6.2	6.96	78.2	58.8	19.4	
22	65.60	.513	84	.640	.127	0.9	S 82° W	2.75	3.71	76.8	59.2	17.6	
23	64.85	.507	84	.491	28.984	0.7	N 14° W	1.99	3.88	77.0	51.0	26.0	
24	64.58	.420	72	.581	29.161	0.1	S 10° W	3.51	5.74	76.4	55.2	21.2	
25	63.57	.487	81	.665	.177	0.5	S 79° E	2.73	3.61	76.0	58.4	17.6	
26	N 11° W	8.91	9.94	74.5	46.4	28.1	
27	52.93	.256	65	.875	.619	0.0	N 48° E	4.66	7.88	62.8	43.2	19.6	
28	55.18	.290	69	.758	.468	0.0	S 12° E	1.95	4.62	67.2	44.8	22.4	
29	60.85	.395	75	.566	.171	0.6	S 85° W	6.89	11.63	75.4	49.0	26.4	*	*	
30	54.23	.274	67	.897	.623	0.6	N 6° W	3.69	7.54	64.2	44.8	19.4	
31	56.13	.352	79	.865	.513	0.6	N 78° E	4.06	4.64	70.0	47.0	23.0	*	*	
	61.06	0.414	74	29.653	29.209	0.4	N 63° W	1.04	6.97	74.61	54.09	20.52	1.455	8.1

GENERAL METEOROLOGICAL ABSTRACT,—SEPTEMBER, 1855.

DAYS.	DAILY MEANS.					WIND.	EXTREMES OF TEMPERATURE.		RAIN.	SNOW.	RAIN AND MELTED SNOW						
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.		Clauded Sky.	Miles.	Miles.	Maximum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	71.23	0.563	76	29.629	29.066	0.6	S 32 W	7.18	11.63	82.6	60.0	22.6	0.425	1.8	
2	N 18 W	6.76	10.38	74.2	56.0	18.2	.035	1.5	
3	55.60	.352	81	.772	.421	0.7	N 49 E	6.13	7.81	61.2	48.0	13.2	
4	57.23	.336	73	.875	.539	0.0	N 59 E	5.99	7.50	67.0	51.5	15.5	
5	61.23	.398	78	.942	.546	0.0	N 63 E	6.24	7.01	70.8	52.8	18.0	
6	61.50	.433	82	.938	.505	0.0	N 65 E	4.19	5.83	71.0	49.2	21.8	
7	63.97	.487	84	.843	.356	0.7	S 1 W	1.91	3.58	74.6	58.8	15.8	
8	71.48	.585	78	.660	.075	0.5	S 32 W	5.72	6.36	81.2	66.8	14.4	.185	2.0	
9	N 29 W	9.79	10.77	82.4	54.2	28.2	
10	64.52	.441	75	.697	.256	0.1	S 89 E	2.47	3.84	74.5	51.0	23.5	
11	70.22	.589	81	.607	.018	0.4	S 17 W	5.67	6.15	81.8	57.8	24.0	
12	73.05	.626	80	.517	28.891	0.8	S 66 W	7.03	12.54	81.5	53.0	28.5	.240	5.0	
13	58.93	.311	65	.785	29.475	0.4	N 6 W	11.13	11.48	66.8	43.0	23.8	
14	54.67	.301	72	.777	.476	0.3	N 56 E	7.19	8.79	63.5	46.2	17.3	
15	58.02	.391	82	.640	.249	0.1	S 75 E	1.77	4.56	68.8	50.0	18.8	
16	S 54 W	2.48	6.53	75.8	54.0	21.8	
17	66.25	.570	91	.527	28.957	0.8	S 8 E	0.59	4.93	72.2	58.2	14.0	.2535	13.0	
18	53.35	.329	77	.632	29.303	0.8	N 25 E	9.09	9.65	61.5	36.0	25.5	.275	4.0	
19	44.12	.206	72	30.016	.811	0.0	N 63 E	3.32	5.76	51.5	36.5	15.0	
20	50.83	.250	69	29.883	.633	0.4	N 74 E	5.56	7.51	56.8	45.2	11.6	
21	54.78	.391	93	.643	.252	1.0	N 27 E	1.86	2.52	59.2	47.0	12.2	.010	2.0	
22	55.50	.336	79	.779	.442	0.7	N 14 W	8.63	8.69	60.8	46.4	11.4	
23	S 69 E	6.08	7.54	63.2	51.5	11.7	
24	62.15	.457	84	.806	.349	0.6	S 49 E	4.46	5.57	69.2	55.5	13.7	.550	6.0	
25	65.23	.546	90	.570	.024	0.8	S 34 E	3.79	5.29	70.6	55.5	15.1	.895	1.2	
26	64.02	.428	76	.326	28.898	0.5	S 84 W	10.49	12.10	73.8	45.0	28.8	.005	0.1	
27	47.52	.223	69	.665	29.442	0.4	N 53 W	12.19	12.47	54.8	33.0	21.8	
28	46.88	.254	80	.838	.584	0.1	S 78 E	2.34	4.99	56.0	39.0	17.0	
29	55.03	.352	82	.656	.304	0.7	S 82 E	5.84	7.23	61.2	47.0	14.2	.385	4.5	
30	N 78 W	1.13	9.42	64.8	50.0	11.8	.015	2.5	
	59.49	0.406	79	29.721	29.315	0.4	N 20 E	1.29	7.61	68.4	49.94	18.51	5.585	43.6

TORONTO METEOROLOGICAL OBSERVATIONS.

GENERAL METEOROLOGICAL ABSTRACT—OCTOBER, 1855.

GENERAL METEOROLOGICAL ABSTRACT,—NOVEMBER, 1855.

Days.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW				
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Miles. Mts. Fms.	Resultant Velocity. Miles. Mts. Fms.	Mean Velocity. Miles. Mts. Fms.	Maximum. Miles. Mts. Fms.	Minimum. Miles. Mts. Fms.	Difference. Miles. Mts. Fms.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	16.92	0.237	73	.29.616	29.378	0.6	N 14 W	8.26	10.24	54.0	33.2	20.8	*	*	*	*	*	*
2	10.03	.163	67	.805	.612	0.1	N 39 E	6.81	7.24	45.8	26.4	19.4	*	*	*	*	*	*
3	35.43	.157	77	.829	.672	0.1	N 21 E	6.78	7.28	43.2	23.6	19.6	*	*	*	*	*	*
4							N 70 E	3.40	5.60	44.5	26.8	17.7	*	*	*	*	*	*
5	16.63	.253	82	.760	.504	0.9	N 78 E	11.40	11.89	52.0	39.0	13.0	*	*	*	*	*	*
6	49.62	.295	84	.602	.307	1.0	S 88 E	7.79	7.84	52.8	43.0	9.8	1.030	15.0	*	*	*	*
7	49.58	.328	93	.556	.228	1.0	N 20 W	2.87	6.01	53.4	33.8	19.6	1.005	14.0	*	*	*	*
8	43.15	.214	77	.894	.680	0.1	S 88 W	4.09	6.02	43.8	27.8	22.0	*	*	*	*	*	*
9	40.95	.193	76	.30.059	.866	0.1	East	4.89	6.35	46.0	32.0	14.0	*	*	*	*	*	*
10	44.53	.223	80	.29.790	.557	0.9	N 86 E	3.87	4.53	49.2	36.1	12.8	*	*	*	*	*	*
11							N 77 E	13.76	13.89	52.5	42.8	9.7	1.020	9.0	*	*	*	*
12	50.13	.341	95	.590	.249	0.7	S 16 E	3.14	8.87	54.4	39.0	15.4	1.120	10.0	*	*	*	*
13	45.77	.205	68	.828	.623	0.0	S 54 W	8.75	9.05	55.2	31.0	24.2	*	*	*	*	*	*
14	43.97	.196	68	.872	.676	0.3	S 37 W	2.08	3.15	54.6	31.6	23.0	*	*	*	*	*	*
15	47.02	.269	84	.610	.311	1.0	S 41 E	2.03	3.97	59.2	41.0	18.2	1.30	2.0	*	*	*	*
16	38.35	.181	74	.634	.453	0.7	N 32 W	13.80	16.07	46.4	23.2	23.2	*	*	*	*	*	*
17	30.70	.147	84	.574	.427	0.9	N 70 E	11.08	17.08	37.0	23.4	13.6	1.80	4.0	0.5	2.0	.230	6.0
18							N 87 W	15.21	15.71	37.5	25.0	2.5	*	*	*	*	*	*
19	28.90	.130	80	.885	.755	0.6	N 82 W	12.39	12.91	32.4	19.2	13.2	*	*	*	*	*	*
20	29.20	.146	89	.906	.760	0.8	S 44 E	5.16	6.88	40.0	22.0	18.0	*	*	*	*	*	*
21	34.53	.152	73	.503	.350	1.0	N 64 W	15.98	19.88	41.2	21.0	20.2	*	*	2.0	4.0	.020	4.0
22	27.55	.120	79	.946	.826	0.8	S 88 W	7.11	9.50	38.0	20.0	18.0	*	*	*	*	*	*
23	37.78	.163	72	.321	.158	0.9	S 84 W	18.52	23.21	43.0	19.8	23.2	.005	*	*	*	*	*
24	28.35	.126	80	.793	.667	0.1	N 72 W	9.18	10.27	37.6	20.0	17.6	*	*	*	*	*	*
25							S 51 W	8.42	11.93	45.2	34.4	10.8	.100	3.0	*	*	*	*
26	35.92	.160	76	.425	.265	0.7	N 83 W	13.07	14.61	42.2	27.8	14.4	*	*	*	*	*	*
27	39.52	.157	65	.226	.069	0.5	S 59 W	13.77	13.83	46.0	30.2	15.8	*	*	*	*	*	*
28	31.13	.125	68	.137	.012	0.7	N 29 W	15.43	18.10	42.0	15.5	26.5	*	*	*	*	*	*
29	24.80	.105	77	.526	.422	0.4	N 70 W	10.28	10.93	30.0	21.0	9.0	*	*	*	*	*	*
30	32.68	.137	73	.586	.449	0.1	S 11 W	10.87	11.38	39.8	32.2	7.6	*	*	*	*	*	*
	38.58	0.190	77	.29.664	29.475	0.6	N 66 W	3.18	10.81	45.50	28.74	16.76	1.590	57.2	3.0	11.0	4.890	68.2

GENERAL METEOROLOGICAL ABSTRACT,—DECEMBER, 1855.

DAYS.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW			
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.
1	41.78	0.194	76	29.268	29.074	0.6	S 31 W	Miles. Miles.	10.02 10.31	46.4 35.0	11.4
2	32.83	...	78	.380	.234	0.3	S 77 W	13.15 14.23	46.2 30.8	15.4	0.145	1.5	0.145	1.5	
3	34.23	.146	74	.654	.510	0.4	S 84 W	15.34 15.55	37.0 26.8	10.2	*	*	
4	37.52	.167	75	.698	.531	0.1	S 35 W	6.69 6.91	45.6 29.2	16.4	.030	1.5030	1.5	
5	37.83	.179	79	.697	.518	0.6	West	8.60 9.02	44.5 29.5	15.0	*	*	*	*	
6	32.82	.144	78	.992	.848	0.4	N 6 W	5.02 7.00	42.8 25.8	17.0	*	*	
7	35.97	.175	82	.578	.403	1.0	S 69 E	11.75 11.78	38.2 31.4	6.8	1.030	13.5	1.030	13.5	
8	S 56 W	10.09 17.84	47.0 26.0	21.0	.140	1.1140	1.1	
9	23.98	.103	76	.029	28.926	1.0	N 61 W	16.85 19.30	28.4 15.6	12.8	*	*	*	*	
10	21.30	.074	63	.786	29.711	0.3	N 61 W	15.14 15.59	26.8 15.4	11.4	
11	24.70	.109	80	30.102	.993	0.7	S 88 E	3.02 6.82	29.2 17.0	12.2	0.6	5.5	.060	5.5	
12	25.68	.120	84	30.007	.887	1.0	N 1 W	5.39 5.57	31.6 15.0	16.6	
13	30.30	.152	87	29.926	.774	1.0	S 89 E	13.23 14.15	38.8 23.6	15.2	.485	11.0485	11.0	
14	38.42	.195	84	.626	.431	1.0	S 40 W	2.17 4.29	42.0 30.2	11.8	.015	0.2015	0.2	
15	S 56 W	5.07 6.73	39.8 30.0	9.8	
16	31.30	.133	73	.477	.345	0.7	S 85 W	17.33 17.94	37.4 18.8	18.6	0.1	1.0	.010	1.0	
17	22.05	.081	67	.825	.744	0.7	N 88 W	10.14 10.66	25.8 17.4	8.4	
18	22.12	.093	76	.924	.831	0.4	N 41 W	2.65 3.53	27.8 14.0	13.8	
19	28.35	.131	80	.866	.735	0.8	S 23 E	5.35 6.73	37.0 16.5	20.5	
20	38.67	.166	72	.435	.267	1.0	S 35 W	6.91 9.69	42.5 31.8	10.7	
21	32.90	.165	89	.312	.47	1.0	N 36 E	7.42 11.03	31.2 22.4	11.8	4.6	11.0	.460	11.0	
22	S 76 W	12.66 14.23	36.2 14.8	21.4	
23	16.90	.075	76	.985	.910	0.7	N 29 W	4.36 6.58	23.5 14.6	8.9	5.2	12.2	.520	12.2	
24	11.12	.057	74	.775	.718	0.4	S 80 W	15.82 16.54	16.6 5.8	10.8	3.8	9.0	.380	9.0	
25	13.25	.064	75	30.017	.953	0.6	S 74 W	16.45 16.59	18.9 5.6	13.3	0.2	1.0	.020	1.0	
26	12.28	.064	78	29.898	.834	1.0	N 49 W	6.44 9.28	20.4 — 5.2	25.6	
27	6.60	.052	77	.608	.556	1.0	N 29 E	14.82 16.28	10.8 — 2.2	13.0	15.0	15.0	1.500	15.0	
28	S 68 W	16.37 16.56	23.0 1.8	21.2	
29	17.73	.082	79	.696	.604	0.4	S 68 W	12.29 12.43	22.0 10.6	11.4	
30	26.99	0.123	77	29.702	29.579	0.7	S 88 W	5.29 11.38	32.91 18.75	14.16	1.845	28.8	29.5	54.7	4.795	83.5	

GENERAL METEOROLOGICAL ABSTRACT, JANUARY, 1856.

DAYS.	TEMPERATURE.		WIND.		EXTREMES OF		RAIN.		SNOW.		RAIN AND		MELTED SNOW.		
	DAY.	NIGHT.	W.	S.	W.	S.	W.	S.	W.	S.	W.	S.	W.	S.	
1	18.65	0.085	.81	29.918	29.818	0.6	8.80	W	4.57	4.64	22.4	10.8	11.6	...	
2	21.82	.037	.79	.843	.716	0.6	8.87	E	0.90	2.16	30.0	12.8	17.2	...	
3	21.52	.033	.75	.685	.512	0.5	8.76	E	12.36	15.63	31.6	11.6	26.2	...	
4	11.88	.057	.72	30.179	30.122	1.0	8.72	E	6.32	6.33	18.2	7.4	10.5	...	
5	13.60	.070	.81	29.833	29.762	1.0	8.36	E	12.81	11.73	18.8	7.5	11.3	...	
6	7	21.78	.121	.87	.134	.314	1.0	9.09	W	12.75	17.82	32.1	2.0	18.2	0.200 18.2
7	-1.87	.032	.72	.530	.498	0.1	8.93	W	24.46	24.19	1.8	-12.0	13.0	...	
8	-1.63	.033	.85	.630	.597	0.3	8.76	W	20.46	20.56	6.5	-12.0	18.5	...	
9	15.02	.074	.78	.853	.779	0.6	8.59	W	15.81	16.29	25.0	5.2	19.5	...	
10	9.62	.060	.76	30.050	.990	0.1	8.67	W	5.10	7.25	19.0	-4.1	23.1	...	
11	22.60	.116	.89	29.770	.654	1.0	8.78	E	14.31	15.15	32.0	8.3	23.7	...	
12	14	18.58	.088	.81	.510	.422	1.0	8.25	W	10.3	11.63	25.2	16.8	8.4	1.4 10.3
13	15	17.43	.081	.79	.528	.447	0.6	8.71	W	7.4	8.71	22.0	12.5	9.5	2.8 10.5
14	16	23.03	.103	.80	.250	.117	1.0	8.66	W	14.98	15.54	25.3	17.2	8.6	0.1 4.0 .010 4.0
15	17	20.30	.139	.85	.312	.173	1.0	8.67	W	8.66	8.73	33.2	22.6	0.4	...
16	18	29.95	.112	.85	.435	.293	1.0	8.35	W	3.37	7.47	31.4	16.8	17.6	...
17	19	10.40	.057	.74	.711	.654	0.6	8.5	E	14.47	11.64	18.3	-1.2	19.5	0.5 5.8 .050 5.8
20	21	9.45	.052	.72	.630	.578	0.4	8.25	W	9.19	9.37	13.0	0.2	12.8	...
22	22	18.05	0.40	.84	.636	.515	0.8	8.84	W	2.53	2.59	26.2	6.5	19.4	...
23	23	19.23	.085	.78	.707	.622	0.4	8.63	W	12.47	12.65	26.0	13.0	13.0	1.2 8.0 .120 8.0
24	24	16.80	.071	.71	.716	.615	0.7	8.69	W	13.39	17.48	24.0	-2.0	26.0	...
25	25	2.42	.035	.63	30.234	30.193	0.0	8.42	W	8.56	9.24	11.8	-3.8	15.0	...
26	26	10.15	.058	.74	30.109	30.051	0.2	8.6	W	2.89	3.81	21.8	0.0	21.8	...
27	27	21.93	.098	.81	29.290	29.192	1.0	8.34	E	10.10	10.13	20.9	10.0	10.9	1.1 11.0 .110 11.0
28	28	21.33	.094	.78	.399	.305	0.9	8.69	W	2.38	2.94	23.5	8.2	15.6	0.3 7.5 .030 7.5
29	29	16.52	.071	.74	.335	.431	0.7	8.74	W	6.74	16.80	36.0	9.5	16.5	6.2 4.0 .020 4.0
30	30	15.03	.071	.77	.502	.431	1.0	8.58	W	3.56	3.91	20.2	9.2	11.0	* 1.0 * 1.0
31	31	13.6	0.080	.78	29.670	29.589	0.7	8.75	W	5.24	10.69	22.65	6.02	16.62	... 13.6 88.4 1.360 88.4

TORONTO METEOROLOGICAL OBSERVATIONS.

27

GENERAL METEOROLOGICAL ABSTRACT, - FEBRUARY, 1856.

GENERAL METEOROLOGICAL ABSTRACT,—MARCH, 1856.

DAYS.	DAILY MEANS.				WIND.				EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW.					
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Velocity.	Direction.	Miles.	Miles.	°	Maximum Velocity.	Mean Velocity.	Minimum Velocity.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	24.15	0.113	84	29.591	29.478	1.0	N 66° E	14.61 15.06	28.2	20.0	8.2	4.5	17.5	0.450	17.5	
2	19.57	.081	73	.609	.528	6.4	S 76 W	13.28 15.7	28.6	11.6	17.0	0.3	3.0	.030	3.0	
3	24.72	.111	82	.414	.303	0.5	S 69 W	8.80 11.01	25.5	7.4	18.1	3.4	3.0	.340	3.0	
4	22.22	.090	73	.460	.370	0.7	S 56 W	17.11 20.88	33.2	11.5	21.7	0.4	5.0	.010	5.0	
5	16.40	.071	72	.425	.354	0.4	N 64 W	14.93 15.33	24.5	2.0	22.5	0.2	3.5	.020	3.5	
6	15.02	.076	79	.416	.370	0.8	S 70 W	11.45 11.24	24.4	-2.5	26.9	1.9	1.0	.190	4.0	
7	1.03	.035	69	.694	.659	0.1	N 67 W	14.04 14.33	10.8	-14.0	24.8	
8	N 59 W	7.66 8.71	6.8	-13.6	20.4	
9	6.55	.052	78	.627	.575	0.1	S 72 W	18.75 19.15	20.2	-12.2	32.4	
10	14.40	.058	65	.362	.304	0.3	N 84 W	17.35 18.52	22.6	8.2	14.4	
11	18.28	.071	69	.463	.392	0.6	N 69 W	11.96 12.19	21.8	11.0	13.8	
12	21.90	.085	71	.724	.638	0.5	N 34 W	6.64 7.82	30.2	14.4	15.8	0.2	2.5	.020	2.5	
13	26.00	.102	70	.721	.619	0.6	S 57 W	6.27 8.61	33.0	15.0	18.0	
14	28.77	.120	75	.718	.597	0.9	S 80 W	8.66 8.88	34.0	21.0	13.0	
15	N 82 W	5.25 5.66	35.2	18.8	16.4	
16	30.65	.115	68	.797	.682	0.3	S 86 W	4.55 5.36	40.0	15.2	24.8
17	28.55	.118	74	.769	.651	0.4	N 61 E	3.37 3.63	39.6	22.5	17.1	*	3.0	*	3.0
18	31.60	.152	86	.415	.263	1.0	N 26 E	1.52 4.19	35.2	20.8	14.4
19	29.82	.426	75	.382	.256	0.6	S 69 W	0.97 2.83	38.0	23.0	15.0
20	N 19 W	2.02 5.36	41.0	25.5	15.5
21	31.90	.128	72	.525	.397	0.1	N 58 W	2.21 4.48	38.8	18.2	20.6	1.0	5.0	.100	5.0	
22	S 15 E	4.36 5.48	38.2	18.5	19.7	3.6	17.0	.360	17.0	
23	34.35	.174	88	.252	.078	1.0	N 20 W	8.24 10.79	37.0	29.0	8.0*
24	33.18	.146	77	.542	.396	0.5	N 58 W	10.65 11.79	41.4	27.2	14.2
25	30.50	.132	78	.466	.331	0.7	N 71 W	15.81 15.90	38.5	22.5	16.0	0.5	9.0	.050	9.0	
26	23.88	.086	66	.392	.306	0.7	N 35 W	21.24 21.95	28.0	15.5	12.5	0.2	3.0	.020	3.0	
27	20.50	.091	79	.507	.416	1.0	N 49 W	17.21 18.53	24.1	15.0	9.1
28	21.68	.072	60	.660	.588	0.1	N 63 W	15.65 15.91	31.5	13.0	18.5
29	20.90	.075	64	N 28 W	11.45 12.12	31.8	10.8	21.0
30	N 35 W	3.48 5.63	31.8	10.2	21.6
31	30.022	.947	0.0	N 35 W	3.48 5.63	31.8	10.2	21.6	16.2	75.5	1.620	75.5	
	23.06	0.099	74	29.559	29.460	0.5	N 71 W	7.68 11.39	30.47	12.87	17.60	16.2	75.5	1.620	75.5	

GENERAL METEOROLOGICAL ABSTRACT,—APRIL, 1856.

Days.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW		
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Clouded Sky.	Resultant Direction.	Miles Miles	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	27.55	0.124	80	29.961	29.837	0.1 S 76 E	1.75 2.51	35.8	14.2	21.6
2	34.92	.172	85	.431	.259	0.9 S 76 E	4.50 4.95	37.3	32.0	5.3	0.550	9.0
3	37.95	.196	86	.250	.054	1.0 S 42 W	6.17 6.35	43.2	33.5	9.7	.175	9.5
4	34.45	.163	82	.474	.311	1.0 N 43 W	6.93 7.37	37.6	29.8	7.8
5	36.72	.163	76	.636	.473	0.7 N 39 W	5.81 6.21	45.0	31.5	13.5
6	S 37 W	1.07 2.42	45.8	30.2	15.6
7	40.92	.171	69	.709	.538	0.4 S 45 W	0.73 1.19	51.5	29.5	22.0
8	41.72	.169	66	.835	.666	0.1 S 60 E	1.31 2.37	54.2	33.5	20.7
9	45.07	.206	69	.669	.463	0.4 N 54 W	7.23 11.89	58.8	29.4	29.4	*	0.5
10	35.75	.129	62	.944	.815	0.2 N 68 W	2.51 4.42	46.0	28.6	17.4
11	39.58	.172	71	.611	.439	1.0 S 38 E	1.75 2.17	50.0	30.9	19.1	.230	3.0230	3.0
12	36.67	.183	83	.325	.142	0.8 N 6 W	12.87 13.21	43.4	23.2	20.2	.545	9.5545	9.5
13	S 45 W	2.72 5.33	34.8	22.8	12.0
14	36.58	.161	75	.602	.411	1.0 S 2 W	0.84 1.44	40.5	33.2	7.3	*	*	*	*
15	39.95	.203	83	.501	.296	1.0 N 89 E	15.31 15.44	43.2	36.2	7.0	.705	10.8705	10.8
16	44.15	.249	87	.496	.247	0.5 N 84 E	5.25 6.01	53.5	37.8	15.7
17	46.27	.257	82	.427	.170	1.0 S 81 W	0.88 1.82	53.4	37.8	15.6	.015	0.5015	0.5
18	46.03	.244	80	.391	.147	0.9 S 65 W	2.15 3.84	55.0	38.2	16.8	.115	1.3115	1.3
19	44.20	.183	64	.645	.462	0.3 N 23 E	6.00 8.91	50.5	32.2	18.3
20	N 7 E	13.88 14.16	47.8	31.5	16.3
21	43.35	.227	81	.466	.239	1.0 N 18 E	7.59 8.31	51.2	34.2	17.0	.315	9.0315	9.0
22	37.22	.202	91	.237	.035	0.7 S 16 E	1.45 2.94	42.4	29.8	12.6	.070	5.5070	5.5
23	41.25	.209	81	.417	.208	0.4 S 84 E	2.03 2.69	52.8	32.7	20.1
24	43.55	.233	83	.535	.302	0.5 N 2 W	1.35 3.48	54.4	36.2	18.2	.035	2.0035	2.0
25	52.02	.251	66	.738	.518	0.0 N 81 E	1.31 2.07	63.2	39.0	24.2
26	52.58	.269	69	.758	.489	0.3 S 86 E	4.22 4.67	63.5	41.6	21.9
27	S 20 E	0.65 2.28	65.2	45.4	19.8	.025	2.0025	2.0
28	59.83	.271	56	.461	.190	0.5 S 67 W	7.70 10.04	72.2	45.5	26.7
29	53.10	.249	64	.628	.379	0.2 N 28 W	3.46 7.76	67.4	39.0	28.4
30	47.75	.212	65	.817	.635	0.7 N 83 E	13.84 14.24	51.6	42.2	12.4
	^o 42.27	0.203	75	29.579	29.376	0.6 N 29 E	1.61 6.05	50.47	33.39	17.08	2.780	62.6	0.1	2.5	2.790	65.1

GENERAL METEOROLOGICAL ABSTRACT,—MAY, 1856.

	DAYS	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.		RAIN.		SNOW.		RAIN AND MELTED SNOW		
		Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Tended sky.	Resultant Direction.	Resistant Velocity.	Mean Velocity.	Maximum.	Minimum.	Drops in inches.	Approximate duration in hours.	Depth in inches.	Approximate duration in hours.	Depth in inches.
1	46.10	0.236	77	29.694	29.458	1.0 N 86 E	20.75 29.89	59.0	37.0	22.0	0.790	13.0
2	44.08	.262	92	.391	.429	1.0 N 67 E	9.57 10.25	47.6	37.0	10.6	.495	8.2
3	46.30	.216	70	.547	.331	0.4 N 10 W	8.27 11.91	56.12	31.2	25.0
4	N 22 W	15.30 15.62	52.8	34.0	18.8
5	44.27	.173	62	.862	.713	0.1 N 81 E	3.88 8.77	52.0	32.0	20.0
6	48.08	.175	53	.814	.639	0.7 N 79 E	12.49 12.47	51.8	38.2	13.6
7	50.00	.193	55	.571	.378	0.8 N 81 E	9.93 9.47	57.2	32.0	15.2
8	45.10	.249	84	.513	.264	1.0 N 66 E	10.82 11.01	46.0	39.0	7.9	.330	15.0
9	43.12	.239	86	.544	.305	1.0 N 68 E	4.86 5.28	47.6	35.8	11.8	.095	6.5
10	54.47	.264	64	.498	.234	0.2 N 29 W	5.34 9.43	65.4	41.5	23.9
11	N 56 W	1.13 5.99	71.0	50.0	21.0
12	49.83	.225	61	.626	.401	0.6 N 11 W	13.95 11.21	56.4	39.5	16.9	.055	1.5
13	45.28	.219	74	.830	.611	0.7 N 74 E	6.14 6.45	51.6	40.2	11.4
14	52.73	.317	81	.713	.396	0.8 S 76 E	4.34 4.67	60.4	40.0	20.4	.235	8.5
15	58.62	.391	81	.538	.147	0.8 S 60 W	5.23 9.14	66.2	45.5	20.7	.125	2.0
16	50.58	.282	77	.670	.388	0.3 N 11 W	5.85 7.25	62.0	40.0	22.0
17	51.25	.302	72	.486	.184	1.0 N 73 E	8.44 8.88	60.6	45.6	15.0	2.135	12.0
18	N 32 W	0.84 1.35	59.5	47.8	11.7	.025	1.5
19	57.85	.361	77	.321	.286	0.1 S 70 W	4.48 9.92	65.8	50.2	15.6
20	56.50	.227	50	.501	.274	0.1 N 19 W	13.54 13.81	65.0	39.0	26.0
21	49.58	.208	60	.761	.553	0.0 N 28 W	2.58 7.76	60.5	38.8	21.7
22	53.88	.251	62	.760	.569	0.2 S 17 W	2.56 3.24	64.2	44.0	20.2
23	63.72	.398	71	.610	.212	0.3 S 41 W	5.78 7.23	75.0	56.0	19.0	.110	3.0
24	N 45 W	13.19 14.98	82.2	38.0	44.2
25	N 32 W	17.84 18.46	57.8	42.5	15.3
26	57.53	.293	66	.613	.320	0.1 N 28 W	5.80 6.65	71.4	43.0	18.4
27	53.10	.322	82	.295	.293	0.9 S 65 E	0.88 1.48	61.0	48.0	13.0	.355	8.0
28	53.48	.306	75	.229	.293	0.6 N 32 W	12.65 12.93	64.8	41.2	23.6	*	*
29	42.42	.215	79	.382	.217	1.0 N 1 W	6.24 9.87	46.0	34.0	12.0	.030	6.2
30	41.02	.167	67	.620	.453	0.9 N 41 W	12.56 13.22	46.4	31.2	15.2
31	51.67	.225	60	.717	.492	0.5 S 86 W	9.00 10.42	62.8	37.2	25.6	.100	4.0
	50.52	0.259	71	29.582	29.321	0.6 N 4 E	3.99 9.81	59.56	10.63	18.93	4.580	89.4	*	*	:	:

TORONTO METEOROLOGICAL OBSERVATIONS.

GENERAL METEOROLOGICAL ABSTRACT,—JUNE, 1856.

GENERAL METEOROLOGICAL ABSTRACT, -JUNE, 1856.

DAILY MEANS.

EXTRACTS OF TEMPERATURE.

RAIN AND MELTED SNOW.

APPROXIMATE DURATION IN HOURS.

DEPTH IN INCHES.

APPROXIMATE DURATION IN HOURS.

DEPTH IN INCHES.

APPROXIMATE DURATION IN HOURS.

DEPTH IN INCHES.

APPROXIMATE DURATION IN HOURS.

DEPTH IN INCHES.

APPROXIMATE DURATION IN HOURS.

GENERAL METEOROLOGICAL ABSTRACT,—JULY, 1856.

	Days	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW					
		Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Miles	Miles	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.
1	60.03	0.351	70	29.818	29.464	0.1	S 61 E	0.16	3.91	67.4	51.0	16.4								
2	60.18	.342	68	.660	.318	0.5	S 65 E	1.72	2.39	70.2	52.4	17.8								
3	73.52	.505	63	.421	28.917	0.3	N 72 W	3.57	5.70	87.0	60.0	27.0								
4	63.80	.394	68	.515	29.121	0.4	S 16 E	0.60	3.05	74.4	49.5	24.5								
5	66.82	.439	69	.445	.006	0.2	S 69 W	6.26	7.83	81.2	54.1	26.8								
6																				
7	58.78	.318	67	.641	.323	0.3	N 76 E	4.76	6.15	65.0	50.0	15.0								
8	63.73	.394	68	.642	.248	0.3	N 82 E	7.66	8.10	70.6	57.2	13.4								
9	63.83	.456	79	.660	.204	0.2	N 86 E	3.85	4.54	72.0	57.0	15.0								
10	67.33	.511	79	.631	.120	0.0	S 20 E	1.22	1.81	77.0	58.0	19.0								
11	70.57	.538	74	.458	28.920	0.2	S 83 E	3.81	4.01	78.8	62.2	16.6								
12	68.93	.560	82	.284	28.724	0.6	S 82 E	2.62	3.14	75.4	62.0	13.4								
13																				
14	73.73	.431	79	.528	28.897	0.9	S 33 W	3.12	4.05	84.8	66.0	18.8								
15	73.52	.516	67	.586	29.070	0.3	N 29 W	5.21	5.52	84.6	57.6	27.0								
16	76.50	.589	67	.631	.042	0.2	S 23 W	5.11	5.52	86.0	63.0	23.0								
17	81.77	.691	68	.471	28.780	0.4	S 51 W	7.40	8.38	96.6	69.6	27.0								
18	71.60	.423	57	.448	29.024	0.6	N 83 W	13.85	15.86	83.4	58.5	24.9								
19	65.90	.415	66	.579	.164	0.5	N 26 W	14.56	14.85	76.4	55.5	20.9								
20																				
21	66.07	.412	66	.805	.393	0.5	S 56 W	2.71	3.52	78.0	54.0	24.0								
22	69.90	.395	58	.804	.409	0.1	S 15 W	3.75	4.41	82.0	57.0	25.0								
23	71.38	.542	72	.778	.236	0.5	S 10 W	0.92	3.56	84.2	61.0	23.2								
24	75.82	.529	64	.759	.230	0.1	S 37 W	3.71	4.28	87.6	63.5	24.1								
25	76.78	.548	63	.662	.114	0.0	S 50 W	4.42	5.37	88.4	61.0	24.1								
26	79.80	.537	57	.617	.080	0.7	S 50 W	2.77	4.11	90.2	68.2	22.0								
27																				
28	74.70	.607	74	.614	.007	0.6	S 51 W	3.48	3.83	86.5	67.0	19.5								
29	70.97	.641	87	.432	28.791	0.6	S 12 W	3.73	4.14	80.2	63.0	17.2								
30	73.27	.487	63	.471	28.984	0.5	N 48 W	7.58	7.92	85.7	57.0	28.7								
31	67.97	.440	68	.603	29.163	0.7	S 54 E	2.01	4.03	80.0	57.0	23.0								
	69.90	0.489	69	29.591	29.102	0.4	N 79 W	1.57	5.84	80.36	59.04	21.32	1.120	9.8						

GENERAL METEOROLOGICAL ABSTRACT,—AUGUST, 1856.

Days.	DAILY MEANS.					WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW			
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	71°.20	0.485	67	29.639	29.154	0.2	S 70° E	Miles.	Miles.	3.11	5.00	82.2	57.6	24.6	
2	72.60	.559	73	.484	28.925	0.6	N 80° E	0.97	6.42	82.7	63.0	19.7	...	145	2.0	
3	67.17	.454	71	.616	29.162	0.4	N 8 E	3.50	5.69	78.8	58.0	20.8
4	67.17	.454	71	.616	29.162	0.4	S 14 E	1.21	4.38	77.0	55.5	21.5
5	70.63	.454	61	.646	.192	0.1	N 62 W	1.67	5.94	80.0	60.8	19.2
6	70.58	.459	64	.608	.149	0.2	N 12 W	2.67	7.36	79.6	57.0	22.6
7	66.50	.486	77	.436	28.950	0.7	N 83 W	3.43	5.69	73.2	59.0	14.2	.090	2.0
8	63.82	.444	77	.448	29.005	0.9	S 75 W	5.96	7.01	72.0	58.8	13.2	.035	0.2
9	64.77	.472	78	.562	.090	0.6	N 56 W	6.54	7.61	76.0	55.3	20.7
10	S 40 W	5.38	6.38	76.4	55.2	21.2	*	0.5
11	67.63	.379	61	.412	.033	0.3	N 83 W	7.16	7.81	81.0	55.5	25.5	.020	1.0
12	63.52	.450	78	.376	28.926	0.6	N 80 W	5.81	7.87	78.0	46.5	31.5	.040	0.5
13	63.67	.418	74	.405	28.987	0.3	S 85 W	1.49	4.63	75.2	52.8	22.4
14	63.10	.360	66	.525	29.165	0.1	N 59 W	5.76	9.31	78.4	50.2	28.2
15	59.88	.383	76	.625	.242	0.3	N 48 W	6.15	8.39	71.0	49.0	22.0	.050	1.0
16	60.73	.361	71	.707	.346	0.4	N 31 W	5.56	7.78	70.2	51.6	18.6	.085	0.5
17	S 33 W	3.18	5.00	74.6	55.0	19.6
18	62.17	.419	77	.509	.090	0.8	S 86 E	5.81	6.65	69.0	56.4	12.6
19	61.13	.462	88	.204	28.742	1.0	S 87 E	5.75	7.26	64.8	56.5	8.3	.405	12.2
20	64.27	.446	77	.218	28.772	0.7	N 34 W	15.22	15.92	74.2	57.0	17.2
21	62.52	.436	79	.411	28.975	0.5	N 3 W	5.11	6.86	68.5	53.0	15.5
22	65.18	.466	78	.528	29.062	0.4	S 28 W	2.56	4.90	75.4	56.2	19.2	.735	8.0
23	66.45	.516	82	.450	28.934	0.7	N 82 W	6.14	8.63	79.4	58.5	20.9
24	N 15 W	10.46	10.63	75.0	46.0	29.0	.020	0.5
25	50.88	.252	70	.636	29.384	0.6	N 11 W	8.98	9.09	60.5	41.5	19.0
26	56.58	.299	68	.743	.444	0.4	S 29 W	2.77	3.41	66.5	44.8	21.7
27	59.17	.374	77	.707	.333	0.3	S 1 W	2.32	2.80	71.5	45.0	26.5
28	63.88	.423	74	.505	.082	1.0	S 87 W	3.08	5.47	74.8	52.2	22.6	.055	0.2
29	57.73	.328	71	.501	.173	0.6	N 65 W	8.57	8.78	63.8	45.0	18.8
30	57.60	.304	66	.639	.335	0.0	N 68 W	4.13	6.60	68.0	45.0	23.0
31	N 1 E	8.32	8.62	68.2	43.4	24.8
	63.59	0.419	73	29.521	29.102	0.5	N 50° W	2.88	7.03	73.74	52.95	20.79	1.680	23.6

GENERAL METEOROLOGICAL ABSTRACT,—SEPTEMBER, 1856.

Days.	DAILY MEANS.				WIND.				EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW	
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Miles.	Miles.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.
1	53.87	0.295	74	29.959	29.664	0.0	East	4.66	6.22	63.2	41.5	21.7	:	:	:	:	:
2	56.37	.268	63	.903	.635	0.1	N 89 E	2.17	5.33	72.0	45.0	27.0	:	:	:	:	:
3	58.73	.335	70	.815	.480	0.2	S 69 E	3.91	4.46	69.0	46.2	22.8	:	:	:	:	:
4	63.47	.402	72	.820	.418	0.0	S 70 E	2.17	5.82	76.5	48.0	28.5	:	:	:	:	:
5	63.10	.493	87	.778	.284	1.0	S 20 E	1.64	3.07	70.0	55.0	15.0	0.210	8.7	:	:	:
6	68.55	.595	88	.721	.126	1.0	S 27 W	2.82	5.86	75.1	61.2	14.2	:	:	:	:	:
7
8	63.35	.454	81	.714	.260	0.4	S 52 W	5.65	5.99	78.4	51.5	26.9	:	:	:	:	:
9	66.35	.435	69	.603	.228	0.1	S 8 W	3.28	3.72	76.4	53.5	22.9	:	:	:	:	:
10	71.83	.646	86	.405	28.759	1.0	S 61 W	9.71	10.69	78.2	63.5	14.7	.725	2.8	:	:	:
11	64.70	.357	61	.475	29.118	0.2	N 60 W	12.41	13.10	73.5	44.0	29.5	:	:	:	:	:
12	57.50	.357	77	.521	.164	0.6	S 18 E	3.52	6.25	64.8	46.2	18.6	.225	3.0	:	:	:
13	59.53	.359	73	.485	.126	0.2	N 62 W	12.33	12.59	69.6	44.0	25.6	.020	0.3	:	:	:
14	S	2.63	4.21	68.5	44.0	24.5	:	:	:	:	:
15	60.82	.377	72	.564	.187	0.3	N 56 W	8.89	9.75	76.6	48.8	27.8	:	:	:	:	:
16	57.22	.330	72	.736	.406	0.6	S 57 W	1.24	5.57	65.6	47.4	18.2	:	:	:	:	:
17	60.62	.429	83	.543	.114	1.0	N 79 E	4.44	5.78	71.0	51.0	17.0	.640	3.2	:	:	:
18	60.27	.368	72	.404	.036	0.7	S 42 W	8.15	11.83	76.6	51.2	25.4	.050	2.0	:	:	:
19	57.28	.250	56	.557	.307	0.3	S 60 W	9.10	10.26	66.4	41.2	25.2	:	:	:	:	:
20	52.43	.248	66	.691	.443	0.4	N 62 W	6.28	6.72	62.0	38.0	24.0	:	:	:	:	:
21	N 28 W	1.93	3.97	58.8	35.2	23.6	.020	1.0	:	:	:
22	47.67	.210	74	.636	.396	0.4	N 33 W	1.15	4.12	56.9	35.0	21.9	:	:	:	:	:
23	47.37	.232	73	.536	.304	0.8	N 32 W	4.83	5.74	56.0	37.5	18.5	:	:	:	:	:
24	44.43	.218	76	.472	.255	0.2	N 48 W	6.26	6.59	53.2	37.0	16.2	.015	0.5	:	:	:
25	48.47	.260	77	.381	.121	0.6	S 35 W	6.11	6.33	57.0	39.0	18.8	*	0.1	:	:	:
26	52.65	.290	75	.477	.187	0.3	N 79 W	4.82	5.15	67.0	40.0	27.0	:	:	:	:	:
27	52.32	.285	74	.665	.380	0.7	S 18 E	1.52	4.34	61.4	41.2	20.2	:	:	:	:	:
28	S 59 E	2.77	8.48	64.4	46.6	17.8	.015	*	:	:	:
29	49.90	.307	87	.472	.165	1.0	S 30 W	1.57	1.57	54.0	42.0	12.0	1.195	13.9	:	:	:
30	46.98	.287	90	.205	28.918	1.0	S 84 W	5.05	5.58	53.4	38.0	15.4	.455	12.0	:	:	:
	57.15	0.351	75	29.600	29.249	0.5	S 79 W	1.98	6.53	66.69	45.66	21.03	4.105	55.0	:	:	:

GENERAL METEOROLOGICAL ABSTRACT,—OCTOBER, 1856.

DAYS.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW				
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	44.63	0.212	73	29.281	29.067	0.6	S 38° W	9.89	10.08	53.0	37.6	15.4
2	47.47	.217	68	.441	.224	0.6	S 50° W	8.24	9.59	55.0	37.0	18.0
3	48.53	.217	66	.738	.521	0.2	S 47° W	3.68	4.79	59.5	36.8	22.7
4	50.95	.285	78	.783	.499	0.2	N 71° E	2.83	3.01	59.2	40.0	19.2
5							S 58° W	2.52	4.11	66.0	39.4	26.6	*
6	54.78	.282	69	.809	.527	0.2	N 20° W	7.24	7.48	63.2	39.4	23.8
7	46.07	.249	81	.936	.689	0.1	N 73° E	2.37	2.73	53.2	37.2	16.0
8	49.67	.295	84	.849	.554	0.3	S 32° E	0.58	0.76	61.0	37.0	24.0
9	56.72	.337	77	.815	.478	0.1	S 62° E	0.59	0.82	71.4	43.2	28.2
10	54.83	.314	76	.767	.453	0.0	S 62° E	0.45	0.51	69.2	44.0	25.2
11	56.42	.281	65	.799	.518	0.4	N 19° W	7.96	9.13	67.4	43.5	23.9
12							S 79° E	0.86	1.08	58.2	42.8	15.4	.115	1.5
13	48.07	.223	65	.696	.473	0.6	S 20° E	12.49	13.51	59.5	31.0	28.5	*
14	36.32	.119	55	30.020	.901	0.2	N 10° E	9.74	9.96	41.4	26.0	15.4
15	35.17	.140	69	30.132	.992	0.0	N 43° W	0.22	2.50	15.5	25.5	20.0
16	38.57	.177	75	29.962	.785	0.0	S 83° W	1.49	3.48	49.5	25.0	24.5
17	44.90	.218	83	.790	.542	0.8	N 49° E	5.83	6.40	56.0	33.5	22.5	.365	9.0
18	47.05	.291	91	.614	.353	1.0	N 32° W	3.47	4.46	48.8	42.4	6.4	.225	10.0
19							S 60° W	0.72	0.77	51.2	35.0	19.2	.010	*
20	44.05	.267	93	.917	.650	0.6	S 33° W	0.04	0.04	54.6	35.6	19.0
21	46.70	.283	89	.789	.506	0.1	N 66° W	0.13	0.11	51.6	35.4	19.2
22	55.17	.366	85	.561	.195	1.0	N 25° W	4.40	4.63	61.2	43.0	18.2	.025	0.3
23	40.97	.167	64	.755	.588	0.3	N 23° W	9.82	10.10	46.0	23.0	23.0
24	31.52	.121	69	.951	.830	0.3	N 83° W	3.28	4.36	39.2	23.8	15.4
25	40.60	.167	67	.741	.573	0.6	S 82° E	7.64	7.68	44.7	33.0	11.7	.010	1.0
26							S 32° W	1.85	2.45	53.0	35.0	18.0
27	45.47	.281	93	.420	.139	1.0	S 51° W	4.38	7.39	48.0	35.8	12.2	.105	6.0
28	41.90	.176	68	.384	.208	0.6	S 73° W	15.12	15.17	47.2	35.0	12.2
29	45.45	.233	78	.405	.172	1.0	S 43° W	9.33	11.45	51.4	38.5	12.9	.020	*
30	38.22	.166	72	.302	.136	0.8	S 76° W	18.99	14.17	43.2	28.8	14.4	*
31	34.13	.132	68	.397	.265	0.7	S 75° W	13.99	14.89	40.8	28.5	12.3	0.1	1.5	.010	1.5
	45.34	0.231	75	29.707	29.475	0.5	N 76° W	2.15	6.07	54.04	35.22	18.82	0.875	27.8	0.1	1.5	0.885	29.3

GENERAL METEOROLOGICAL ABSTRACT,—NOVEMBER, 1856.

Days	DAILY MEANS.					WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW			
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1 44.05	0.200	69	29.191	28.991	0.7	S 54 W	9.42	10.75	56.0	38.2	17.8	
2	S 40 W	2.20	3.74	52.5	40.2	12.3	0.175	6.0	
3 48.98	.314	92	.418	29.174	1.0	N S E	3.88	3.93	52.0	45.0	7.0	.205	7.0	0.175	6.0	
4 46.02	.256	76	.178	28.922	0.8	S 78 W	14.96	20.93	56.4	24.0	32.4	
5 27.92	.098	64	.822	29.724	0.6	N 65 W	10.49	10.95	34.2	18.8	15.4	
6 35.43	.157	75	.925	.768	0.7	S 5 W	8.36	8.70	43.0	20.8	22.2	
7 47.72	.251	77	.694	.443	1.0	S 1 E	6.17	6.59	53.0	39.4	13.6	.180	4.0	
8 39.32	.204	78	.631	.427	0.6	S 86 W	10.77	13.85	53.2	25.8	27.4	.045	5.0	
9	N 76 W	5.33	5.64	33.0	24.0	9.0	*	*	
10 33.15	.133	70	.874	.740	1.0	S 33 E	5.05	6.37	40.0	23.5	16.5	
11 40.35	.187	76	.781	.594	1.0	S 72 W	2.42	3.74	44.2	34.0	10.2	
12 38.70	.171	73	.861	.690	0.9	N 69 W	8.82	9.05	44.6	30.0	14.6	
13 36.03	.187	89	.789	.602	1.0	N 88 E	3.00	5.48	39.0	30.0	9.0	.290	5.6	0.1	0.5	3.8	340 9.4	
14 35.67	.171	83	.719	.548	0.9	N 6 E	9.74	10.78	39.2	23.0	16.2	.055	0.3	0.5	5.5	105 5.8	...	
15 33.70	.153	78	.558	.404	0.5	S 25 W	6.61	8.22	41.2	22.0	19.2	.015	0.2	0.15	0.2	
16	S 89 W	9.73	10.58	43.8	25.5	18.3	0.6	2.0	
17 29.77	.133	81	.512	.379	0.9	N 65 W	10.91	11.08	33.5	25.0	8.5	0.1	1.5	
18 32.95	.143	76	.764	.622	0.8	N 74 W	8.73	9.05	37.0	25.0	12.0	
19 32.03	.136	76	.888	.753	0.5	N 88 W	0.12	1.33	42.0	24.0	18.0	
20 34.85	.160	79	.972	.812	1.0	N 80 E	5.73	5.79	37.8	31.7	6.1	
21 41.55	.219	83	.515	.296	1.0	S 55 E	6.83	16.54	49.2	34.0	15.2	.195	3.7	
22 39.68	.171	70	.693	.522	0.7	S 62 W	10.07	10.09	45.0	27.0	18.0	195	3.7	
23	N 67 E	4.89	5.33	42.4	30.2	12.2	
24 39.52	.192	80	.705	.513	0.8	N 10 E	0.78	1.07	45.4	31.0	14.4	
25 40.58	.228	91	.472	.244	1.0	N 83 E	9.46	13.53	45.2	37.0	8.2	.215	9.5	215	9.5	
26 41.87	.194	75	.505	.311	0.8	S 80 W	13.09	13.18	45.4	35.0	10.4	*	1.0	*	1.0	
27 35.20	.136	67	.590	.454	0.5	S 80 W	10.16	10.29	40.8	26.8	14.0	*	...	
28 33.13	.148	78	.574	.426	0.9	N 74 E	7.69	9.17	35.2	25.0	10.2	3.5	3.0	350 3.0	...	
29 26.57	.130	88	.348	.219	0.8	N 1 W	6.02	8.19	29.5	19.4	10.1	4.2	14.0	420 14.0	...	
30	N 72 W	7.32	8.71	36.8	27.0	9.8	*	*	*	*	
	37.39	0.179	78	29.642	29.463	0.8	S 85 W	2.95	8.75	43.02	28.74	14.27	1.375	42.3	9.5	30.2	2.325	72.5

GENERAL METEOROLOGICAL ABSTRACT,—DECEMBER, 1856.

Days.	DAILY MEANS.					WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW			
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Miles. Mean Velocity.	Miles. Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	
1	28.57	0.130	81	29.765	29.635	0.8	N 23 E	5.25	6.57	34.5°	17.5°	17.0	...	1.0	4.0	0.100	4.0	
2	26.72	.122	83	.511	.389	1.0	N 52 E	14.48	17.60	36.0	20.2	15.8	...	5.8	9.5	.580	9.5	
3	30.43	.139	79	28.910	28.771	0.9	S 79 W	16.56	21.01	37.8	21.0	16.8	*	0.2	1.5	.020	2.0	
4	26.55	.113	78	29.616	29.503	1.0	N 76 W	10.25	10.91	34.5	21.0	13.5	...	*	*	*	*	
5	24.93	.104	75	.818	.714	0.5	S 66 W	9.33	9.66	30.8	14.8	16.0	
6	23.45	.100	78	.814	.714	0.4	S 71 W	14.27	14.28	29.7	19.4	10.3	
7	S 77 W	6.95	8.11	27.6	13.0	14.6	...	0.3	4.0	.030	4.0	
8	20.40	.096	83	.884	.788	0.6	N 48 W	3.77	4.18	25.2	13.4	11.8	...	0.1	3.0	.010	3.0	
9	25.73	.115	81	30.129	30.014	0.8	S 56 E	3.21	4.42	30.0	17.8	12.2	
10	31.47	.135	76	29.882	29.747	0.3	S 82 E	6.78	7.44	36.0	28.0	8.0	.330	1.5330	1.5	
11	37.80	.206	91	.229	.023	1.0	S 33 W	11.43	18.57	42.2	32.6	9.6	.855	9.3855	9.3	
12	33.38	.145	76	.548	.403	0.9	S 55 W	10.46	10.62	36.2	28.5	7.7	...	*	0.5	*	0.5	
13	34.05	.155	80	.731	.576	1.0	S 56 E	4.44	9.91	35.9	31.0	4.9	...	2.6	3.0	.260	3.0	
14	S 70 W	19.76	28.06	40.2	19.7	20.5	.465	5.0	0.4	4.0	.505	9.0
15	19.35	.083	76	.615	.533	0.8	N 75 W	8.87	9.67	21.0	17.7	3.3	...	0.1	2.5	.010	2.5	
16	18.00	.080	76	.740	.660	0.8	N 81 W	7.64	10.20	21.9	5.5	16.4	...	0.3	1.2	.030	1.2	
17	8.45	.048	84	30.097	30.049	0.4	N 15 W	8.17	8.27	9.2	—8.8	18.0	...	*	*	*	*	
18	-2.08	.040	86	30.419	30.379	0.4	N 52 E	7.41	9.77	15.4	—9.1	24.5	...	1.0	3.0	.100	3.0	
19	24.00	.112	82	29.855	29.743	1.0	S 67 E	13.82	14.72	38.0	15.4	22.6	.080	4.0	0.2	2.0	.100	6.0
20	29.85	.153	85	.392	.239	0.6	S 59 W	19.03	19.96	39.2	13.7	25.5	.060	5.0	*	1.5	.060	6.5
21	S 48 W	10.19	11.87	24.2	13.2	11.0	...	*	*	*	*	
22	18.45	.095	89	.492	.397	1.0	N 75 E	1.07	8.18	22.0	5.0	17.0	...	3.0	13.8	.300	13.8	
23	8.37	.057	83	.778	.721	0.2	N 33 W	9.21	9.38	12.4	0.5	11.9	
24	13.12	.070	83	.552	.482	0.5	N 62 W	16.19	16.34	18.0	6.0	12.0	
25	S 70 W	15.13	15.78	23.5	14.0	9.5	*	1.0	0.1	1.0	.010	2.0
26	25.60	.122	87	.677	.555	1.0	N 85 W	10.49	14.47	29.8	13.5	16.3	*	*	*	*	*	*
27	19.03	.094	87	.801	.707	0.9	N 7 E	8.37	9.42	24.2	14.9	9.3	...	0.5	3.0	.050	3.0	
28	S 62 W	2.27	10.49	32.0	19.0	13.0	*	0.1	1.0	.010	1.0	
29	26.33	.123	84	.622	.499	1.0	S 62 W	8.55	8.70	30.2	23.6	6.6	...	*	*	*	*	
30	24.13	.113	85	.730	.617	1.0	S 78 W	2.96	3.13	26.2	21.0	5.2	...	0.6	3.5	.060	3.5	
31	23.92	.117	89	.886	.769	0.9	North	5.22	6.70	27.0	19.0	8.0	...	*	*	*	*	
	22.88	0.110	82	29.711	29.601	0.8	S 87 W	4.62	11.56	28.74	15.55	13.19	1.790	26.3	16.3	62.0	3.420	88.3

GENERAL METEOROLOGICAL ABSTRACT,—JANUARY, 1857.

Date.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.		RAIN.		SNOW.		RAIN AND MELTED SNOW				
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	12.37	0.124	92	29.963	29.839	0.9 N 37 E	8.06	8.31	27.8	20.5	7.3	*	*	*	*	*	*
2	12.892	.145	89	.635	.490	1.0 S 57 E	9.23	9.86	35.8	22.0	13.8	*	*	*	*	*	*
3	12.77	.138	87	.355	.217	1.0 N 80 W	11.41	14.08	31.5	21.0	10.5	*	*	*	*	*	*
4						N 71 W	10.42	10.37	25.2	14.5	10.7	*	*	*	*	*	*
5	10.33	.066	85	.914	.848	0.7 N 19 W	7.65	7.79	17.0	7.5	24.2	*	*	*	*	*	*
6	1.42	.043	80	30.049	30.006	0.5 N 56 W	5.20	5.39	7.5	8.8	16.3	*	*	*	*	*	*
7	1.00	.042	81	29.942	29.900	0.6 N 63 W	12.85	13.64	16.4	11.8	28.2	*	*	*	*	*	*
8	0.42	.044	87	30.070	39.026	0.4 S 75 W	5.51	7.15	12.5	12.0	24.5	*	*	*	*	*	*
9	17.08	.088	88	29.593	29.505	1.0 S 58 W	13.80	13.86	21.5	11.5	10.0	*	*	*	*	*	*
10	20.38	.105	92	.280	.175	1.0 N 13 W	7.43	8.17	23.5	7.0	16.5	*	*	*	*	*	*
11						N 41 W	12.77	13.66	8.9	3.0	5.9	*	*	*	*	*	*
12	13.37	.077	90	.778	.701	0.8 S 62 W	10.45	10.52	17.0	7.5	9.5	*	*	*	*	*	*
13	18.40	.096	90	.536	.440	1.0 S 71 W	6.65	6.78	23.5	11.8	11.7	*	*	*	*	*	*
14	15.42	.082	86	.539	.457	0.9 N 16 W	9.32	9.38	20.5	3.0	23.5	*	*	*	*	*	*
15	2.32	.016	86	.961	.915	0.1 N 54 W	5.35	6.30	9.0	4.5	13.5	*	*	*	*	*	*
16	13.53	.081	92	.745	.664	0.9 S 58 W	14.42	15.08	21.2	4.2	17.0	*	*	*	*	*	*
17	1.60	.048	83	.836	.788	0.3 N 36 W	13.38	14.78	17.5	17.4	34.9	*	*	*	*	*	*
18						N 4 W	9.47	9.59	0.0	-18.0	18.0	*	*	*	*	*	*
19	9.78	.072	93	.665	.593	0.7 N 38 W	9.32	10.37	19.5	-3.2	22.7	*	*	*	*	*	*
20	16.43	.084	86	.431	.347	0.8 S 38 W	14.18	14.69	22.2	11.6	10.6	*	*	*	*	*	*
21	13.72	.078	86	.463	.385	0.7 N 83 W	13.66	15.87	22.0	-12.8	34.8	*	*	*	*	*	*
22	-14.38	.025	98	.734	.709	0.1 N 22 W	9.93	10.22	-11.2	-20.1	8.9	*	*	*	*	*	*
23	-9.18	.028	87	.822	.794	0.4 N 69 W	4.28	6.71	6.0	-17.0	23.0	*	*	*	*	*	*
24	5.07	.054	91	.690	.636	0.7 S 52 W	12.81	13.80	10.0	-5.0	15.0	*	*	*	*	*	*
25						N 87 W	9.31	9.63	12.2	-4.5	16.7	*	*	*	*	*	*
26	16.82	.101	94	.844	.743	1.0 S 21 E	3.20	3.70	33.8	-1.2	35.0	*	*	*	*	*	*
27	25.27	.131	89	.885	.754	0.4 N 53 W	9.18	9.56	37.2	5.7	31.5	*	*	*	*	*	*
28	16.48	.089	88	30.046	.958	0.6 N 27 E	4.49	5.52	26.4	3.2	23.2	*	*	*	*	*	*
29	19.27	.094	86	29.904	.810	0.3 N 52 W	1.36	3.12	28.4	8.7	19.7	*	*	*	*	*	*
30	18.83	.099	91	.906	.807	1.0 N 80 E	15.28	16.01	27.0	13.5	13.5	*	*	*	*	*	*
31	28.28	.150	94	.291	.141	0.8 S 10 W	6.42	14.75	33.4	7.2	26.2	*	*	*	*	*	*
	12.75	.083	89	29.736	29.653	0.7 N 70° W	4.96	10.31	19.46	0.85	18.61	*	*	*	*	*	*
												6.5	21.8	87.8	2.180	94.3	

GENERAL METEOROLOGICAL ABSTRACT,—FEBRUARY, 1857.

Days.	DAILY MEANS.				WIND.			EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW		
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	
1	... °	S 64 W	Miles	Miles	11.8	-1.0	12.8	
2	3.72	.046	82	29.812	29.766	0.3	N 71 W	7.51	7.92	12.0	-5.9	17.9	
3	17.62	.089	81	.810	.721	0.8	S 66 E	5.40	7.01	33.1	1.1	32.0	
4	31.43	.153	86	.758	.606	1.0	N 20 E	6.19	8.61	38.2	26.0	12.2	
5	30.93	.171	98	.668	.497	1.0	N 76 E	6.23	7.08	43.0	25.6	17.4	0.750	14.8	2.0	4.5	
6	39.95	.222	91	.691	.469	1.0	N 71 E	2.39	3.07	43.8	36.0	7.8	.020	0.6	0.7	.200	
7	47.08	.239	75	.436	.197	0.9	S 7 E	8.17	8.78	51.3	40.2	11.1	.080	4.0770	
8	S 82 W	17.47	19.98	41.0	15.1	25.9	.090	3.0	
9	21.33	.088	74	30.109	30.021	0.6	S 22 W	16.28	17.80	28.2	14.4	13.8	...	0.5	1.5	.090	
10	6.72	.053	81	30.166	30.113	0.4	N 76 W	18.79	20.57	15.0	-2.0	17.0	1.0	.050	
11	4.38	.050	85	30.317	30.267	0.7	N 70 W	3.48	5.79	11.0	-4.5	15.5	
12	22.18	.112	86	30.067	29.955	0.9	S 58 E	8.57	11.50	37.2	8.4	28.8	1.0	*	
13	36.02	.152	72	29.787	.635	0.4	S 76 W	9.08	11.50	43.3	23.0	20.3	*	*	
14	31.83	.170	93	.775	.605	0.7	N 80 E	4.76	8.90	41.0	21.0	20.0	.055	2.4	
15	S 51 E	0.15	3.35	44.2	37.0	7.2	1.620	21.5055	
16	40.98	.248	97	.572	.324	1.0	S 7 E	1.10	1.11	44.8	35.0	9.8	.210	10.0	...	1.620	
17	44.35	.277	95	.528	.251	0.8	S 72 W	1.76	4.70	52.4	35.0	17.4	.005	0.1	...	21.5	
18	38.02	.197	87	.664	.467	0.9	N 10 W	7.11	8.06	43.2	26.5	16.7	.115	5.7	2.2	4.2	
19	28.17	.136	87	.786	.650	1.0	N 32 E	2.47	2.67	30.3	26.0	4.3	1.5	.335	
20	28.93	.143	88	.550	.407	1.0	N 38 E	10.58	14.35	32.5	25.0	7.5	.070	8.0	13.5	.150	
21	31.35	.148	84	.680	.531	0.7	S 72 W	6.40	7.69	37.8	27.2	10.6	...	5.0	5.4	.570	
22	S 30 W	12.48	12.63	35.5	31.5	4.0	
23	35.98	.179	86	.500	.321	0.5	S 41 W	4.91	5.23	45.0	30.5	14.5	
24	42.77	.219	80	.293	.074	0.8	S 37 W	8.15	10.30	52.2	33.5	18.7	.035	3.0035	
25	33.85	.155	78	.619	.464	0.3	N 85 W	17.83	18.31	42.0	21.8	20.2	
26	21.77	.088	72	30.045	.957	0.6	N 53 W	14.42	15.32	27.5	16.8	10.7	...	0.3	1.5	...	
27	22.72	.106	84	29.676	.570	0.9	S 87 W	3.31	9.21	29.8	15.5	14.3030	1.5	
28	22.57	.088	71	.358	.270	0.2	S 84 W	11.02	12.22	31.5	13.0	18.5	
	28.53	0.147	84	29.736	29.589	0.7	S 78 W	3.68	9.82	35.66	20.42	15.25	3.050	73.1	11.7	34.3	4.220
																107.4	

GENERAL METEOROLOGICAL ABSTRACT,—MARCH, 1857.

Days.	DAILY MEANS.					WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW			
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	3	N 25 W	13.28	16.2°	32.5	-4.5	37.0	...	2.5	12.5	0.250	12.5		
2	11.10	.045	90	29.834	29.789	0.1	N 42 W	11.58	11.64	8.6	-5.5	14.1	
3	16.48	.084	81	.570	.486	0.7	S 51 W	11.10	12.00	25.6	-2.8	28.4	...	0.2	4.0	.020	4.0	
4	28.08	.113	73	.589	.476	0.5	S 12 E	4.02	9.75	32.1	21.0	11.1	...	0.2	1.0	.020	1.0	
5	34.22	.172	87	.339	.167	1.0	S 75 W	6.39	12.73	38.8	17.5	21.3	...	0.2	1.5	.020	1.5	
6	17.53	.070	71	.411	.341	0.5	N 75 W	23.23	23.76	24.4	7.0	17.4	
7	12.25	.062	77	.791	.729	0.6	N 74 W	12.18	12.37	17.0	5.3	11.7	...	1.9	3.0	.190	3.0	
8	S 15 W	6.79	7.22	24.2	4.8	19.4	...	2.2	10.0	.220	10.0		
9	21.22	.106	86	.383	.277	0.7	N 61 W	13.20	16.23	31.8	1.2	30.6	...	*	0.3	*	0.3	
10	11.15	.070	87	.655	.585	0.3	S 58 W	6.19	6.88	21.6	0.9	20.7	...	0.1	1.5	.010	1.5	
11	18.33	.078	74	.644	.566	0.6	N 68 W	6.05	7.02	29.2	3.5	25.7	...	0.5	*	.195	1.0	
12	13.35	.059	71	.926	.867	0.0	West	9.55	10.67	24.0	4.0	20.0	...	3.0	10.0	.300	10.0	
13	24.83	.096	70	.804	.708	0.5	S 31 W	7.35	7.56	32.5	10.0	22.5	...	3.0	10.0	.300	10.0	
14	31.58	.123	71	.572	.449	0.6	N 83 W	7.39	7.96	39.4	15.5	23.9	...	0.2	1.5	.020	1.5	
15	S 18 E	0.92	1.30	32.4	16.2	16.2	
16	31.68	.154	86	.518	.364	0.7	S 48 W	2.82	3.07	38.5	27.5	11.0	...	0.5	*	.190	3.0	
17	33.72	.153	80	.627	.474	0.6	S 61 E	3.02	5.57	40.2	27.8	12.4	0.145	1.0	0.5	*	.195	1.0
18	37.37	.194	87	.380	.186	1.0	N 9 W	3.70	5.98	43.8	30.0	13.8	.090	4.2	*	*	.090	4.2
19	28.88	.141	89	.311	.170	1.0	N 35 W	23.01	23.35	32.1	23.0	9.1	...	3.0	10.0	.300	10.0	
20	31.68	.135	76	.472	.337	0.4	S 65 E	2.01	8.83	39.5	23.8	15.7	...	0.2	1.5	.020	1.5	
21	36.73	.153	72	.600	.447	0.5	N 86 W	12.98	13.22	44.4	29.0	15.4	...	0.2	1.5	.020	1.5	
22	N 81 E	8.64	9.06	44.0	29.0	15.0	*	*	*	*	
23	44.13	.195	70	.551	.356	0.9	N 74 W	4.50	7.17	57.6	34.2	23.4	...	0.1	1.3	.010	1.3	
24	36.33	.191	90	.514	.323	1.0	N 81 W	4.04	5.18	38.2	32.2	6.0	.100	5.9	*	0.5	.100	6.4
25	30.92	.134	77	.540	.406	0.8	N 46 W	20.66	21.10	34.5	27.5	7.0	...	0.1	1.3	.010	1.3	
26	32.20	.131	73	.653	.522	0.3	N 36 W	12.64	12.79	39.2	26.5	12.7	
27	34.60	.188	70	.623	.485	0.8	N 41 W	9.61	9.71	41.0	29.2	11.8	
28	36.58	.137	64	.639	.502	0.9	N 23 W	12.20	12.37	43.0	33.0	10.0	
29	N 30 W	13.44	13.59	42.2	28.8	13.4	
30	38.73	.120	54	.883	.763	0.0	49.8	28.0	21.8	
31	39.73	.161	67	.656	.495	0.6	50.6	28.0	22.6	
	27.82	0.124	77	29.596	29.472	0.6	N 63 W	6.63	10.81	35.25	17.79	17.46	0.335	11.1	11.3	48.6	1.465	59.7

GENERAL METEOROLOGICAL ABSTRACT,—APRIL, 1857.

DAYS.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW				
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	
1	26.68	0.118	77	29.491	29.372	0.6	N 26 W	22.36	23.03	42.5	10.0	32.5	*	1.0	0.3	3.0	0.030	4.0
2	20.35	.073	65	.933	.861	0.1	N 32 W	9.11	9.25	31.2	5.9	25.3
3	28.23	.117	75	.784	.667	0.4	S 51 E	3.12	5.61	36.8	18.5	18.3
4	43.40	.217	78	.548	.330	0.6	N 48 W	1.89	5.72	51.9	34.9	17.0	.020	*
5	S 77 W	3.65	9.44	47.0	31.0	16.0	.390	14.0	2.0	2.0	2.0	.020	*
6	26.90	.121	81	.179	.058	0.7	S 72 W	12.77	13.74	32.2	17.7	14.5	2.7	5.1	.590	16.0
7	27.65	.113	73	.632	.519	0.8	S 48 W	9.84	13.87	33.8	18.8	15.0	0.3	1.0	.270	5.1
8	35.60	.178	86	.608	.430	1.0	S 21 W	0.94	6.39	42.0	30.2	11.8	*	...	1.9	3.2	.030	1.0
9	34.82	.159	79	.735	.576	0.8	S 85 E	0.84	3.88	41.0	28.8	12.2190	3.2
10	N 36 E	3.04	7.27	42.8	30.2	12.6
11	36.00	.168	79	.465	.298	0.4	N 43 W	5.26	7.87	44.2	29.8	11.4
12	S 48 W	3.87	5.27	44.2	26.2	18.0
13	36.43	.156	73	.594	.438	0.5	N 65 E	4.20	5.55	44.4	27.5	16.9
14	38.55	.189	82	.233	.014	0.6	S 67 W	6.02	11.93	46.0	33.5	12.5	*	0.1	0.1
15	34.47	.161	82	28.996	28.835	0.6	S 62 W	14.80	15.48	37.8	28.8	9.0	0.5	4.5	.050	4.5
16	33.55	.158	83	29.272	29.114	0.8	S 54 W	8.75	10.11	38.8	27.4	11.4	0.2	5.0	.020	5.0
17	33.17	.122	65	.593	.471	0.2	S 55 W	6.03	10.53	40.6	26.0	14.6
18	35.83	.152	72	.522	.371	0.9	N 73 E	7.36	8.26	40.5	27.2	13.3	*	3.0	*	3.0
19	N 53 W	2.36	7.51	37.8	27.8	10.0	.565	9.0	1.8	6.5	.745	15.5
20	35.17	.147	73	.489	.342	1.0	N 32 W	20.36	20.52	42.0	28.0	14.0	1.5	7.5	.150	7.5
21	38.45	.194	84	.362	.168	0.7	N 9 W	6.07	8.11	47.4	32.6	14.8	.095	2.0	0.2	0.6	.115	2.6
22	42.58	.163	61	.462	.298	0.2	N 21 W	12.64	12.83	51.0	33.0	18.0
23	39.15	.165	70	.537	.372	0.6	N 30 W	12.38	12.61	48.6	32.2	16.4
24	40.10	.171	69	.588	.417	0.4	N 76 W	3.63	6.57	49.8	29.0	20.8
25	39.55	.159	66	.614	.455	0.2	N 52 W	9.30	9.85	52.0	27.5	24.5
26	S 86 E	5.07	7.83	44.5	32.0	12.5	.670	9.0	1.5	3.5	.820	12.5
27	39.27	.196	83	.221	.025	0.9	S 86 W	15.84	19.09	44.6	32.2	12.4	.015	1.5015	1.5
28	37.93	.166	73	.606	.500	0.1	N 62 W	11.77	12.14	48.0	27.2	20.8
29	39.50	.172	69	.840	.669	0.2	N 85 W	0.87	6.49	50.0	30.2	19.8
30	40.55	.158	64	.884	.726	0.3	N 80 E	10.28	10.60	47.5	33.2	14.3
	35.36	0.156	74	29.530	29.374	0.5	N 60 W	4.15	10.24	43.36	27.24	16.12	1.755	89.6	12.9	41.9	3.045	81.5

GENERAL METEOROLOGICAL ABSTRACT,—MAY, 1857.

DAYS.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.		RAIN.		SNOW.		RAIN AND MELTED SNOW						
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Clauded Sky.	Resultant Direction.	Miles.	Miles.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.			
1	43.42	0.231	83	29.566	29.335	1.0 S 78 E	5.11	5.50	48.4	38.8	9.6	0.315	13.8	0.315	13.8				
2	41.23	.226	88	.489	.263	1.0 N 38 W	8.13	8.93	46.4	35.0	11.4	.120	7.0	.120	7.0				
3						1.0 S 54 E	2.49	5.39	48.8	36.0	12.8								
4	41.62	.228	87	.466	.239	1.0 N 53 E	12.96	13.27	45.2	37.8	7.4	1.375	19.2	1.375	19.2				
5	43.75	.265	94	.255	.020	1.0 N 46 W	0.11	4.61	50.2	37.8	12.4	.245	20.0	.245	20.0				
6	40.82	.210	83	.520	.310	1.0 N 75 W	4.53	5.16	44.7	31.5	10.2	*	2.5	*	2.5				
7	43.52	.227	81	.688	.461	0.5 S 9 E	1.20	3.44	53.0	34.4	18.6	.020	0.4	.020	0.4				
8	46.48	.216	69	.775	.559	0.3 N 85 E	4.85	5.42	54.2	37.2	17.0								
9	55.73	.329	75	.446	.117	0.9 S 16 W	8.06	9.97	67.8	41.5	26.3	.315	3.6	.315	3.6				
10						N 58 W	20.65	22.39	53.0	27.8	25.2								
11	31.95	.134	71	.820	.686	0.6 N 19 E	3.15	8.65	38.0	26.0	12.0								
12	39.72	.161	67	.819	.688	0.0 S 28 E	1.22	4.73	49.0	31.5	17.5								
13	45.40	.175	60	.749	.571	0.2 N 70 E	1.34	6.36	53.2	34.5	18.7								
14	46.25	.220	71	.353	.433	1.0 N 68 E	16.98	17.25	50.4	41.8	8.6	.250	7.0	.250	7.0				
15	45.57	.254	84	.304	.050	1.0 N 53 W	1.62	9.64	49.0	39.0	10.0	.305	7.0	.305	7.0				
16	43.22	.216	77	.528	.312	0.6 N 78 W	13.85	15.09	58.2	33.1	21.8	.110	0.7	.140	0.7				
17						N 62 W	6.07	7.06	50.4	33.2	17.2								
18	47.35	.235	73	.776	.541	0.2 N 53 E	6.48	8.59	54.2	39.2	15.0								
19	52.37	.227	58	.690	.463	0.7 N 32 E	9.51	11.85	60.0	43.0	16.0								
20	48.65	.212	65	.623	.411	0.5 N 12 E	5.35	8.89	62.0	39.5	26.5								
21	59.68	.271	55	.547	.275	0.3 N 38 W	10.46	11.11	71.8	45.0	26.8								
22	56.28	.328	71	.487	.159	0.5 S 22 W	3.80	6.0	68.0	45.8	22.2								
23	60.18	.293	57	.491	.198	0.2 S 19 W	2.24	4.71	72.5	46.0	26.5								
24						S 22 E	2.52	3.43	69.8	50.0	19.8								
25	63.85	.360	63	.464	.104	0.2 S 32 W	5.06	6.16	74.8	51.5	23.3								
26	59.83	.371	75	.455	.084	0.7 S 77 E	4.21	5.31	68.2	53.6	14.6	*	*	*	*				
27	55.15	.331	77	.365	.034	0.6 S 10 W	6.30	6.81	67.0	47.7	19.3	.220	1.0	.220	1.0				
28	52.15	.312	82	.281	28.969	0.6 S 20 W	6.73	7.95	66.5	44.0	22.5	.295	5.0	.295	5.0				
29	51.42	.275	74	.367	29.092	0.9 S 78 W	7.64	8.10	56.2	45.0	11.2								
30	54.78	.292	70	.533	.241	0.6 S 60 E	1.50	2.78	61.5	48.8	12.7	.135	5.8	.135	5.8				
31						N 74 E	7.28	7.38	60.0	51.0	9.0	.080	1.8	.080	1.8				
	°	8.87	0.254	74	29.535	29.282	0.6	N 23 W	1.11	8.13	57.17	40.24	16.94	4.145	94.8	*	0.5	4.145	95.3

GENERAL METEOROLOGICAL ABSTRACT,—JUNE, 1857.

DAYS.	DAILY MEANS.					WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW	
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Miles.	Miles.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in inches.	Approximate duration in hours.	Depth in inches.
1	57.62	0.391	84	29.237	28.846	0.7	S 19 W	2.73	3.62	66.5	49.5	17.0	0.110	4.8	:	:
2	52.83	.284	72	.258	28.974	0.9	S 65 W	6.96	7.14	59.8	46.5	13.3	.025	1.0	:	:
3	53.02	.319	81	.292	28.973	0.8	S 88 W	5.30	7.21	65.0	42.2	22.8	.440	4.0	:	:
4	49.10	.220	64	.516	29.326	0.6	N 75 W	5.46	7.85	58.0	35.0	23.0	:	:
5	48.35	.215	64	.581	.366	0.4	N 77 W	6.52	7.06	59.0	40.0	19.0	.010	1.0	:	:
6	55.03	.260	63	.403	.143	0.9	S 71 W	7.29	8.07	68.2	43.8	24.4	.080	1.7	:	:
7	55.38	.380	88	.419	.039	1.0	N 77 E	5.39	6.08	62.5	48.8	13.7	*	0.5	:	:
8	55.08	.397	93	.528	.131	1.0	S 79 E	2.36	3.45	60.0	51.2	8.8	.035	0.7	:	:
10	60.48	.449	87	.409	28.960	0.8	N 80 E	2.96	6.64	69.2	55.0	14.2	:	:
11	57.32	.363	78	.022	28.659	0.7	N 48 W	13.18	15.41	64.4	47.2	17.2	.605	9.5	:	:
12	57.08	.365	79	.145	28.780	0.7	S 39 W	5.16	6.52	66.0	50.0	16.0	.230	1.2	:	:
13	60.97	.332	65	.330	28.998	0.3	N 78 W	9.17	10.87	72.2	50.0	22.2	*	0.1	:	:
14	S 85 W	2.11	6.23	67.5	46.0	21.5	:	:
15	54.45	.288	69	.655	29.367	1.0	N 70 E	8.31	8.54	60.0	49.0	11.0	.030	1.2	:	:
16	52.67	.322	83	.472	.150	1.0	N 75 E	17.21	7.22	56.5	48.9	7.6	.195	6.3	:	:
17	54.85	.383	90	.395	.013	0.9	N 75 E	7.77	8.00	63.2	48.0	15.2	.005	1.5	:	:
18	55.03	.398	91	.339	28.951	0.9	S 66 E	3.61	6.24	61.2	47.0	14.2	.085	4.0	:	:
19	55.83	.353	81	.339	28.986	0.4	S 8 W	10.00	10.18	64.5	46.5	18.0	:	:
20	53.58	.362	90	.396	29.034	0.8	S 89 E	3.60	4.03	60.0	49.0	11.0	.880	6.5	:	:
21	S 22 E	1.10	4.50	65.8	51.8	14.0	.115	2.5	:	:
22	55.25	.372	87	.411	.039	1.0	N 31 W	13.70	14.52	60.0	46.6	13.4	.395	7.3	:	:
23	56.83	.316	71	.617	.301	0.3	N 62 W	5.67	6.75	67.0	46.2	20.8	:	:
24	58.98	.338	69	.661	.323	0.4	S 75 W	2.52	4.50	68.0	47.0	21.0	:	:
25	64.32	.395	68	.637	.242	0.3	S 69 W	3.04	5.16	75.6	52.5	23.1	:	:
26	68.42	.422	63	.632	.210	0.1	S 20 W	1.30	2.95	75.8	60.5	15.3	.105	0.2	:	:
27	66.47	.501	80	.595	.094	0.6	N 72 E	1.92	3.58 ^b	75.5	60.0	15.5	:	:
28	N 67 E	2.47	4.41	76.0	58.5	17.5	.265	3.0	:	:
29	61.52	.457	77	.394	28.937	0.6	N 36 W	10.45	10.86	73.8	53.5	20.3	1.070	7.0	:	:
30	56.43	.307	69	.381	29.074	0.6	S 82 W	8.12	9.60	63.8	50.6	13.2	:	:
	56.92	0.353	77	29.427	29.074	0.7	N 19 W	1.15	7.60	65.18	48.99	16.49	5.060	66.0	:	:

GENERAL METEOROLOGICAL ABSTRACT,—JULY, 1857.

	DAILY MEANS.				WIND.	EXTREMES OF TEMPERATURE.			RAIN.	SNOW.	RAIN AND MELTED SNOW.								
	Dars.	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.		Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.				Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	
1	54.65	0.360	86	29.496	29.137	1.0	N 66° E	13.92 14.08	60.7	51.0	9.7	0.030	2.1	:	:	:	:	:	:
2	56.45	.329	74	.704	.375	0.6	N 76 E	6.06	6.15	62.5	47.0	15.5	*	0.1	:	:	:	:	:
3	61.68	.359	67	.610	.281	0.3	S 53 W	1.45	3.93	69.8	53.2	16.6	:	:	:	:	:	:	:
4	63.82	.451	78	.687	.236	0.1	S 74 W	2.73	5.48	75.8	50.8	24.4	:	:	:	:	:	:	:
5							S 50 W	1.81	3.41	73.0	54.0	19.0	*	0.2					
6	64.12	.403	70	.701	.299	0.3	S 69 E	2.64	2.69	73.4	56.0	17.1	:	:					
7	67.78	.537	82	.604	.067	0.9	N 60 W	3.21	7.11	78.5	57.8	20.7	.215	0.6					
8	64.92	.424	70	.735	.311	0.4	S 27 W	1.41	4.71	72.2	53.4	18.8	:	:					
9	66.42	.370	59	.823	.453	0.0	N 57 E	3.97	5.15	75.2	58.0	17.2	:	:					
10	68.50	.463	68	.814	.352	0.0	S 41 E	1.91	2.68	78.0	58.0	20.0	:	:					
11	72.77	.596	77	.767	.171	0.3	S 13 W	1.76	2.43	83.2	63.5	19.7	:	:					
12							S 26 W	1.59	2.45	86.2	64.5	21.7	:	:					
13	76.43	.649	74	.614	28.965	0.0	S 25 E	2.88	3.05	86.6	64.4	22.2	:	:					
14	75.05	.629	75	.536	28.907	0.2	S 74 E	2.10	2.85	83.0	65.0	18.0	*	*					
15	73.83	.609	76	.526	28.917	0.5	S 65 E	0.37	1.57	83.0	66.2	16.8	.515	3.5					
16	71.15	.618	84	.546	28.928	0.6	N 88 E	1.91	2.45	78.6	63.5	15.1	*	0.1					
17	72.90	.657	84	.540	28.883	0.5	S 70 E	1.36	1.50	80.8	64.7	16.1	*	0.1					
18	76.25	.679	78	.467	28.788	0.5	S 14 W	2.65	2.93	85.4	65.0	20.4	:	:					
19							S 41 W	4.78	7.50	85.0	62.8	22.2	.050	3.5					
20	67.40	.533	82	.282	28.749	0.7	N 31 W	2.52	5.07	78.2	59.2	19.0	.330	4.5					
21	64.77	.475	80	.308	28.833	0.5	N 81 W	3.28	5.94	73.0	59.0	14.0	.065	2.0					
22	65.50	.488	80	.437	28.949	0.7	N 81 E	4.22	5.08	73.5	59.0	14.5	:	:					
23	65.93	.533	86	.550	29.017	1.0	N 23 E	6.75	7.38	70.0	61.8	8.2	.655	10.0					
24	65.22	.551	91	.553	.002	0.7	S 9 W	1.81	3.38	71.4	57.2	14.2	.115	7.0					
25	69.73	.605	85	.719	.114	0.1	S 10 E	3.05	3.25	78.5	61.0	17.5	:	:					
26							S 61 E	2.78	3.29	81.5	62.0	19.5	:	:					
27	76.15	.700	81	.567	28.867	0.5	S 21 W	8.07	8.61	84.5	68.0	16.5	:	:					
28	68.33	.523	77	.539	29.016	0.6	N 48 W	8.35	9.05	74.2	56.0	18.2	.240	2.5					
29	67.37	.477	73	.710	.233	0.5	S 79 E	3.12	4.37	73.0	60.9	12.1	:	:					
30	67.25	.512	79	.577	.064	0.7	N 79 E	4.58	4.74	73.5	62.0	11.5	:	:					
31	65.27	.521	86	.445	28.924	0.3	S 87 W	2.93	4.66	78.8	54.0	24.8	1.260	7.0					
	67.76	0.520	78	29.588	29.068	0.5	S 68 E	0.81	4.74	76.79	59.32	17.47	3.475	43.2					

GENERAL METEOROLOGICAL ABSTRACT,—AUGUST, 1857.

DAYS.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW.		
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Couded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	65.60	0.437	72	29.487	29.050	0.5	N 76 W	4.84	5.62	75.8°	55.0°	20.8°
2	68.20	.483	73	.621	.138	0.2	S 86 W	3.31	4.74	78.4°	54.8°	23.6°
3	68.60	.555	82	.532	28.977	0.8	N 14 W	5.19	6.70	77.2°	59.8°	17.4°	0.20
5	66.85	.395	64	.593	29.198	0.2	N 15 W	4.02	7.82	77.4°	54.5°	22.9°
6	66.58	.468	74	.725	.257	0.0	N 63 E	1.95	2.87	76.6°	57.5°	19.1°
7	69.80	.519	75	.756	.237	0.4	S 64 E	2.51	2.85	80.0°	57.5°	22.5°
8	73.68	.530	67	.724	.204	0.1	N 25 W	5.04	7.94	85.2°	62.2°	23.0°	*
9	N 83 E	3.99	4.97	75.2°	59.8°	15.4°
10	67.43	.511	77	.362	28.850	0.7	S 83 W	2.33	5.37	74.4°	58.5°	15.9°
11	65.30	.367	61	.457	29.089	0.3	N 35 W	6.60	7.17	75.2°	52.0°	23.2°
12	63.25	.512	89	.575	.063	1.0	N 61 E	2.41	5.20	72.0°	55.2°	16.8°	.890	11.8	1.0	...
13	76.38	.698	80	.462	28.764	0.5	S 12 W	9.30	9.57	88.2°	69.0°	19.2°
14	70.17	.601	82	.482	28.881	0.9	N 73 W	1.45	6.89	83.0°	55.0°	28.0°	.810	1.5
15	62.78	.402	71	.628	29.226	0.4	N 44 W	4.81	7.58	74.4°	54.6°	19.8°
16	N 70 E	7.66	8.11	67.2°	56.0°	11.2°	1.110	9.5
17	59.43	.445	90	.607	.162	1.0	N 22 E	5.78	6.23	62.2°	55.5°	6.7°	.275	7.2
18	61.92	.392	73	.678	.286	0.3	S 46 E	2.41	4.42	68.3°	55.4°	12.7°	.210	4.3
19	61.63	.454	84	.615	.192	0.6	N 76 W	6.05	7.07	71.0°	52.5°	18.5°	.055	0.9
20	62.97	.347	64	.753	.406	0.1	N 41 W	7.52	7.87	71.5°	47.2°	24.3°
21	61.18	.406	77	.731	.325	0.6	S 46 E	5.51	7.2	69.2°	48.8°	20.4°	.125	3.0
22	63.95	.476	82	.327	28.851	0.9	S 5 W	8.82	10.05	71.4°	56.8°	14.6°	.145	5.5
23	N 75 W	10.63	12.92	71.0°	46.0°	25.0°	.150	4.5
24	57.93	.353	76	.701	29.318	0.0	S 67 W	4.33	5.67	70.8°	48.8°	22.0°
25	63.35	.448	79	.829	.381	0.2	S 25 W	5.74	5.87	73.2°	52.4°	20.8°
26	64.33	.436	76	.767	.331	0.2	East	2.96	3.52	75.0°	52.8°	22.2°
27	67.52	.568	87	.391	28.823	0.9	S 23 E	3.81	4.73	75.0°	61.0°	14.0°	.915	10.1
28	65.62	.492	81	.294	28.802	0.7	S 63 W	5.31	6.27	76.5°	56.5°	20.0°	.500	8.0
29	60.18	.396	78	.509	29.113	0.6	N 36 W	8.25	8.48	69.2°	48.0°	21.2°
30	S 67 W	4.27	4.83	72.0°	49.8°	22.2°
31	63.55	.454	80	.803	.349	0.0	S 12 W	4.17	4.30	74.6°	53.5°	21.1°
	65.31	0.467	77	29.594	29.127	0.5	N 77 W	1.51	6.36	74.45	54.95	19.50	5.265	67.3

GENERAL METEOROLOGICAL ABSTRACT,—SEPTEMBER, 1857.

Days.	DAILY MEANS.				WIND.		EXCUSES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW			
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Clouded Sky.	Miles	M.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	
1	65.30	0.488	81	.919	29.431	0.1	S 34° E	2.16	2.16	76.5	51.0	25.5	
2	66.67	.527	83	.915	28.88	0.3	S 55° E	1.32	2.71	76.2	57.5	18.7	
3	67.43	.496	77	.939	443	0.5	N 71° E	2.26	3.19	75.5	50.0	15.5	
4	67.83	.528	80	.852	324	0.3	S 15° E	0.50	0.58	77.8	57.8	20.0	
5	65.25	.513	83	.701	488	0.5	N 74° W	3.68	5.97	76.5	48.0	28.5	1.213	7.0
6
7	54.75	.265	64	.042	778	0.1	S 62° E	2.51	3.55	61.4	45.0	16.4
8	57.30	.311	75	.918	576	0.1	S 22° W	1.51	1.54	68.4	44.0	24.4
9	61.18	.423	80	.752	329	0.4	S 30° W	1.03	1.03	73.2	45.4	26.8
10	68.60	.558	82	.584	.026	0.3	S 45° W	5.55	5.59	79.0	55.5	23.5
11	70.92	.601	81	.616	.015	0.5	S 80° E	1.3	7.60	82.0	60.0	22.0	.002	0.5
12	63.45	.499	88	.627	.129	1.0	N 83° E	2.63	2.72	67.0	60.0	7.0
13
14	67.42	.559	84	.522	28.963	0.6	N 56° W	5.14	6.60	76.1	53.5	22.9	.135	2.5
15	59.63	.329	68	.759	29.430	0.1	N 35° W	9.87	10.23	68.5	50.0	18.5
16	57.75	.361	78	.739	.378	0.9	S 56° E	3.91	4.67	62.2	49.5	12.7	.225	5.0
17	63.80	.512	88	.382	28.870	0.7	N 50° W	6.52	8.01	75.0	51.8	23.2	.215	2.0
18	52.15	.275	72	.714	29.469	0.5	N 20° E	7.21	8.70	58.2	44.5	13.7
19	48.27	.273	82	.623	.350	1.0	N 36° E	9.38	10.70	52.6	45.4	7.2	.430	9.0
20
21	52.87	.277	70	.748	.471	0.5	S 45° E	4.48	5.37	59.0	40.2	18.8
22	52.45	.307	79	.145	.138	0.6	N 87° W	4.99	6.67	61.2	39.8	21.4	.210	4.0
23	48.63	.248	73	.485	.237	0.4	S 74° W	7.13	7.27	56.0	40.6	15.4	.015	0.5
24	56.25	.375	84	.595	.220	0.0	S 20° W	5.42	5.62	67.0	39.8	27.2
25	61.52	.411	77	.649	.238	0.0	S 29° W	5.08	6.56	70.2	51.5	18.7
26	57.50	.364	79	.805	.441	0.0	S 15° W	1.32	3.27	66.2	47.0	19.2
27
28	52.63	.309	78	.611	.301	0.8	N 78° W	12.31	13.11	61.5	36.5	28.0	.085	0.7
29	41.32	.178	71	.796	.618	0.4	N 37° W	6.86	7.09	48.8	34.1	14.7
30	43.73	.195	71	.743	.548	0.6	N 73° W	4.57	4.69	54.0	34.2	19.8	.010	0.2
	58.64	0.393	78	29.712	29.319	0.4	N 68° W	1.61	5.55	67.48	48.14	19.34	2.610	31.9

GENERAL METEOROLOGICAL ABSTRACT,—OCTOBER, 1857.

DAYS.	DAILY MEANS.					WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW			
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	
1	46.47	0.273	87	29.650	29.377	1.0	N 42° E	3.93	5.04	51.8	39.2	12.6	0.080	7.0	0.080	7.0		
2	43.98	.175	62	.856	.681	0.5	N 49° E	5.77	6.28	51.2	38.8	12.4		
3	47.17	.266	82	.947	.681	1.0	N 64° E	2.97	3.09	52.2	38.2	14.0		
4		
5	53.03	.349	87	.855	.506	0.7	S 25° E	0.79	0.99	60.2	41.0	16.2		
6	54.20	.310	83	.740	.400	0.2	N 29° W	6.19	6.53	64.0	42.0	22.0		
7	48.47	.274	82	.739	.465	0.0	S 16° W	1.27	2.46	58.2	37.8	20.4		
8	52.43	.311	81	.644	.333	0.1	S 51° W	1.79	2.62	63.8	37.6	26.2		
9	54.42	.354	85	.732	.378	0.9	N 52° E	1.33	1.36	60.2	15.0	15.2		
10	49.97	.268	76	.811	.543	0.0	N 72° E	5.90	6.09	54.8	40.0	14.8		
11	N 85° E	3.10	3.92	58.0	42.0	16.0		
12	57.03	.411	89	.692	.281	0.9	S 11° W	2.43	3.79	60.8	49.5	11.3	.385	7.5	0.080	7.0		
13	55.53	.353	81	.766	.413	0.4	N 27° E	2.72	4.23	61.8	40.0	21.8	.010	1.5	0.085	7.5		
14	50.47	.277	77	.714	.437	0.7	N 81° E	3.17	4.43	57.0	49.0	8.0	0.010	1.5		
15	50.63	.294	81	.414	.420	1.0	N 3° W	6.28	6.49	53.0	45.0	8.0	*	0.5	...	0.5		
16	46.18	.211	68	.374	.163	0.5	N 30° W	10.67	10.96	52.0	31.2	20.8		
17	45.03	.204	69	.616	.442	0.5	S 61° W	5.38	6.26	52.4	35.8	16.6		
18	S 29° W	2.50	4.96	49.5	40.0	9.5	.210	8.0	0.240	8.0		
19	46.32	.236	74	.466	.230	0.7	S 86° W	13.11	13.89	52.2	31.2	21.0	.055	4.0	0.055	4.0		
20	32.82	.122	66	.726	.604	0.5	N 61° W	16.71	17.01	39.5	26.5	13.0		
21	35.60	.143	71	.894	.750	0.2	N 75° W	6.55	6.61	45.0	26.8	18.2		
22	38.42	.192	82	.933	.741	0.5	N 79° E	2.59	4.10	46.8	27.4	19.4		
23	13.50	.236	85	.824	.588	0.8	S 37° E	2.60	3.59	51.0	38.2	12.8		
24	46.33	.283	91	.608	.325	1.0	N 63° E	4.30	4.41	49.3	41.2	8.1	.235	8.0	0.235	8.0		
25	N 11° W	13.08	13.60	19.6	38.6	11.0	.020	3.5	0.020	3.5		
26	39.77	.160	66	.478	.318	0.5	N 14° W	27.03	27.98	46.2	30.0	16.2		
27	37.67	.128	57	.378	.419	0.4	N 25° W	6.78	9.83	44.2	30.0	14.2		
28	36.13	.150	72	.539	.388	1.0	N 51° E	3.33	3.76	39.3	32.2	7.1	...	0.2	6.0	.020	6.0	
29	36.17	.183	85	.452	.269	1.0	N 36° E	1.61	1.62	38.8	30.0	8.8	...	*	5.0	*	5.0	
30	38.45	.182	79	.438	.256	0.7	S 84° W	0.61	1.97	45.0	29.5	15.5	*	0.5	...	*	0.5	
31	40.20	.192	78	.496	.304	0.9	S 88° W	3.59	5.18	45.5	35.8	9.7	.015	1.5	0.015	1.5	...	
	45.42	0.243	78	29.667	29.424	0.6	N 19° W	2.93	6.21	51.93	37.17	11.15	1.010	42.0	0.2	11.0	1.060	53.0

GENERAL METEOROLOGICAL ABSTRACT,—NOVEMBER, 1857.

DAYS.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.				RAIN.		SNOW.		RAIN AND MELTED SNOW.				
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	
1	33°	0.180	74	29.257	29.077	0.4	S 42° W	8.17	8.71	46.4	35.5	10.9	*	0.2	*	0.2	
2	39.92	.180	74	29.257	29.077	0.4	S 77° W	12.07	12.51	48.8	35.0	13.8	*	0.8	*	0.8	
3	38.22	.160	70	.535	.376	0.6	West	9.57	9.93	43.5	33.8	9.7	
4	39.15	.190	79	.675	.485	0.7	N 69° E	4.59	5.43	41.5	33.2	11.3	.005	0.4	
5	45.57	.275	90	.296	.021	0.8	S 61° E	3.44	10.08	54.0	38.8	15.2	.415	6.5005	0.4	
6	49.92	.200	57	.268	.067	0.7	S 64° W	7.38	8.42	58.0	36.4	21.6415	6.5	
7	42.70	.218	81	.493	.276	0.9	N 64° E	9.35	10.08	49.0	37.8	11.2	.145	9.0145	9.0	
8	S 85° E	4.17	8.83	58.2	45.0	13.2	.370	15.0370	15.0	
9	45.05	.275	91	.410	.135	1.0	S 67° W	8.17	8.62	50.4	33.2	17.2	1.020	18.0	1.020	18.0	
10	37.72	.144	64	.834	.690	0.3	S 55° W	9.58	9.82	43.4	30.0	13.4	
11	37.08	.144	67	30.032	.888	0.7	S 52° W	6.79	6.86	43.4	33.0	10.4	
12	39.75	.198	81	29.602	.404	1.0	S 46° W	6.42	7.34	44.0	33.0	11.0	.080	4.5030	4.5	
13	35.22	.139	67	.547	.408	0.8	N 77° W	9.41	11.88	39.0	21.5	17.5	
14	25.03	.091	65	.943	.852	0.1	N 32° W	7.03	7.25	30.0	20.5	9.5	
15	S 55° W	4.20	4.43	38.5	22.5	16.0	
16	33.02	.164	87	.504	.340	0.8	S 33° W	2.54	3.19	38.0	30.0	8.0	.145	3.0	0.7	5.5	.215	8.5	
17	34.97	.159	78	.131	28.971	0.8	S 52° W	12.06	12.15	36.8	31.2	5.6	.025	0.2025	0.2	
18	37.10	.148	67	28.880	28.732	0.7	S 21° W	7.10	10.39	42.4	31.5	10.9	.140	4.0140	4.0	
19	33.53	.168	84	28.671	28.503	0.8	S 45° W	16.18	19.80	44.0	17.0	27.0	.055	2.0	0.2	1.0	.075	3.0	
20	22.68	.101	80	28.953	28.853	0.6	S 57° W	19.59	19.63	27.0	17.2	9.8	0.5	5.0	.050	5.0	
21	27.75	.127	82	29.165	29.038	1.0	S 44° W	17.69	18.90	32.2	24.8	7.4	2.0	13.0	.200	13.0	
22	S 73° W	7.91	8.64	29.0	18.2	10.8	0.5	6.0	.050	6.0	
23	24.03	.109	81	.245	.136	0.6	N 75° W	7.42	9.59	29.5	13.2	16.3	2.5	8.5	.250	8.5	
24	14.25	.071	78	.579	.508	0.7	N 87° W	8.60	11.13	20.8	-3.0	23.8	0.5	2.5	.050	2.5	
25	11.00	.062	76	30.156	30.094	0.7	S 75° W	9.00	9.33	20.2	-3.5	23.7	*	0.2	*	0.2	
26	20.43	.086	76	30.191	30.105	0.4	S 64° W	6.89	6.99	26.2	15.4	10.8	
27	27.82	.121	77	30.075	29.954	0.3	S 42° W	3.88	4.00	35.4	15.5	19.9	
28	34.45	.151	75	30.015	.864	0.4	S 26° W	1.60	1.98	41.0	28.8	12.2	
29	N 67° E	7.22	7.44	41.5	33.8	7.7	.140	3.0	...	1.40	3.0	...	
30	42.07	.248	94	29.639	.891	1.0	S 29° E	1.05	4.03	43.0	37.2	5.8	.745	10.0745	10.0	
	33.34	0.157	77	29.524	29.367	0.7	S 61° W	5.45	9.25	39.94	26.55	13.39	3.285	76.6	6.9	43.2	3.925	119.8	

GENERAL METEOROLOGICAL ABSTRACT,—DECEMBER, 1857.

DAYS.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW				
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Miles. Mean.	Miles. Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	
1	36.35	0.168	78	29.729	29.561	0.7	S 52 W	3.68	38.6	30.0	8.6	*	
2	37.55	.167	74	.572	.405	0.8	S 64 W	7.68	9.13	41.5	30.2	11.3	
3	30.40	.116	68	.766	.650	0.8	N 85 W	12.14	12.29	32.3	24.8	7.5	
4	29.47	.121	74	.784	.663	0.6	S 76 E	0.64	4.76	32.4	24.0	8.4	
5	28.95	.134	83	.696	.562	1.0	N 77 E	12.23	12.39	33.9	26.5	7.4	
6	S 78 E	3.79	7.99	40.5	32.5	8.0	.325	12.0	0.4	3.0	3.0	
7	37.22	.178	81	.611	.433	0.4	S 61 W	3.13	4.15	43.8	33.5	10.3	.165	5.0	0.5	2.0	2.0	
8	39.75	.180	75	.677	.497	0.7	N 79 E	2.97	7.00	46.0	35.2	10.8	.190	3.5	
9	40.37	.220	88	.266	.046	0.9	S 63 W	1.63	11.65	42.5	35.0	7.5	1.055	15.5	
10	32.48	.135	72	.489	.355	0.8	S 88 W	11.81	13.16	37.2	20.8	16.4	
11	23.92	.103	78	30.014	.911	0.3	N 25 W	1.97	2.11	30.0	14.5	15.5	1.5	4.8	.150	
12	23.33	.107	83	30.179	30.072	0.1	S 74 W	1.74	1.92	30.7	15.0	15.7	
13	S 45 W	9.32	9.56	40.8	24.5	16.3	
14	37.68	.181	81	29.799	29.618	0.2	S 72 W	1.44	2.18	44.0	30.0	14.0	
15	36.85	.191	88	.913	.723	1.0	N 77 E	3.02	3.25	38.5	32.2	6.3	
16	33.87	.183	95	.838	.655	1.0	N 56 E	0.12	0.13	38.5	29.4	9.1	
17	35.15	.191	94	.608	.417	1.0	N 61 E	5.19	5.36	39.3	30.0	9.3	.530	8.2	
18	35.60	.182	86	.308	.126	1.0	N 54 W	13.12	7.42	40.5	25.8	14.7	.405	10.5	0.6	.530	8.2	
19	24.97	.104	76	.938	.834	0.9	N 52 W	7.63	7.70	27.0	21.2	5.8	...	*	0.6	.405	11.1	
20	S 36 W	1.44	1.56	31.0	24.0	7.0	*	*	*	
21	31.03	.146	83	.694	.548	0.7	N 46 E	2.24	2.96	37.0	23.0	14.0	3.5	6.5	.350	
22	31.43	.143	80	.293	.150	0.8	N 76 W	10.03	11.76	34.5	22.5	12.0	0.5	2.5	.050	
23	29.07	.118	72	.155	.036	0.8	S 74 W	15.69	16.52	33.4	23.2	10.2	
24	22.92	.091	71	.673	.582	0.7	N 58 W	6.55	6.96	29.8	10.2	19.6	
25	N 82 E	2.24	3.57	22.0	18.5	3.5	0.3	10.0	.080	
26	20.47	.085	75	.550	.465	1.0	N 8 W	4.14	5.29	23.2	4.8	18.4	0.5	7.3	.050	
27	S 17 W	9.35	11.54	34.5	4.7	29.8	...	*	0.5	*	0.5	
28	33.12	.150	79	.567	.417	0.8	S 58 W	2.34	2.46	38.4	21.2	17.2	
29	28.25	.125	79	.632	.508	0.6	N 13 E	2.48	3.28	34.6	22.0	12.6	0.3	2.0	.030	
30	35.50	.197	95	.248	.051	1.0	S 59 E	0.44	0.51	37.0	32.2	4.8	.535	9.5	0.5	6.0	.585	
31	32.57	.156	84	.088	28.932	0.6	S 74 W	8.94	9.76	35.0	28.8	6.2	0.5	4.0	.050	
	31.86	0.149	80	29.619	29.470	0.7	N 89 W	2.51	6.84	35.75	24.20	11.55	3.205	64.2	9.0	52.2	4.105	116.4

GENERAL METEOROLOGICAL ABSTRACTS.

GENERAL METEOROLOGICAL ABSTRACT,—JANUARY, 1858.

Days.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.		RAIN.		SNOW.		RAIN AND MELTED SNOW.				
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	29.48	0.125	77	29.535	29.410	0.5	N 81 W 4.40 5.47 35.4	24.2	11.2	0.1	2.5	0.010	2.5
2	27.77	.105	71	.694	.589	0.1	S 64 W 7.11 7.27 35.4	20.0	15.4
3	S 53 W 13.66 13.96	40.0	19.2	20.8
4	40.18	.170	68	.199	.029	0.4	S 50 W 7.08 7.17 34.4	34.0	10.4
5	29.97	.128	78	.493	.365	0.7	N 52 E 5.75 7.12 35.0	29.2	5.8	2.0	6.5	.200	6.5
6	20.53	.089	82	.505	.416	0.7	N 38 W 2.23 4.77 35.0	29.2	15.6	13.6
7	20.37	.078	71	30.055	.977	0.3	N 55 W 8.08 8.29 34.2	18.5	5.7	1.0	11.5	.100	11.5
8	21.25	.084	73	30.213	30.129	0.8	S 10 E 3.82 4.83 35.0	11.6	22.4
9	32.70	.121	65	29.712	29.591	0.4	S 63 W 7.13 7.67 38.2	21.0	17.2
10	N 85 E 8.60 8.71 36.7	14.2	25.5	0.517	7.5517	7.5
11	41.05	.205	79	.153	28.948	0.8	S 69 W 13.59 15.87 46.2	31.6	14.6	.090	5.0090	5.0
12	33.77	.129	68	.825	29.696	0.3	N 68 E 3.28 9.92 35.8	32.5	3.3
13	35.82	.148	70	.669	.521	0.2	S 81 W 5.49 9.12 42.0	28.8	13.2
14	31.90	.152	84	.931	.779	0.4	East 3.78 5.83 38.5	26.2	12.3
15	36.05	.175	82	.506	.331	1.0	S 83 E 8.42 8.58 38.2	31.0	7.2	.330	7.8	0.2	5.2	.350	13.0
16	32.32	.160	86	.314	.154	1.0	N 56 W 15.50 15.98 39.4	32.8	6.6
17	N 71 W 3.65 4.24 28.2	21.2	7.0	0.2	..	.020
18	28.98	.138	86	.678	.540	1.0	N 68 W 2.75 3.86 32.5	24.0	8.5	0.2	7.0	.020
19	27.27	.116	79	.734	.618	0.5	S 16 E 1.36 2.31 37.2	23.6	9.6	0.3	6.0	.030
20	29.17	.132	81	.807	.675	0.2	S 47 W 4.13 4.45 34.4	21.2	13.2
21	33.90	.143	74	.859	.716	0.0	S 50 W 2.46 5.10 42.4	25.0	17.4
22	21.30	.094	81	30.250	30.157	0.8	N 66 E 10.49 10.87 25.2	18.0	7.2
23	27.97	.126	82	30.091	29.965	0.5	N 57 E 2.68 2.77 34.0	15.8	18.2
24	S 79 E 1.77 1.85 38.8	27.0	11.8	.125	7.0125	..
25	41.80	.246	93	29.755	.509	1.0	N 76 E 1.22 1.22 45.0	35.5	9.5	.075	3.5075	..
26	42.82	.210	75	.385	.175	0.8	S 62 W 9.75 10.77 47.4	40.8	6.6	.015	2.5015	..
27	29.02	.121	75	.502	.381	0.8	N 32 W 7.53 7.72 33.4	29.8	3.6	* ..	1.5	*	* ..	1.5
28	23.55	.109	84	.455	.346	1.0	N 14 W 5.10 6.16 26.2	18.0	8.2	* ..	* ..	* ..	* ..	* ..	* ..
29	24.57	.101	76	.531	.431	1.0	N 25 W 12.03 12.89 25.8	23.2	2.6	* ..	* ..	* ..	* ..	* ..	* ..
30	17.37	.075	76	.706	.631	0.6	N 39 W 13.01 13.16 25.8	15.5	10.3	* ..	3.0	* ..	* ..	* ..	3.0
31	S 9 E 0.70 1.43 24.4	6.5	17.9	* ..	2.0	* ..	* ..	* ..	2.0
	30.03	0.134	78	29.675	29.541	0.6	N 71 W 2.33 7.40 35.27	23.73	11.54	1.152	33.3	4.0	45.2	1.552	78.5		

GENERAL METEOROLOGICAL ABSTRACT,—FEBRUARY, 1858.

Days.	DAILY MEANS.					WIND.			EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW			
	Temperature of the Air.	Pressure of Vapour.	Relative Illuminity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	
1	27.63	0.120	78	29.577	29.457	0.9	N 80° E	Miles.	15.63	16.08	32.8	16° 16.8	6.0	8.0	0.600	8.0	
2	31.97	.156	86	.137	28.981	1.0	S 70 W	Miles.	7.49	9.35	34.2	26.2	8.0	0.5	0.5	4.5	.050	5.0	
3	27.52	.129	82	.612	29.483	0.5	S 69 W	Miles.	11.67	12.00	33.0	28.4	4.6	...	0.5	1.0	.050	1.0	
4	15.40	.063	71	.743	.680	0.3	S 70 W	Miles.	4.21	4.29	25.5	9.8	15.7	
5	13.65	.058	64	.696	.638	0.9	S 75 W	Miles.	8.19	8.30	24.2	0.5	23.7	
6	24.57	.109	81	.697	.588	1.0	S 30 W	Miles.	8.46	9.75	32.2	15.0	17.2	...	0.4	2.0	.040	2.0	
7	S 82 W	Miles.	11.91	12.83	32.5	24.8	7.7	...	0.2	1.5	.020	1.5	
8	20.10	.083	77	.808	.725	1.0	N 16 W	Miles.	1.88	2.03	24.0	18.0	6.0	0.4	4.0	.040	4.0		
9	24.37	.148	89	.197	.079	1.0	S 72 E	Miles.	0.67	8.10	32.2	15.2	17.0	...	5.0	14.0	.500	14.0	
10	11.58	.062	82	.340	.278	0.7	S 86 W	Miles.	21.21	21.80	23.0	9.8	13.2	...	0.5	4.5	.050	4.5	
11	2.77	.043	88	.753	.710	0.7	S 76 W	Miles.	4.35	4.63	6.5	0.8	5.7	
12	11.80	.057	77	.867	.809	0.2	N 12 W	Miles.	2.87	5.57	21.4	-4.2	25.6	
13	9.67	.052	72	.804	.752	1.0	N 58 E	Miles.	16.68	17.28	15.2	3.2	12.0	...	6.0	17.0	.600	17.0	
14	N 8 E	Miles.	6.00	6.93	13.5	7.8	5.7	...	2.5	10.5	.250	10.5	
15	15.67	.067	76	.869	.802	0.4	N 66 W	Miles.	4.48	5.16	19.8	7.4	12.4	
16	7.52	.017	75	.843	.796	0.4	N 39 W	Miles.	12.10	12.26	14.2	11.0	3.2	
17	1.60	.037	73	.982	.945	0.2	N 50 W	Miles.	3.97	4.38	10.8	-7.3	18.1	
18	6.15	.039	67	.886	.817	0.8	N 3 E	Miles.	6.93	7.37	11.0	-0.8	11.8	
19	6.75	.050	84	.745	.684	0.9	N 44 E	Miles.	16.06	16.30	12.0	0.5	11.5	...	3.0	7.0	.300	7.0	
20	13.33	.068	84	.512	.414	0.8	N 84 W	Miles.	2.79	6.70	21.0	8.0	13.0	...	0.5	7.5	.050	7.5	
21	N 80 W	Miles.	9.79	11.97	27.2	8.8	18.4	...	0.2	3.5	.020	3.5	
22	12.43	.059	77	.822	.763	0.8	N 51 W	Miles.	3.40	3.64	30.1	10.2	9.9	
23	11.50	.060	77	.991	.931	0.6	S 60 W	Miles.	2.34	3.52	19.0	0.0	19.0	
24	20.55	.084	74	.598	.514	0.8	S 45 W	Miles.	9.04	9.61	27.5	4.5	23.0	...	0.1	3.0	.010	3.0	
25	26.48	.103	73	.520	.417	0.9	N 60 W	Miles.	6.44	7.18	32.1	19.2	13.2	...	0.1	
26	26.53	.109	73	.545	.436	0.2	S 26 W	Miles.	11.19	11.28	33.2	11.5	21.7	...	0.1	1.0	.010	1.0	
27	38.07	.152	66	.302	.150	0.7	S 70 W	Miles.	4.54	9.18	42.4	29.5	12.9	...	0.8	7.0	.080	7.0	
28	N 25 W	Miles.	7.14	7.55	34.2	30.0	4.2	
	16.98	0.080	77	29.660	29.580	0.7	N 72 W	Miles.	3.22	9.12	24.11	10.85	13.26	*	0.5	26.7	96.0	2.670	96.5

TORONTO METEOROLOGICAL OBSERVATIONS.

GENERAL METEOROLOGICAL ABSTRACT,—MARCH, 1858.

Days.	DAILY MEANS.					WIND.			EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW		
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Miles.	Miles.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.
1	18.28	0.074	74	29.490	29.416	0.9	N 44° W	12.93	13.25	25.5	21.0	4.5
2	7.92	.043	70	.518	.475	0.4	N 60 W	8.34	8.50	15.8	5.2	10.6
3	7.07	.050	79	.669	.619	0.5	N 69 W	6.76	7.22	17.8	0.5	17.3
4	4.98	.038	69	.915	.877	0.3	N 25 W	5.55	5.69	12.4	-4.8	17.2
5	2.12	.037	75	.918	.881	0.0	N 41 W	20.69	20.88	7.8	-5.5	13.3
6	9.73	.043	62	.631	.588	0.4	N 56 W	5.85	6.11	19.8	1.9	17.9
7	N 71 W	4.21	4.41	25.2	0.8	24.4
8	14.95	.062	73	.264	.202	0.5	N 53 W	4.28	5.01	23.0	2.5	20.5
9	17.32	.067	71	.173	.106	0.9	N 61 W	7.09	7.69	23.2	10.5	12.7
10	29.83	.119	72	.271	.152	0.5	S 22 W	5.65	6.83	39.3	16.8	22.5	0.015	1.8
11	33.60	.137	68	.387	.249	0.5	N 77 W	16.92	17.12	39.3	30.0	9.3
12	29.47	.090	57	.842	.752	0.3	S 88 W	8.58	10.09	42.2	16.8	25.1
13	28.58	.115	72	30.011	.896	0.7	S 72 E	3.34	3.96	32.9	21.4	11.5	.012	1.0
14	S 66 W	0.58	1.25	45.8	29.2	16.6	.305	2.0
15	37.00	.213	96	29.750	.537	1.0	N 80 E	1.72	1.72	39.2	37.0	2.2	.120	4.5
16	41.77	.253	95	.537	.284	1.0	N 81 E	0.01	0.01	48.2	34.0	14.2	.230	8.3
17	46.70	.275	86	.182	28.907	0.8	S 45 W	8.23	9.47	55.4	38.5	16.9	.078	2.0
18	43.12	.188	66	.549	29.361	0.6	N 86 W	14.35	14.60	47.8	42.2	5.6
19	34.88	.161	79	.970	.809	0.0	S 35 E	2.84	5.33	39.8	33.0	6.8
20	36.42	.163	76	.553	.389	0.7	N 84 E	6.62	7.55	46.0	29.0	17.0	.125	8.0
21	N 87 W	22.69	23.62	52.5	35.6	16.9	.010	1.5
22	32.07	.104	57	.636	.532	0.5	N 43 W	10.77	12.14	37.0	31.2	5.8
23	29.07	.112	70	.736	.624	0.1	S 74 E	3.06	3.67	34.8	18.4	16.4
24	33.78	.113	59	.720	.607	0.7	S 8 W	1.14	1.37	42.0	24.4	17.6	.020	1.0
25	39.22	.142	62	.458	.316	0.8	N 62 W	12.91	13.88	49.8	31.0	18.8	.002	1.4
26	32.37	.086	49	.686	.600	0.2	N 35 W	10.84	10.97	41.2	26.2	15.0
27	30.17	.117	69	.517	.400	0.9	N 33 E	3.78	4.61	41.0	27.7	13.3
28	N 49 W	8.47	8.91	47.2	29.0	18.2
29	41.52	.162	63	.735	.573	0.1	N 31 W	12.22	12.35	51.2	30.0	21.2
30	42.60	.115	41	.815	.700	0.0	N 23 W	8.57	9.65	53.2	34.8	18.4
31	43.27	.130	46	.798	.668	0.2	N 77 E	6.90	7.36	50.9	31.5	19.4
	28.44	0.119	69	29.620	29.501	0.5	N 58 W	5.45	8.56	37.01	21.93	15.08	0.917	31.5	0.2	11.0	0.937	42.5

GENERAL METEOROLOGICAL ABSTRACT,—APRIL, 1858.

Days.	DAILY MEANS.					WIND.		EXTREMES OF TEMPERATURE.			RAIN..		SNOW.		RAIN AND MELTED SNOW			
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	45.78	0.181	60	29.695	29.514	0.7	N 86° E	Miles 3.95	1.25	54.0	35.5	18.5
2	S 46 E	1.71	2.93	58.8	34.0	24.8
3	48.48	.200	59	.530	.330	0.6	N 78 E	5.70	6.10	57.0	33.8	23.2
4	S 23 E	1.86	7.57	61.6	43.0	18.6	.035	0.8
5	42.37	.147	54	.419	.272	0.7	S 87 W	12.42	14.79	53.2	35.5	17.7
6	30.83	.103	61	.792	.689	0.6	N 51 W	13.40	13.85	35.4	32.2	3.2
7	31.07	.092	53	.917	.825	0.1	S 45 E	0.34	5.56	40.0	21.8	18.2
8	36.73	.174	79	.529	.355	0.7	N 77 E	16.02	16.06	41.0	28.0	13.0	.055	4.5
9	48.53	.213	63	.271	.058	1.0	S 83 W	9.42	11.49	57.2	34.0	23.2	.010	2.0
10	42.52	.172	63	.673	.501	0.4	N 11 W	7.32	11.79	47.2	40.0	7.2
11	N 76 E	11.84	12.01	38.0	33.2	4.8
12	38.03	.172	75	.366	.194	1.0	N 76 E	22.55	22.57	38.6	34.2	4.4	.630	16.5
13	39.80	.229	93	.117	28.888	1.0	N 64 E	3.29	4.82	42.2	36.0	6.2	.185	15.0
14	44.42	.254	87	.138	28.884	0.7	S 12 W	2.29	3.28	50.8	36.8	14.0	.037	1.6
15	45.77	.223	73	.299	29.076	0.8	S 85 W	6.78	10.10	52.0	38.2	13.8	*	0.1
16	42.27	.129	53	.474	.345	0.2	S 86 W	6.32	9.00	53.5	33.5	20.0
17	38.65	.117	51	.681	.564	0.0	S 56 W	2.76	5.33	47.6	28.5	19.1
18	N 57 E	2.24	4.16	47.4	27.6	19.8
19	40.53	.141	56	.833	.692	1.0	N 80 E	17.46	17.51	42.2	36.8	5.4	.075	12.5
20	40.38	.236	94	.253	.017	1.0	N 46 E	6.67	11.88	44.0	38.2	5.8	.390	18.0
21	45.18	.204	68	.335	.132	0.9	N 84 W	9.79	10.00	51.0	39.0	12.0	.015	1.5
22	50.45	.270	74	.244	28.974	0.6	S 20 E	2.38	9.62	58.8	40.6	18.2	.095	3.0
23	40.25	.142	56	.450	29.309	1.0	N 84 W	15.51	15.58	44.2	39.8	4.4
24	32.40	.128	70	.601	.473	1.0	N 79 W	12.51	13.33	38.1	31.0	7.4	*	1.5	*	1.5
25	N 31 W	4.83	6.09	38.0	27.5	10.5	...	0.1	1.0
26	35.10	.121	60	.860	.739	0.1	S 1 E	2.96	6.59	41.2	26.5	14.7
27	38.40	.113	50	.751	.638	0.3	N 51 W	3.15	8.92	46.2	28.5	17.7
28	43.20	.148	54	.624	.476	0.1	N 59 W	6.81	9.19	55.0	33.5	21.5
29	43.15	.178	64	.363	.185	1.0	N 78 E	2.91	4.08	49.8	36.4	13.4	.165	5.3
30	52.13	.301	78	.253	28.919	0.6	N 43 W	7.31	8.23	65.2	41.0	24.2	*	*	*	*
	41.46	0.176	66	29.499	29.323	0.7	N 14 W	1.64	9.57	48.32	34.15	14.16	1.642	80.8	0.1	2.5	1.652	83.3

TORONTO METEOROLOGICAL OBSERVATIONS.

GENERAL METEOROLOGICAL ABSTRACT,—MAY, 1858.

DAYS.	DAILY MEANS.						WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW.			
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Miles.	Resultant Velocity.	Miles.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.
1	44.72	0.199	67	29.773	29.574	0.6	N 22° W	4.31	6.74	53.0	39.0	14.0
2	S 77° E	1.52	3.02	47.4	34.2	13.2
3	44.30	.110	39	30.029	.919	0.8	N 76° E	11.55	11.63	48.6	35.5	13.1
4	50.30	.253	69	29.647	.394	0.9	N 72° E	6.82	7.09	56.0	42.6	13.4	.085	6.0
5	51.08	.310	83	.439	.129	0.7	N 54° E	6.13	7.41	58.0	46.0	12.0	*	0.5
6	57.15	.228	51	.451	.222	0.5	North.	8.97	9.19	64.2	48.6	15.6
7	55.12	.227	53	.610	.413	0.1	S 13° E	1.52	3.21	63.0	50.8	12.2
8	53.52	.266	66	.581	.315	0.9	S 50° E	2.04	2.54	64.2	42.2	22.0	*	*
9	N 68° W	10.66	13.16	69.8	50.0	19.8
10	44.87	.158	53	.652	.494	1.0	S 84° E	3.48	5.78	51.0	38.1	12.9	.055	1.5
11	43.97	.243	84	.213	28.970	1.0	N 73° E	15.24	19.63	47.5	43.4	4.1	1.590	18.5
12	45.78	.234	76	.353	29.119	0.7	N 76° W	11.84	12.07	51.8	40.0	11.8	.082	4.5
13	49.70	.236	64	.747	.511	0.2	N 70° E	1.18	8.16	58.4	37.8	20.6
14	48.72	.226	65	.572	.346	0.5	N 67° E	8.28	9.03	53.4	43.0	10.4
15	50.15	.188	51	.591	.403	0.4	N 42° E	12.65	14.40	63.2	42.5	20.7
16	S 8° W	2.69	5.80	49.8	31.0	18.8
17	40.92	.217	85	.506	.289	1.0	N 69° E	11.37	11.97	42.8	36.8	6.0	1.540	12.0
18	44.28	.232	80	.628	.391	0.7	N 65° W	6.51	6.69	51.0	38.0	13.0
19	47.33	.208	64	.627	.419	0.8	N 15° W	3.30	6.53	51.4	34.0	17.4	.010	1.2
20	45.52	.211	79	.552	.311	0.7	N 65° W	10.13	10.67	55.0	39.0	16.0	.040	1.0
21	46.28	.170	54	.705	.535	0.3	N 49° W	13.08	13.55	55.0	37.5	17.5	*	0.5
22	49.15	.218	61	.837	.619	0.1	S 5° W	3.62	5.60	58.5	38.0	20.5
23	N 46° W	1.84	8.29	63.5	38.5	25.0	.160	8.5
24	55.63	.309	70	.899	.090	0.9	N 31° W	3.46	7.81	60.2	45.0	15.2
25	50.78	.277	75	.442	.165	1.0	N 76° E	18.18	18.19	54.0	48.5	5.5	1.050	14.5
26	45.38	.282	93	.331	.049	1.0	N 67° E	13.13	13.15	47.5	44.8	2.7	1.190	20.0
27	49.15	.281	81	.635	.354	1.0	N 70° E	10.00	10.08	52.8	42.0	10.8	*	1.0
28	50.70	.257	70	.780	.523	0.6	N 83° E	11.31	11.46	56.4	45.0	11.4
29	50.10	.255	71	.632	.378	0.8	East	11.08	11.37	53.8	45.8	8.0	.310	11.0
30	N 79° E	6.99	7.10	58.8	44.4	14.4	.105	2.0
31	56.77	.389	83	.420	.031	0.7	S 21° W	2.65	7.01	68.0	50.0	18.0	.150	1.0
	48.90	0.239	69	29.581	29.345	0.7	N 42° E	3.33	9.30	55.74	41.68	14.06	6.367	103.7

GENERAL METEOROLOGICAL ABSTRACT,—JUNE, 1858.

Days.	DAILY MEANS.					WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW			
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	61.05	0.308	60	29.683	29.376	0.2	S 82° W	Miles.	Miles.	72.2	48.8	23.4
2	62.68	.318	57	.806	.488	0.4	N 7 E	0.69	3.93	72.6	46.2	26.4
3	58.90	.300	61	.687	.387	0.6	N 74 E	8.51	8.61	64.5	54.9	9.6	0.155	3.0	8.0
4	63.95	.476	80	.303	28.827	0.7	S 59 W	5.06	8.53	73.2	50.8	22.4	.515	2.5
5	60.10	.855	68	.554	29.199	0.9	S 7 W	4.11	5.80	69.0	52.9	16.1	.185	2.7
6	S 58 W	2.35	4.96	68.0	48.5	19.5	.210	2.7	*	0.2
7	63.53	.348	58	.635	.287	0.7	S 62 W	5.43	11.19	74.0	52.9	21.1	*	0.2
8	58.58	.271	56	.821	.550	0.6	S 72 W	1.06	3.84	65.5	48.5	17.0
9	54.30	.315	75	.632	.317	1.0	N 75 E	6.82	6.92	56.8	52.0	4.8	.363	11.0
10	58.40	.418	85	.302	28.884	1.0	N 29 W	6.74	8.67	65.7	50.8	14.9	.785	9.5
11	55.85	.264	59	.607	29.343	0.9	N 1 W	9.12	9.27	62.0	52.9	9.1
12	53.08	.246	61	.602	.356	1.0	N 61 E	9.87	10.73	57.5	46.0	11.5	.325	5.5
13	N 29 W	8.22	8.40	55.2	47.0	8.2	.005	1.5
14	56.68	.320	69	.565	.245	0.0	S 7 W	4.22	4.45	65.5	42.5	23.0
15	58.25	.320	67	.542	.222	0.4	S 55 E	2.20	3.27	68.2	45.5	22.7
16	63.38	.411	71	.610	.199	0.7	S 17 W	2.04	2.23	71.8	50.0	21.8	*	0.1
17	68.62	.496	71	.669	.172	0.2	South	4.45	4.85	76.8	54.7	22.4
18	71.05	.555	73	.586	.031	0.2	S 18 W	5.15	5.22	70.8	55.8	24.0
19	73.72	.636	77	.580	28.944	0.6	S 51 W	2.21	3.98	81.9	63.7	18.2	*	0.1
20	S 49 W	2.41	4.36	83.5	61.2	19.3
21	71.60	.613	80	.587	28.974	0.2	N 71 E	2.21	4.69	81.1	64.6	16.5
22	70.42	.527	71	.696	29.169	0.1	S 87 E	4.28	4.59	76.2	60.2	16.0
23	72.70	.617	77	.691	.074	0.2	S 66 E	2.26	2.33	82.4	61.9	20.5
24	77.85	.692	73	.600	28.908	0.3	S 16 W	4.10	4.73	87.0	65.6	21.4
25	78.70	.736	75	.552	28.816	0.7	S 31 W	3.78	5.18	90.2	70.8	19.4
26	79.98	.760	75	.587	28.827	0.3	S 33 W	2.88	3.37	85.8	69.1	16.7	.450	2.7
27	N 71 W	1.39	2.82	86.4	69.8	16.6
28	77.08	.617	65	.622	29.005	0.1	N 71 W	2.36	4.95	85.2	66.6	18.6
29	77.20	.641	68	.590	28.949	0.1	N 52 E	1.27	3.15	84.6	65.6	19.0
30	72.30	.530	67	.641	29.110	0.2	N 87 E	5.64	6.17	75.7	69.4	6.3
:
	66.15	0.465	69	29.606	29.141	0.5	S 20 E	0.25	5.53	73.94	56.41	17.54	2.943	46.8

GENERAL METEOROLOGICAL ABSTRACT,—JULY, 1858.

DAYS.	DAILY MEANS.					WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW.			
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Miles.	Miles.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	62.10	0.326	58	29.633	29.308	0.9	N 67° E	7.87	7.91	67.5	60.0	7.5	*	1.0
2	66.45	.448	69	.469	.021	0.4	N 83 E	4.12	4.26	71.2	60.2	11.0	.087	2.0
3	73.78	.644	79	.346	28.702	0.7	N 50 W	7.56	9.48	84.8	63.1	21.7	.013	2.0
4	N 27 W	10.39	10.90	80.8	65.8	15.0
5	63.45	.336	58	.874	29.538	0.0	S 88 E	4.05	6.64	70.2	58.7	11.5
6	67.32	.454	68	.838	.384	0.1	S 66 E	1.42	2.84	76.0	52.0	24.6
7	75.45	.583	67	.633	.050	0.2	S 3 W	3.80	4.65	84.2	60.6	23.6
8	75.78	.653	73	.502	28.849	0.5	S 73 E	2.67	5.86	85.0	68.8	16.2	1.300	1.5
9	69.73	.591	81	.587	28.996	0.5	N 76 E	2.64	2.67	76.0	65.6	10.4
10	75.13	.690	79	.563	28.873	0.8	N 76 W	3.52	6.67	82.8	66.2	16.6	.265	1.2
11	N 22 E	9.39	9.60	65.6	63.5	2.1	1.005	15.0
12	58.25	.426	88	.525	29.100	0.9	N 14 E	5.88	6.25	61.4	55.8	5.6	.147	5.5
13	63.90	.465	78	.610	.145	0.6	S 71 W	2.03	3.38	73.2	55.6	17.6
14	67.63	.474	71	.767	.293	0.4	S 47 E	1.50	3.52	76.4	60.0	16.4
15	69.43	.521	74	.758	.237	0.3	S 47 E	2.11	2.15	78.4	59.0	19.4
16	71.38	.616	81	.666	.050	0.7	S 22 W	3.45	4.43	77.8	61.2	16.6	*	*
17	68.70	.523	74	.725	.202	0.8	N 32 W	2.31	5.35	73.0	67.3	5.7	.075	0.6
18	S 81 E	3.57	4.81	72.4	60.4	12.0
19	67.40	.389	59	.841	.452	0.1	S 78 E	2.56	4.14	76.2	56.0	20.2
20	67.70	.428	64	.591	.163	0.5	S 53 E	1.08	1.65	76.5	57.0	19.5
21	67.57	.494	72	.378	28.884	0.4	N 72 W	5.41	8.82	82.6	59.3	23.3	.060	0.2
22	66.85	.326	52	.481	29.155	0.2	N 35 W	8.12	8.26	77.5	62.0	15.5
23	63.63	.310	55	.555	.245	0.1	N 13 W	7.99	8.33	72.6	55.7	16.9
24	62.53	.360	64	.725	.365	0.3	S 56 E	3.54	5.44	70.0	54.6	15.4
25	S 75 E	4.97	5.17	69.5	54.2	15.3
26	72.70	.581	73	.539	28.958	0.6	S 20 W	5.37	7.29	79.6	56.4	23.2
27	70.90	.321	44	.582	29.261	0.7	N 76 W	10.96	11.10	82.2	64.6	17.6
28	64.17	.445	74	.708	.264	1.0	S 83 E	3.65	4.27	69.4	53.7	15.7	.120	0.7
29	68.82	.596	83	.440	28.844	0.8	S 88 E	4.57	5.26	79.8	61.9	17.9	*	0.2
30	63.85	.507	86	.456	28.949	0.8	N 42 E	1.50	3.32	70.0	60.5	9.5	*	1.5
31	67.50	.471	69	.547	29.077	0.4	N 60 W	1.74	4.13	75.4	59.8	15.6
	67.86	0.481	70	29.605	29.125	0.5	N 15 E	1.13	5.76	73.4	59.98	15.45	3.072	31.4

GENERAL METEOROLOGICAL ABSTRACT,—AUGUST, 1858.

DAYS.	DAILY MEANS.				WIND.	EXTREMES OF TEMPERATURE.			RAIN.	SNOW.	RAIN AND MELTED SNOW						
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.		Clouded Sky.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	69.60	0.527	73	29.579	29.052	0.8	N 76° E	3.66	4.51	75.4	59.8	15.6
2	69.60	0.527	73	29.579	29.052	0.8	N 83° E	10.98	11.17	74.0	62.2	11.8	1.010	4.0
3	71.22	.603	80	.405	28.802	0.5	S 26° W	4.94	7.75	80.4	65.0	15.4	.330	5.5
4	72.98	.546	70	.439	28.893	0.4	S 73° W	5.86	6.78	81.8	66.6	15.2	.420	2.2
5	72.47	.471	61	.582	29.111	0.2	N 67° W	8.19	8.36	83.6	64.2	19.4
6	73.75	.453	55	.662	.209	0.0	N 26° W	10.51	10.76	82.8	65.6	17.2
7	70.65	.543	73	.739	.196	0.4	S 9° W	1.17	1.38	78.2	61.9	16.3
8	75.72	.631	71	.658	.027	0.3	S 82° E	1.32	1.51	79.4	67.6	11.8
9	77.07	.657	71	.591	28.934	0.2	S 5° E	0.49	3.97	83.8	63.2	20.6
10	72.18	.612	78	.577	28.965	0.6	N 24° W	4.90	5.22	79.4	66.8	12.6	*	1.0
11	72.20	.550	69	.799	29.249	0.1	N 74° E	2.69	5.39	78.5	67.6	10.9
12	69.95	.493	67	.919	.426	0.0	N 78° E	4.62	5.25	76.0	61.3	14.7
13	73.00	.565	70	.747	.182	0.1	S 38° E	2.56	3.92	80.8	63.8	17.0
14	68.88	.509	73	.756	.247	0.1	S 75° E	1.82	1.90	75.4	62.8	12.6	*	1.0
15	73.05	.564	70	.637	.073	0.2	S 11° E	4.72	5.36	79.7	60.5	19.2
16	65.47	.459	71	.476	.017	0.8	N 47° W	7.49	10.51	78.4	66.0	12.4	.205	1.5
17	56.60	.283	62	.578	.295	0.8	N 25° W	4.15	4.28	63.4	54.0	9.4
18	65.15	.311	57	.500	.155	0.4	S 80° W	7.84	8.65	76.8	46.2	30.6
19	66.82	.335	54	.630	.295	0.4	N 63° W	8.97	9.30	76.0	52.4	23.6	*	1.0
20	55.90	.251	58	.835	.583	0.0	N 54° W	5.86	7.83	6.0	46.0	20.0
21	60.52	.275	56	.788	.513	0.2	N 84° W	6.06	6.47	75.2	44.0	31.2
22	61.47	.356	66	.880	.524	0.0	S 50° E	2.28	5.49	72.4	45.5	26.9
23	61.03	.181	81	.672	.19	1.0	S 57° E	6.14	7.69	72.1	53.8	18.6	.535	9.7
24	67.93	.545	80	.364	28.819	0.9	S 8° W	7.93	7.75	74.0	59.8	14.2
25	61.50	.487	89	.291	28.804	1.0	N 60° W	3.39	8.2	67.2	69.8	6.4	1.015	17.5
26	60.02	.467	90	.446	28.949	1.0	N 70° W	2.41	4.0	61.2	53.8	10.4	.405	2.5
27	61.07	.412	76	.586	29.173	0.6	S 55° W	2.03	3.30	68.6	58.5	10.1
28	67.61	0.478	70	29.619	29.142	0.4	N 69° W	1.57	6.50	75.38	59.2	16.17	3.890	56.4

GENERAL METEOROLOGICAL ABSTRACT,—SEPTEMBER, 1858.

Days.	DAILY MEANS.						WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW		
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Miles.	Miles.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	61.42	0.430	79	29.639	29.209	0.3	S 12 E	2.05	3.44	70.2	53.1	17.1
2	63.43	.496	85	.464	28.968	0.5	S 70 E	3.50	3.88	69.0	51.2	17.8	0.025	1.0
3	61.52	.487	79	.388	28.901	0.6	S 38 W	3.20	4.33	71.0	61.8	12.2
4	63.77	.429	73	.355	28.926	0.7	S 17 W	6.29	6.46	71.5	55.6	15.9
5	S 78 W	7.32	7.79	72.4	61.0	11.4
6	62.58	.433	77	.741	29.308	0.0	S 1 E	2.81	3.65	72.0	49.2	22.8
7	67.48	.486	73	.747	.263	0.0	S 1 W	3.38	3.52	78.8	56.6	22.2
8	70.23	.527	73	.666	.139	0.4	S 23 W	5.63	5.65	81.2	59.5	21.7
9	70.98	.598	79	.606	.008	0.5	S 17 W	3.95	4.16	81.4	61.6	16.8
10	67.33	.519	81	.451	28.902	0.5	S 42 W	7.33	9.58	76.4	65.8	10.6	.060	2.0
11	59.27	.326	67	.513	29.187	0.4	S 68 W	7.42	8.54	69.0	54.0	15.0	.070	2.5
12	N 78 W	9.69	9.74	65.0	47.0	18.0
13	55.83	.298	67	.869	.571	0.5	S 22 E	2.89	4.33	63.5	46.2	17.3
14	59.35	.380	75	.758	.378	0.1	S 78 E	4.05	5.02	66.0	46.8	19.2
15	63.13	.445	77	.468	.023	0.4	N 89 E	5.42	7.91	69.0	56.0	13.0
16	57.88	.305	64	.247	28.942	0.6	N 53 W	12.36	13.42	65.5	56.1	9.4
17	52.52	.260	67	.676	29.416	0.4	N 74 W	10.38	10.67	62.8	46.9	15.9	.015	0.4
18	52.38	.321	81	.947	.626	0.5	S 37 W	0.82	2.73	60.8	39.8	21.0
19	N 81 E	4.06	4.23	65.8	50.0	15.8
20	66.23	.481	76	.730	.249	0.3	S 24 W	3.86	3.95	80.0	51.0	29.0
21	56.45	.344	73	.691	.347	0.7	N 36 W	11.25	11.89	68.6	57.0	11.6
22	46.32	.173	57	.855	.682	0.1	N 25 W	6.76	6.88	54.4	42.2	12.2
23	49.03	.247	71	.775	.528	0.7	S 11 W	3.32	3.90	57.5	35.6	21.9	.315	10.5
24	50.98	.256	68	.711	.455	0.6	N 3 W	6.55	6.62	57.8	42.0	15.8	*	0.1
25	47.58	.221	67	.965	.744	0.1	N 61 E	1.46	2.85	56.5	40.4	16.1
26	N 87 E	0.97	3.00	58.5	39.5	19.0
27	52.87	.302	75	.997	.695	0.0	S 87 E	2.60	2.78	59.5	40.5	19.0
28	55.18	.367	84	.766	.399	0.7	S 77 E	1.56	1.62	62.4	46.8	15.6
29	64.37	.475	78	.423	28.948	0.5	S 27 W	3.22	4.30	71.2	52.9	18.3	*	0.4
30	55.65	.359	81	.450	29.091	0.8	N 15 E	2.86	3.64	64.8	51.6	13.2	.250	5.0
	59.11	0.384	74	29.650	29.266	0.4	S 74 W	1.53	5.69	67.52	50.79	16.73	0.735	21.9

GENERAL METEOROLOGICAL ABSTRACT,—OCTOBER, 1858.

Days.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW				
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	
1	48.45	0.250	73	29.527	29.277	0.6	N 23 W	Miles	Miles	°	°	6.2	0.010	4.5	
2	52.38	.300	75	.591	.291	0.6	S 28 E	7.75	8.13	54.4	48.2	6.2	0.010	0.110	4.5	
3	S 60 W	5.03	5.53	58.5	39.0	19.5	
4	52.90	.276	66	.437	.161	0.7	N 77 W	7.24	7.70	76.3	53.8	22.5	0.035	3.0	
5	52.23	.226	62	.762	.536	0.1	N 55 W	6.75	7.04	61.0	40.0	24.0	
6	51.65	.253	66	.690	.487	0.4	S 82 E	6.33	6.62	56.6	38.0	18.6	.155	3.0	
7	49.78	.277	73	.141	28.864	0.7	S 81 W	13.74	14.67	63.2	52.4	10.8	.210	5.1	
8	41.52	.161	61	.173	29.013	0.6	S 69 W	11.75	11.93	47.4	35.2	12.2	.032	4.7	
9	43.68	.211	74	.517	.306	0.5	N 56 W	7.06	7.50	53.5	37.2	16.3	.050	1.5	
10	N 83 W	3.79	3.93	53.0	39.0	14.0	
11	45.40	.209	69	.847	.638	1.0	N 72 E	7.56	7.82	49.6	39.8	9.8	*	0.5	
12	49.23	.292	82	.632	.340	1.0	S 84 E	6.09	8.10	53.8	44.2	9.6	.080	2.0	
13	51.97	.322	83	.426	.104	0.8	S 33 W	4.60	4.96	56.2	49.6	6.6	.500	5.7	
14	46.00	.226	72	.508	.282	0.5	S 55 W	6.73	6.83	49.8	42.0	7.8	
15	44.97	.226	75	.826	.600	0.4	S 82 W	0.42	1.14	53.8	39.1	14.7	
16	48.42	.275	81	.984	.709	1.0	N 67 E	4.47	4.58	52.0	39.8	12.2	.030	2.7	
17	S 10 W	2.11	2.12	62.5	45.8	16.7	
18	52.57	.302	77	.898	.596	0.1	S 19 W	3.47	3.51	63.2	42.8	20.4	
19	54.68	.328	76	.829	.502	0.7	N 10 W	5.50	5.91	65.7	47.0	18.7	
20	53.78	.309	74	.815	.506	0.7	N 71 E	7.00	7.35	58.0	48.0	9.2	
21	51.13	.321	86	.788	.467	1.0	N 77 E	3.65	3.69	53.0	48.0	5.0	.390	6.6	
22	51.03	.298	80	.679	.380	0.8	S 15 W	1.77	3.33	55.0	44.4	10.6	.020	1.0	
23	48.70	.235	69	.731	.496	0.9	N 23 W	3.57	5.69	53.8	51.1	12.7	
24	N 19 E	4.54	5.62	52.0	46.2	5.8	
25	43.78	.157	55	.958	.801	0.1	N 61 E	6.34	7.04	48.0	40.8	7.2	
26	39.87	.133	54	.961	.828	0.2	N 57 E	5.01	5.61	46.9	31.5	15.4	
27	43.23	.154	54	.964	.810	0.1	N 55 E	2.35	2.71	51.2	35.2	16.0	
28	48.15	.218	63	.889	.671	0.6	N 83 E	11.57	11.78	52.0	38.6	13.4	.020	1.2	
29	50.65	.335	90	.643	.308	1.0	S 87 E	2.09	2.11	52.8	47.2	5.6	.145	5.5	
30	52.47	.353	88	.499	.146	0.8	S 46 W	3.31	4.05	57.8	50.6	7.2	.025	2.5	
31	S 67 W	3.21	3.49	53.6	43.8	9.8	*	0.2	*	0.2	0.2	
	48.79	0.256	72	29.681	29.426	0.6	N 34 W	0.36	5.96	55.79	43.41	12.37	.797	49.2	*	0.2	1.797	49.4

TORONTO METEOROLOGICAL OBSERVATIONS.

GENERAL METEOROLOGICAL ABSTRACT,—NOVEMBER, 1858.

Days.	DAILY MEANS.					WIND.		EXTREMES OF TEMPERATURE.		RAIN.		SNOW.		RAINS AND MELTED SNOW.		
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Resultant Direction.	Miles.	Miles.	Maximum.	Minimum.	Difference.	P. in in. Inc.	Approximate duration in hours.	Depth in Inches.	Depth in Inches.	Approximate duration in hours.
1	47.93	0.260	77	29.934	29.671	1.0	N 69 E	9.07 10.06	53.0 46.8	6.2 *	0.2	*	0.2	
2	43.88	.219	77	.853	.634	1.0	N 76 E	19.40 19.53	46.2 42.0	4.2 0.977	9.5977	9.5	
3	44.42	.238	92	.738	.470	1.0	N 89 E	9.39 9.52	45.8 42.0	3.8 .565	20.0565	20.0	
4	46.37	.277	87	.639	.362	1.0	N 49 E	0.54 0.77	47.6 43.4	4.2 .020	5.5020	5.5	
5	45.53	.266	87	.613	.347	1.0	N 76 E	5.67 6.06	49.0 41.2	7.8 .210	7.0210	7.0	
6	41.40	.223	85	.376	.153	1.0	N 51 E	7.06 7.63	46.0 41.4	4.6 .842	17.0842	17.0	
7	N 41 W	0.63 0.99	44.6 35.6	9.0 .025	5.5025	5.5	
8	38.73	.195	82	.460	.265	1.0	N 24 W	7.12 7.37	42.9 37.1	5.8 *	0.5	*	0.5	
9	34.02	.144	74	.554	.410	1.0	N 6 E	5.40 5.57	37.0 32.2	4.8 *	0.1	.010	2.2	
10	29.38	.129	78	.710	.581	0.6	N 74 E	2.15 2.62	32.6 20.5	12.1 *	0.1	*	0.1	
11	26.65	.097	67	.803	.706	0.6	S 26 E	5.09 8.23	39.8 25.7	14.1 .365	9.5365	9.5	
12	34.53	.147	73	.603	.456	0.7	S 26 E	9.84 10.88	39.0 33.0	6.0 .070	2.5	0.2	1.0	.090	3.5	
13	30.30	.143	81	.435	.292	0.7	N 61 W	3.62 3.77	29.4 20.3	9.1 *	...	0.2	5.0	.020	5.0	
14	N 82 W	12.53 12.86	33.3 20.5	12.8 *	...	0.1	4.0	.010	4.0	
15	23.47	.097	78	.630	.533	0.6	N 54 W	9.04 9.31	27.0 15.3	11.7 *	...	0.1	7.5	.010	7.5	
16	28.70	.124	79	.593	.460	0.8	N 75 W	10.56 10.89	39.0 26.2	12.8 *	
17	33.10	.120	65	.683	.563	0.6	S 75 W	13.51 13.83	29.4 28.2	8.6 *	...	0.2	*	0.2	0.2	
18	33.85	.139	71	.618	.479	0.8	S 88 W	11.70 13.01	27.0 26.8	4.8 *	...	2.0	*	2.0	2.0	
19	28.85	.090	57	.734	.641	0.1	N 80 W	
20	32.05	.131	74	.608	.477	0.6	N 42 W	3.39 6.61	33.3 22.5	17.3 *	
21	N 41 E	4.95 4.97	39.0 31.2	7.8 *680	7.2	
22	35.40	.157	76	.529	.372	0.7	N 78 E	12.49 13.66	41.2 25.0	16.2 .680	7.2680	7.2	
23	32.95	.170	91	.335	.165	1.0	N 43 E	7.87 8.33	35.0 31.8	3.2 .125	0.5	1.5	13.5	.274	14.0	
24	30.17	.136	81	.504	.368	0.9	N 32 W	14.77 14.94	32.2 27.8	4.4 *	...	0.2	2.5	.020	2.5	
25	30.18	.154	91	.703	.549	1.0	N 52 W	12.09 12.33	32.0 28.2	3.8 *	
26	30.73	.139	81	.868	.729	1.0	N 56 W	13.64 13.96	32.0 27.0	5.0 *	...	0.8	5.5	.080	5.5	
27	29.37	.137	82	.771	.634	0.9	S 39 W	1.66 3.05	33.2 21.3	11.9 *	
28	N 41 E	6.33 6.90	34.4 30.6	3.8 *	...	0.2	2.0	.020	2.0	
29	30.25	.136	81	.353	.217	1.0	S 55 W	7.33 11.03	35.3 24.4	10.9 *	...	0.6	2.5	.060	2.5	
30	25.97	.121	84	.615	.525	0.6	N 71 W	11.33 12.72	29.2 25.0	4.2 *	
	34.16	0.162	79	29.627	29.464	0.8	N 25 W	3.14	8.87 37.90	30.03	7.87 3.879	84.9	4.0	48.0	4.278	132.9

GENERAL METEOROLOGICAL ABSTRACT,—DECEMBER, 1858.

Days.	DAILY MEANS.				WIND.				EXTREMES OF TEMPERATURE.				RAIN.		SNOW.		RAIN AND MELTED SNOW.	
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Clouded Sky.	Pressure of Dry Air.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.
1	24.29	0.110	80	29.963	29.853	0.8	S 79° E	7.62	9.06	37.1	9.8	27.3
2	37.13	.153	69	.695	.542	1.0	S 66 W	3.88	4.12	39.2	25.9	13.3	0.5	3.0	0.050	3.0
3	26.93	.129	87	.795	.666	1.0	N 9 W	5.61	6.55	32.2	26.4	5.8	1.5	8.0	.150	8.0
4	21.57	.097	84	.697	.600	1.0	N 44 E	10.97	11.35	27.4	17.4	10.0	1.2	10.5	.120	10.5
5	S 62 W	7.03	16.23	44.0	19.3	24.7	1.0	4.50	1.0	...
6	31.03	.131	76	.847	.716	0.9	N 29 E	1.03	7.18	34.5	30.9	3.6
7	37.33	.161	71	.502	.341	0.8	S 70 W	4.30	9.76	40.4	26.7	13.7	*	*	*	*
8	20.93	.082	71	.685	.603	0.6	S 86 W	19.36	19.54	26.0	23.8	2.2	*	*	*	*
9	16.53	.066	71	30.057	.991	0.5	S 77 W	15.08	15.72	20.8	10.7	10.1	*	*	*	*
10	26.55	.114	76	29.817	.703	1.0	S 56 W	14.14	14.80	33.5	13.5	23.0
11	25.62	.101	74	.869	.768	0.6	N 20 W	5.07	6.92	32.1	27.9	4.2
12	N 75 E	16.16	17.02	38.6	16.2	22.4	0.015	1.0	*	0.8	.050	1.8
13	40.08	.236	95	.485	.248	0.8	S 6 E	2.71	4.51	13.0	25.1	17.9	.260	5.5260	5.5
14	40.63	.236	92	.307	.071	1.0	S 21 W	3.90	4.35	45.4	38.0	7.4	.245	12.5245	12.5
15	31.58	.150	83	.496	.346	0.7	N 33 W	4.08	4.17	34.4	31.2	3.2	0.2	3.0	.020	3.0
16	29.32	.134	82	.717	.583	0.7	S 87 W	6.33	8.08	32.5	22.6	9.9	0.5	1.6	.050	1.6
17	19.10	.081	78	.963	.882	0.8	N 9 E	4.91	5.12	22.2	18.0	4.2	*	0.5	*	0.5
18	11.98	.067	89	30.090	.30.023	1.0	N 58 E	8.97	10.27	25.4	5.7	19.7	0.2	0.8	.020	0.8
19	S 30 W	2.33	5.57	37.0	12.1	24.9	.050	1.5050	1.5
20	33.88	.158	81	29.532	29.374	0.7	N 59 E	7.67	8.17	35.0	30.1	4.6	.110	2.0	*	0.5	.110	2.5
21	33.05	.164	87	.138	28.974	0.9	N 34 W	11.17	13.76	34.6	32.8	1.8	.080	5.0080	5.0
22	26.23	.109	76	.627	29.518	0.7	N 56 W	10.19	14.82	30.2	26.6	3.6	*	*	*	*
23	19.98	.092	84	.524	.432	1.0	N 39 E	7.58	8.95	28.0	17.2	10.8	*	0.5	1.0	14.0	.100	14.5
24	11.27	.061	81	30.111	.30.050	0.3	N 26 W	3.65	3.7	22.0	9.1	12.9	*	0.2	*	0.2
25	N 30 W	0.31	0.31	28.1	4.2	23.9
26	S 58 W	5.69	6.50	36.4	19.4	17.0	.057	1.5057	1.5
27	35.25	.151	73	29.732	29.581	0.7	N 83 W	3.55	3.59	37.2	32.2	5.0	*	0.5	*	0.5
28	29.12	.123	75	.809	.686	1.0	N 51 E	6.66	7.36	33.2	28.6	4.6	0.2	2.0	.020	2.0
29	19.13	.088	85	.651	.563	1.0	N 62 E	17.17	17.26	23.6	14.9	8.7	3.0	23.0	.300	23.0
30	28.45	.147	93	.548	.400	1.0	N 88 E	15.80	16.81	37.0	17.2	19.8	.370	10.0	2.0	5.0	.570	5.0
31	35.43	.176	85	.395	.219	1.0	S 54 W	6.62	7.7	38.0	28.8	9.2	.030	1.5030	1.5	...
	27.40	0.128	81	29.694	29.567	0.8	N 18 W	1.66	9.36	33.19	21.37	11.82	1.657	44.0	10.4	74.4	2.697	118.4

TORONTO METEOROLOGICAL OBSERVATIONS.

GENERAL METEOROLOGICAL ABSTRACT,—JANUARY, 1859.

DAYS.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW				
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Dry Air.	Cloaked Sky.	Resultant Velocity.	Mean Velocity.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.		
1	31.52	0.152	85	29.663	29.510	0.8	N 62° W	5.57	6.18	36.1	30.4	5.7	...	*	0.6	*	0.6	
2							N 63 E	5.78	6.52	31.4	23.5	7.9	...	*	2.0	*	2.0	
3	33.73	.150	78	.780	.630	0.8	S 23 E	7.51	8.20	36.0	23.7	12.3	...	0.1	1.5	0.010	1.5	
4	32.63	.150	81	.638	.488	1.0	S 83 W	8.93	9.27	34.7	31.2	3.5	...	0.2	1.3	.020	1.3	
5	34.47	.153	78	.570	.417	0.7	S 62 W	7.70	7.85	40.1	27.0	13.1	...	2.0	10.2	.200	10.2	
6	29.83	.143	86	.696	.553	0.9	N 52 E	2.96	5.58	33.3	27.0	6.3	...	2.0	11.5	.200	12.0	
7	24.00	.122	88	.175	.053	0.7	N 52 W	14.06	15.29	33.3	26.4	6.9	*	0.5	5.5	.050	5.5	
8	6.13	.045	77	.571	.526	0.4	N 60 W	8.48	11.45	8.0	2.9	5.1	...	0.5	4.0	.030	4.0	
9							N 4 E	7.66	7.78	-8.0	-10.8	2.8	...	0.3	...			
10	-8.65	.028	79	30.173	30.145	0.6	N 83 E	3.67	7.08	13.3	-26.5	39.8	...	0.5	13.0	.050	13.0	
11	14.45	.072	85	29.655	29.583	1.0	N 50 E	5.65	6.12	18.2	-8.1	26.3	...	4.5	9.5	.450	9.5	
12	19.67	.093	86	.543	.450	1.0	N 51 E	3.43	5.24	28.2	12.1	16.1	*	0.5	0.1	0.5	.010	1.0
13	33.15	.171	90	.539	.368	1.0	S 42 W	2.42	2.18	36.5	19.0	17.5			
14	34.95	.192	95	.233	.041	1.0	N 68 E	7.57	8.78	36.0	32.0	4.0	.655	22.5				
15	31.14	.153	86	.110	28.957	1.0	N 68 W	14.41	16.26	36.5	32.1	4.4	.017	1.0	0.4	4.0	.057	5.0
16							S 45 W	5.67	6.31	33.0	25.0	8.0	...	2.2	14.0	.220	14.0	
17	20.47	.106	89	.806	29.699	0.7	N 24 W	6.14	6.34	32.5	21.0	8.5	...	0.1	4.2	.010	4.2	
18	17.17	.080	80	.993	.914	0.5	S 50 W	8.79	9.40	30.0	0.0	30.0	...	*	0.5	*	0.5	
19	32.67	.155	83	.743	.588	0.3	S 21 W	5.58	5.63	38.5	19.1	19.4			
20	37.98	.194	84	.478	.284	0.7	S 39 W	7.52	7.98	43.2	25.2	18.0	.185	7.5				
21	31.95	.135	72	.502	.367	1.0	N 64 W	6.30	9.39	36.8	34.5	2.3	...	0.2	2.5	.020	2.5	
22	13.02	.060	75	.881	.821	0.5	N 70 W	8.76	12.01	18.8	11.1	7.7	...	0.2	4.0	.020	4.0	
23							S 52 W	13.88	14.17	22.7	7.7	15.0	
24	28.23	.111	71	.977	.866	0.2	S 30 W	15.08	15.13	31.9	14.7	17.2	
25	32.72	.135	74	.858	.722	0.7	S 40 W	8.81	9.08	36.4	27.0	9.4	
26	32.18	.134	73	.987	.852	0.3	S 42 E	6.51	8.04	36.2	29.5	6.7	
27	30.33	.145	85	.806	.661	0.7	N 77 E	15.69	15.92	37.5	19.5	18.0	.592	7.5	3.0	2.6	.892	10.1
28	36.37	.164	75	.501	.337	0.7	S 63 W	6.84	7.67	40.0	29.5	10.5	
29	30.20	.125	74	.729	.604	1.0	N 87 W	9.05	9.75	33.0	27.6	5.4	...	0.1	4.5	.010	4.5	
30							S 83 W	6.10	6.20	29.0	19.9	9.1	
31	27.20	.106	72	.996	.890	0.7	S 43 W	4.21	4.32	31.2	18.9	12.3	
	26.44	0.126	81	29.677	29.551	0.7	S 81 W	3.17	8.76	30.46	18.55	11.91	1.449	39.5	16.4	95.9	3.089	135.4

GENERAL METEOROLOGICAL ABSTRACT,—FEBRUARY, 1859.

Days.	DAILY MEANS.					WIND.			EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW		
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	31.22	0.123	70	29.781	29.658	1.0	N 72° E	4.41	5.14	34.0	23.2	10°.8	0.4	6.2	0.040	6.2
2	19.23	.081	77	.584	.502	1.0	N 49° E	10.78	11.11	22.3	18.8	3.5	2.0	15.0	.200	15.0
3	15.20	.077	89	.287	.210	0.9	N 10° E	3.35	3.79	18.2	12.7	5.5	0.2	0.5	.020	0.5
4	19.43	.079	76	.419	.340	0.8	S 68° W	8.83	8.94	23.8	9.5	14.3	2.5	11.0	.250	11.0
5	20.33	.089	82	.826	.737	1.0	N 49° W	1.15	6.42	23.2	12.7	10.5	0.1	1.5	.010	1.5
6	N 20° W	9.15	9.28	25.2	17.0	8.2	0.2	4.0	.020	4.0
7	20.93	.092	81	.870	.778	0.8	S 55° E	3.79	6.34	27.0	10.9	16.1	0.5	1.5	.050	1.5
8	30.95	.137	78	.557	.420	0.7	S 1° E	3.66	3.78	35.8	21.8	14.0	0.5	3.0	.050	3.0
9	26.42	.111	71	.433	.322	0.8	N 30° W	12.67	13.45	35.0	28.8	6.2	0.5
10	9.27	.057	84	.826	.769	0.7	N 34° W	5.56	6.43	14.4	5.0	9.4
11	17.07	.070	75	.925	.855	1.0	N 10° W	2.07	2.53	21.5	3.7	17.8	0.2	2.5	.020	2.5
12	15.07	.069	82	.883	.814	0.6	N 11° W	3.94	4.03	21.0	13.1	7.9
13	S 51° W	7.64	8.01	24.0	2.1	21.9
14	26.10	.120	84	.657	.538	0.9	S 33° W	5.90	6.03	35.7	19.8	15.9
15	35.87	.196	93	.346	.150	1.0	S 58° W	1.84	2.43	38.0	24.5	13.5	0.035	3.5035	3.5
16	31.08	.126	73	.698	.572	0.0	N 85° W	1.30	2.56	38.8	27.1	11.7
17	33.05	.157	83	.681	.524	1.0	S 81° E	4.18	5.15	38.0	24.0	14.0	.075	4.0075	4.0
18	37.13	.187	85	.624	.437	0.3	S 39° W	2.68	2.87	44.5	33.8	10.7
19	35.25	.179	86	.379	.200	0.8	N 85° E	3.96	4.49	42.6	25.5	17.1	.290	5.0290	5.0
20	S 88° W	26.86	28.05	46.2	36.8	9.4	*	0.5	*	3.0	*	3.5
21	25.57	.093	67	.632	.540	0.5	N 68° W	17.08	17.33	30.0	22.8	7.2	*	1.0	*	1.0
22	31.53	.140	77	.620	.480	0.8	S 18° W	1.36	2.76	38.5	20.4	18.1	*	0.2	*	0.2
23	37.55	.171	76	.533	.362	0.8	N 41° W	5.55	6.64	43.0	31.0	12.0	.055	3.5055	3.5
24	25.83	.103	73	.817	.714	0.3	N 2° E	12.52	14.70	31.2	23.2	8.0
25	20.43	.073	64	.745	.673	0.8	N 81° E	20.69	21.23	28.8	13.9	14.9	1.0	8.5	.100	8.5
26	30.48	.147	85	.368	.221	0.7	S 46° W	7.15	10.63	35.8	22.0	13.8	0.5	7.5	.050	7.5
27	N 85° W	6.82	9.73	40.0	18.9	21.1
28	29.85	.131	79	.676	.546	0.6	N 68° W	12.79	14.11	35.4	28.8	6.6	0.2	2.0	.020	2.0
	26.04	0.117	79	29.632	29.515	0.7	N 54° W	2.72	8.50	31.85	19.71	12°.15	0.455	16.7	8.3	67.2	1.285	83.9

GENERAL METEOROLOGICAL ABSTRACT,—MARCH, 1859.

Days.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW.				
	Temperature of the Air. [°]	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Velocity.	Direction.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	
1	18.32	.060	62	30.092	30.032	0.2	N 11 [°] W	7.50	7.87	25.0	15.1	9.9	
2	21.33	.079	67	30.120	30.011	0.0	N 81 [°] E	7.95	8.52	30.0	9.8	20.2	
3	33.12	.173	90	29.322	29.150	1.0	S 83 [°] E	7.87	8.89	37.0	22.5	14.5	.465	8.3	
4	35.87	.186	88	28.960	28.774	1.6	S 36 [°] W	7.20	7.52	39.2	31.2	8.0	.010	1.0	
5	36.50	.165	76	29.406	29.244	0.6	N 78 [°] W	8.11	8.21	42.0	33.4	8.6	
6							N 73 [°] E	2.09	2.16	38.2	32.3	5.9	
7	36.33	.177	82	.475	.298	1.0	N 74 [°] E	16.03	16.06	39.4	30.0	9.4	.220	8.0220	8.0
8	36.17	.188	88	.317	.129	0.7	N 8 [°] E	3.80	3.89	41.4	35.0	6.4	.012	6.0012	6.0
9	35.50	.158	76	.683	.525	0.2	S 77 [°] E	0.67	0.82	40.9	31.2	9.7
10	36.77	.152	70	.685	.533	0.3	N 69 [°] E	9.95	10.03	40.8	31.6	9.2
11	42.47	.205	74	.394	.189	0.7	N 83 [°] E	7.69	10.82	47.6	34.8	12.8	.090	4.5090	4.5
12	40.47	.198	79	.455	.257	0.9	S 47 [°] W	9.99	10.77	44.2	38.8	5.4
13							N 11 [°] W	1.23	1.77	47.0	32.8	14.2
14	41.52	.223	84	.378	.155	0.8	N 73 [°] E	7.84	12.93	51.2	30.4	20.8	.385	6.7385	6.7
15	37.45	.155	69	.272	.117	1.0	S 78 [°] W	17.86	18.91	42.0	36.5	5.5	* 0.1	*	0.1	*	0.1	* 0.2
16	36.40	.156	73	.799	.643	0.2	S 61 [°] W	6.76	8.62	42.1	30.2	12.2
17	41.37	.106	65	.586	.420	0.8	N 80 [°] E	6.66	7.06	48.2	29.6	18.6	.285	7.1285	7.1
18	46.03	.301	95	28.787	28.486	1.0	N 12 [°] W	8.99	14.55	52.0	39.2	12.8	1.615	18.3	0.1	1.0	1.625	19.3
19	31.73	128	70	28.892	28.764	0.9	N 69 [°] W	31.11	31.16	32.6	30.2	2.4	...	0.2	3.9	.020	3.9	...
20							N 70 [°] W	11.98	12.57	40.5	27.8	12.7
21	32.70	.133	72	29.667	29.534	0.9	N 73 [°] E	9.09	9.28	36.0	24.2	11.8	.250	3.0250	3.0
22	37.68	.203	90	.465	.262	0.7	N 41 [°] W	1.35	4.65	45.0	33.0	12.0	.197	2.8197	2.8
23	40.55	.159	63	.564	.405	0.0	S 71 [°] E	2.77	6.50	50.4	29.5	20.9	.285	2.5285	2.5
24	46.45	.252	80	.154	28.902	0.5	S 37 [°] W	3.42	9.36	54.2	37.6	16.6	.025	1.8025	1.8
25	37.22	.165	73	.257	.2092	1.0	West	11.16	12.79	44.0	37.2	6.8	...	*	0.2	*	0.2	0.2
26	30.98	.112	65	.447	.335	0.7	S 89 [°] W	4.59	6.84	36.8	27.4	9.4	...	0.2	2.2	.020	2.2	...
27							N 77 [°] E	3.79	4.13	37.0	26.8	10.2	...	0.2	3.0	.020	3.0	...
28	38.78	.208	87	.150	28.912	0.6	N 73 [°] E	11.47	11.60	49.2	29.6	19.6	.028	3.5028	3.5
29	41.57	.184	67	28.888	28.704	0.9	S 64 [°] W	14.98	19.92	49.1	38.5	10.6	.157	2.5157	2.5
30	34.47	.119	61	29.337	29.218	0.5	S 78 [°] W	12.84	13.21	43.0	30.1	12.9	...	0.1	1.1	.010	1.1	...
31	33.33	.131	69	.587	.456	0.5	N 89 [°] W	14.31	14.75	38.8	28.5	10.3	...	0.2	1.5	.020	1.5	...
	36.34	0.168	75	29.413	29.245	0.7	N 64 [°] W	1.96	10.39	42.10	30.18	11.62	4.054	76.1	1.0	13.0	4.154	89.1

TORONTO METEOROLOGICAL OBSERVATIONS.

GENERAL METEOROLOGICAL ABSTRACT,—APRIL, 1859.

DAYS.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.		RAIN.		SNOW.		RAIN AND MELTED SNOW			
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Clouded Sky.	Resultant Direction.	Re-sultant Velocity. Wind Velocity.	Miles Maximum	Miles Minimum	D. Pth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	
1	34.70	0.150	75	29.837	29.687	0.2	N 49 E	4.68 6.05	42.2	27.0	15.2	
2	35.35	.126	61	.587	.461	0.8	N 78 E	16.03 16.13	37.1	31.2	5.9	0.055	7.2	0.055	7.9	
3	S 75 W	19.85 20.78	47.5	32.8	14.7	*	0.1	*	0.1	
4	30.27	.101	59	.338	.237	1.0	N 78 W	16.91 17.07	33.0	27.0	6.0	*	1.6	
5	29.13	.103	64	.418	.316	0.5	N 74 W	13.90 14.32	33.8	25.2	8.6	0.2	4.5	
6	34.22	.116	64	.515	.399	0.7	N 85 W	9.96 10.22	40.0	26.8	13.2	*	0.5	
7	37.38	.171	76	.455	.284	0.7	S 88 W	9.08 11.12	44.8	29.8	15.0	.085	1.4	0.3	3.5	
8	31.50	.108	61	.730	.622	0.5	N 45 W	14.61 15.13	38.1	30.0	8.4	1.15	
9	31.85	.112	63	.956	.844	0.5	S 71 E	4.60 8.53	37.2	22.6	11.6	4.9	
10	N 78 E	21.28 21.30	39.0	32.2	6.8	1.145	10.2	
11	41.20	.238	92	.182	28.894	1.0	N 65 E	7.09 9.37	41.8	34.8	10.0	.250	5.7	1.145	10.2	
12	45.25	.189	66	.558	29.369	0.7	N 66 W	5.28 8.91	57.4	39.5	17.9250	5.7	
13	41.88	.179	67	.631	.452	1.0	N 77 E	14.24 14.32	16.8	33.6	13.2	.215	2.1	...	2.1	
14	42.92	.179	63	.172	28.993	0.5	S 16 W	3.81 17.02	54.0	36.8	17.2	.685	5.0685	
15	39.08	.157	65	.128	28.971	0.9	S 49 W	11.05 13.85	16.8	36.2	10.6	5.0	
16	37.68	.132	58	.356	29.224	0.6	N 87 W	11.70 12.09	44.0	31.2	12.8	
17	N 56 W	3.59 7.19	43.8	31.0	12.8	
18	40.65	.117	58	.683	.536	0.4	S 27 W	4.47 7.31	48.4	28.5	19.9	*	*	
19	40.90	.190	75	.614	.423	0.7	N 33 W	5.60 7.55	50.4	36.2	11.2	*	0.5	...	0.5	
20	42.93	.190	69	.555	.365	0.7	S 67 E	0.99 1.51	49.6	34.5	15.1	*	0.5	
21	43.78	.180	63	.451	.271	1.0	N 70 E	3.98 4.66	48.4	38.8	9.6	
22	N 37 E	9.44 11.00	51.0	39.2	11.8	...	0.1	0.5	0.5	
23	37.55	.147	67	.138	28.991	1.0	N 28 W	22.57 24.45	13.5	34.8	8.7	...	0.3	10.0	0.80	
24	N 70 W	11.79 12.49	53.6	34.2	19.4	
25	39.82	.175	73	.598	29.424	0.8	S 30 E	2.67 3.97	48.8	28.0	20.8	.092	4.5	...	4.5	
26	43.28	.192	68	.510	.318	0.6	N 73 E	1.75 5.86	49.0	37.2	11.8	
27	37.05	.126	57	.720	.594	0.1	N 65 E	5.60 7.78	43.4	38.7	9.7	
28	44.00	.086	31	.815	.759	0.0	N 88 E	4.57 5.21	52.5	33.5	19.0	
29	51.23	.173	46	.744	.570	0.1	N 66 E	2.20 3.57	62.2	35.0	27.2	
30	54.67	.180	42	.705	.526	0.0	N 84 E	4.16 5.18	64.8	46.2	18.6	58.0	
	39.53	0.154	63	29.535	29.381	0.6	N 36 W	2.33 10.79	46.54	32.92	13.62	2.527	36.7	1.2	21.3	2.617

TORONTO METEOROLOGICAL OBSERVATIONS.

GENERAL METEOROLOGICAL ABSTRACT,—MAY, 1859.

DAYS.	DAILY MEANS.					WIND.	EXTREMES OF TEMPERATURE.		RAIN.	SNOW.	RAIN AND MELTED SNOW						
	Temperature of the Air.	Pressure of Vapour.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.		Miles	Miles	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	52.33	0.155	40	29.863	29.708	0.1	N 86 E	4.14	4.77	59.0	44.4	11.6	
2	52.33	0.155	40	29.863	29.708	0.1	N 82 E	7.02	7.50	58.0	40.0	18.0	
3	49.82	0.156	44	.938	.782	0.1	N 76 E	9.21	9.37	56.8	48.0	8.8	
4	55.75	0.266	59	.838	.572	0.3	N 83 E	3.88	5.05	61.0	46.9	17.1	*	
5	58.68	0.321	67	.758	.437	0.5	S 54 E	2.29	3.28	71.4	50.5	20.9	
6	64.47	0.385	65	.674	.289	0.3	S 46 E	1.81	2.57	75.1	51.8	23.3	
7	65.92	0.434	71	.529	.095	0.3	S 28 W	3.47	4.52	76.4	51.8	24.6	
8	N 35 W	2.15	5.13	79.6	54.2	25.4	0.215	9.4	
9	45.48	0.263	86	.511	.249	1.0	N 58 E	5.01	5.83	49.4	45.0	4.4	.585	10.0	
10	49.55	0.182	51	.630	.448	0.0	N 78 E	6.32	7.50	56.0	42.5	13.5	
11	50.75	0.263	70	.713	.450	0.3	N 85 E	8.18	8.22	56.5	39.5	17.0	
12	55.67	0.350	79	.706	.357	0.4	S 88 E	4.92	4.98	63.0	44.0	19.0	
13	56.22	0.278	58	.792	.514	0.7	N 30 W	7.38	9.36	71.8	51.8	20.0	
14	50.22	0.158	43	.949	.791	0.3	N 29 E	0.90	5.31	57.6	40.0	17.6	
15	S 15 E	1.35	5.30	60.2	42.2	18.0	
16	53.63	0.291	70	.514	.223	0.7	S 63 E	3.47	6.65	60.0	44.8	15.2	.915	10.6	
17	55.05	0.377	87	.303	28.926	0.4	S 77 E	2.61	3.65	61.8	51.0	13.8	
18	59.07	0.421	83	.363	28.942	0.5	N 39 E	3.75	7.25	66.8	45.0	21.8	
19	53.47	0.297	71	.631	29.334	0.1	N 8 W	4.03	4.64	63.2	50.0	13.2	
20	54.00	0.294	70	.704	.410	0.2	N 89 E	1.17	4.28	59.0	47.2	11.8	
21	55.15	0.376	85	.425	.050	0.8	N 62 W	1.61	2.78	64.8	49.2	15.6	.595	3.5	
22	N 53 W	6.04	7.35	59.2	44.8	14.4	.035	1.5	
23	52.10	0.245	63	.767	.523	0.0	S 26 E	2.43	2.63	60.4	43.0	17.4	
24	56.23	0.280	62	.746	.466	0.1	S 89 E	2.79	2.87	64.0	43.2	20.8	
25	62.27	0.384	69	.732	.348	0.7	S 88 E	1.61	2.70	69.8	51.0	18.8	.050	0.2	
26	64.73	0.466	75	.614	.148	0.6	S 83 E	0.21	2.05	72.6	57.0	15.6	.035	1.0	
27	58.58	0.392	81	.289	28.897	0.9	S 39 W	11.69	13.16	66.0	59.2	6.8	.215	4.2	
28	55.00	0.301	72	.462	29.161	0.6	S 79 W	6.64	8.63	64.4	49.2	15.2	.735	9.9	
29	N 43 W	7.36	8.92	61.9	49.8	12.1	*	0.2	
30	48.50	0.160	48	.918	.758	0.1	N 83 E	3.67	3.96	55.2	41.5	13.7	
31	51.58	0.263	68	.782	.519	0.5	N 68 E	6.08	6.37	58.4	42.6	15.8	
	55.16	0.298	67	29.660	29.361	0.4	N 72 E	1.59	5.70	63.40	47.13	16.26	3.410	50.6

GENERAL METEOROLOGICAL ABSTRACT,—JUNE, 1859.

Days.	DAILY MEANS.					WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW			
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in inches.	Approximate duration in hours.	Depth in inches.	Approximate duration in hours.	Depth in inches.	Approximate duration in hours.
1	56.35	0.399	87	29.696	29.297	0.5	S 76° E	3.83	5.02	63.0	48.8	14.2	0.320	3.3	0.320	3.3
2	64.23	.388	68	.532	.144	0.5	S 67 W	7.87	8.23	76.5	53.7	22.8	.035	0.5035	0.5
3	52.22	.253	62	.668	.416	0.6	N 52 W	15.79	17.81	63.2	54.8	8.4	*	*	*	1.0
4	38.13	.142	62	.930	.788	0.5	N 53 W	4.76	8.10	47.4	36.4	11.0	*	1.0
5	S 65 W	2.21	5.67	60.0	32.2	27.8
6	53.27	.218	56	.857	.639	0.1	S 1 E	2.75	3.19	61.5	36.8	27.7
7	57.77	.311	65	.644	.333	0.6	S 67 E	4.46	6.02	63.2	43.5	19.7	.135	3.5135	3.5
8	55.50	.324	73	.477	.153	0.6	N 63 W	11.63	14.34	72.0	56.3	15.7	.090	0.4090	0.4
9	54.32	.291	68	.628	.337	0.6	S 63 W	4.96	8.78	63.0	42.6	20.4	.050	2.5050	2.5
10	44.85	.160	55	.719	.559	0.6	N 48 W	11.71	12.27	52.4	43.0	9.4	.030	1.0030	1.0
11	45.62	.200	66	.916	.716	0.1	S 10 E	4.38	7.01	54.5	34.0	20.5
12	S 58 E	4.75	6.38	58.2	38.0	20.2	.293	2.5293	2.5
13	61.90	.504	90	.513	.009	0.8	S 82 W	3.38	7.06	72.0	53.4	18.6	1.575	5.6	1.575	5.6
14	56.53	.399	88	.658	.258	0.8	N 86 E	4.04	4.75	61.2	52.3	8.9
15	62.37	.468	81	.360	.28.892	0.8	S 71 W	3.95	7.02	73.4	52.1	21.3	.965	1.8965	1.8
16	54.62	.285	66	.550	.29.265	0.6	N 38 W	4.86	5.58	63.5	53.8	9.7
17	54.27	.273	64	.548	.275	0.8	N 24 E	4.56	6.74	60.8	46.2	14.6
18	59.27	.236	47	.569	.333	0.2	N 39 W	4.82	7.57	68.5	47.8	20.7
19	S 72 E	2.79	4.08	69.4	44.0	25.4	.050	0.5050	0.5
20	57.72	.413	86	.359	.28.947	0.9	N 70 E	2.79	4.07	64.8	53.7	11.1	.422	5.7422	5.7
21	57.40	.385	81	.358	.28.973	0.4	S 87 W	4.36	5.33	66.0	54.5	11.5
22	60.67	.387	73	.498	.29.111	0.5	N 55 W	3.66	6.25	68.4	47.0	21.4	*	0.2	*	0.2
23	62.10	.347	62	.705	.358	0.2	N 43 W	1.69	4.16	69.4	51.8	17.6
24	63.42	.390	66	.705	.315	0.4	N 11 E	4.06	4.58	70.2	54.9	15.3
25	66.03	.372	59	.706	.333	0.6	N 34 W	2.10	4.52	75.0	57.2	17.8
26	S 84 E	3.52	3.65	71.2	54.0	20.2
27	74.03	.580	69	.612	.032	0.4	S 9 W	5.92	7.32	81.4	62.7	18.7	.015	0.5015	0.5
28	75.03	.674	78	.627	.28.953	0.5	S 28 W	6.33	6.59	80.8	69.0	11.8	.060	0.3060	0.3
29	73.05	.533	63	.512	.28.979	0.6	N 71 W	13.86	17.83	86.4	70.0	16.4	.045	0.3045	0.3
30	55.20	.286	65	.764	.29.478	0.0	S 71 W	2.08	5.56	64.5	50.0	14.5

58.30 0.355 69 29.620 29.265 0.5 N 77 W 1.95 7.19 66.93 49.82 17.11 4.085 28.6 * 2.0 4.085 30.6

GENERAL METEOROLOGICAL ABSTRACT,—JULY, 1859.

DAYS.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW			
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Couded Sky.	Resultant Miles.	Miles.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.
1	60.93	0.391	73	29.575	29.184	0.7	S 29 E	2.32	2.89	69.5°	45.2°	24.3	0.471	11.0	
2	70.25	.604	82	.266	28.662	0.6	S 80 W	7.04	10.72	81.4°	59.2°	22.2	.108	3.5	
3							N 26 W	11.77	11.89	60.2°	49.8°	10.4	*	1.5	
4	55.08	.269	62	30.024	29.754	0.0	S 35 W	2.73	5.07	60.4°	44.7°	15.7
5	60.52	.323	62	30.048	.725	0.3	S 4 E	2.56	3.67	68.5°	16.8°	21.7
6	59.37	.398	79	29.938	.539	1.0	S 23 W	2.17	3.51	64.8°	56.6°	8.2	.045	4.0
7	62.27	.452	81	.838	.386	0.9	S 56 E	1.99	3.91	68.2°	57.2°	11.0
8	66.8	.473	72	.807	.334	0.4	S 55 E	2.22	2.86	75.2°	59.2°	16.0
9	68.65	.366	53	.890	.495	0.0	N 88 E	4.69	4.97	78.6°	61.1°	17.5
10							N 87 E	2.43	3.07	78.8°	58.8°	20.0
11	75.05	.632	73	.721	.089	0.7	S 36 W	3.26	3.91	84.2°	61.0°	23.2
12	79.88	.637	63	.702	.065	0.2	S 79 W	1.49	3.01	88.0°	68.4°	19.6
13	77.63	.678	72	.706	.028	0.5	S 71 E	3.10	4.45	83.4°	69.4°	14.0
14	73.13	.501	61	.707	.205	0.5	N 77 E	8.86	9.12	78.5°	71.0°	7.5	.191	1.5
15	70.33	.628	85	.517	28.889	0.7	N 12 E	2.83	4.87	81.0°	66.4°	14.6	.127	2.8
16	74.47	.687	81	.541	28.854	0.5	N 89 W	1.32	3.69	81.0°	67.0°	14.0
17							S 55 E	1.88	2.48	81.4°	67.8°	13.6
18	73.08	.683	84	.507	28.824	0.7	N 86 E	3.75	4.19	79.8°	69.2°	10.6	.497	5.0
19	75.43	.675	77	.360	28.685	0.2	N 84 W	2.09	4.82	86.2°	69.6°	16.6
20	67.33	.370	57	.499	29.129	0.2	N 27 W	9.86	10.02	74.2°	67.0°	7.2
21	65.15	.453	73	.552	.099	1.0	S 28 W	1.16	1.27	71.4°	55.5°	15.9
22	68.27	.368	52	.339	28.971	0.2	N 72 W	13.35	13.81	77.6°	64.2°	13.4
23	61.10	.317	59	.545	29.228	0.2	N 61 W	5.68	6.70	72.0°	52.8°	19.2	.064	0.3
24							S 2 E	1.23	2.57	74.5°	53.2°	21.3	.083	3.2
25	64.85	.521	85	.538	.017	0.6	S 87 W	1.14	4.07	74.5°	62.8°	11.7	.879	3.4
26	58.65	.312	64	.516	.204	0.6	N 68 W	16.67	17.30	62.8°	58.5°	4.3
27	60.08	.335	65	.592	.257	0.2	N 40 W	12.33	12.38	67.0°	54.7°	12.3
28	62.27	.372	67	.652	.280	0.9	N 44 W	5.44	7.40	70.4°	53.5°	16.9	.051	1.2
29	63.65	.392	67	.772	.380	0.1	S 13 W	2.27	3.14	73.0°	54.7°	18.3
30	64.18	.412	68	.734	.322	0.0	S 81 E	3.24	3.53	72.0°	53.8°	18.2
31	S 34 E	3.87	5.83	75.6°	56.0°	19.6	.095	2.5
	66.87	0.471	70	29.648	29.177	0.5	N 56 W	1.48	5.81	74.65	59.20	15.45	2.611	39.9

GENERAL METEOROLOGICAL ABSTRACT,—AUGUST, 1859.

Days.	DAILY MEANS.					WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW				
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	
1	67.92	0.461	69	29.509	29.048	0.4	N 83 W	2.57	3.76	77.4	64.0	13.4	
2	66.40	.381	60	.610	.229	0.3	N 84 E	4.05	4.10	73.8	55.6	18.2	
3	67.88	.541	79	.558	.018	0.8	N 67 E	2.85	3.87	76.2	60.6	15.6	1.375	11.2	0.5	
4	67.02	.539	79	.424	28.884	0.5	N 56 W	4.11	6.26	75.8	63.1	12.7	.035	
5	64.10	.366	62	.551	29.185	0.4	N 59 W	6.21	6.26	74.5	58.6	15.9	
6	64.80	.410	67	.598	.188	0.3	S 45 W	4.20	4.82	74.2	51.8	22.4	
7	N 40 W	7.24	8.01	82.2	61.7	20.5	
8	65.37	.408	65	.701	.293	0.3	N 69 E	2.05	2.69	74.0	55.5	18.5	
9	68.03	.497	72	.769	.273	0.0	N 63 E	2.22	3.37	78.2	58.8	19.4	
10	70.63	.523	69	.698	.175	0.1	N 78 E	2.51	2.79	78.4	62.1	16.3	
11	69.80	.588	80	.594	.006	0.7	N 51 E	0.91	2.99	80.2	64.6	15.6	.080	3.5	
12	69.98	.614	84	.556	28.942	0.8	N 70 E	4.47	4.81	74.0	64.2	9.8	
13	69.87	.577	79	.586	29.009	0.4	S 19 E	2.16	2.91	75.4	67.0	8.4	
14	N 80 W	0.94	4.48	82.0	63.5	18.5	
15	72.90	.590	73	.617	.026	0.4	N 77 E	4.03	4.97	80.4	68.1	12.3	*	0.5	
16	72.02	.558	72	.690	.132	0.3	N 79 E	5.03	5.39	77.2	68.0	9.2	
17	72.23	.588	76	.715	.128	0.2	S 71 E	3.07	3.88	80.4	65.0	15.4	
18	68.38	.519	74	.552	.033	0.6	N 62 W	5.53	9.69	80.0	64.1	15.9	.180	3.1	
19	64.83	.305	52	.629	.324	0.1	N 17 W	10.16	10.33	75.2	56.6	18.6	
20	66.50	.360	57	.738	.378	0.0	S 5 E	3.60	4.43	75.2	56.1	19.1	
21	N 88 E	3.48	4.00	75.4	54.5	20.9	
22	69.78	.497	79	.631	.134	0.6	S 69 E	6.99	8.05	74.2	58.9	15.3	.170	2.5	
23	66.85	.545	83	.585	.010	1.0	S 15 E	7.06	8.18	70.8	65.6	5.2	1.655	15.0	
24	65.97	.550	86	.463	28.913	0.5	S 43 W	2.61	3.95	72.2	64.6	7.6	.315	2.2	
25	65.65	.435	70	.528	29.093	0.2	N 68 W	6.55	6.94	74.2	58.0	16.2	
26	68.42	.482	70	.530	.048	0.5	N 79 W	4.68	6.95	78.2	56.8	21.4	*	0.2	
27	60.15	.333	65	.612	.278	0.1	N 39 W	11.04	11.59	68.0	56.8	11.2	
28	N 34 W	11.53	11.60	63.2	49.5	13.4	
29	56.28	.218	52	.717	.499	0.2	N 39 W	6.57	6.71	68.0	47.2	20.8	
30	59.15	.317	65	.518	.201	0.9	S 85 W	5.93	7.20	70.5	45.8	24.7	.010	1.6	
31	56.63	.298	65	.495	.197	0.4	N 68 W	9.21	9.60	65.8	53.7	12.1	.140	1.0	
	66.61	0.463	70	29.599	29.136	0.4	N 36 W	1.62	3.96	75.01	59.38	19	45.63	3.990	41.3

GENERAL METEOROLOGICAL ABSTRACT,—SEPTEMBER, 1859.

	Days.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW			
		Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Miles Miles	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.
1	56.52	0.323	70	29.433	29.110	0.8	S 83 W	6.44	8.47	65.8	43.0	22.8	0.075	2.0	:	:	:	:
2	54.83	.256	61	.555	.299	0.8	N 84 W	7.70	8.77	61.8	46.8	15.0	...	:	:	:	:	:
3	58.45	.370	75	.431	.061	0.7	S 44 W	3.75	6.52	68.2	51.6	16.6	.395	1.4	:	:	:	:
4	N 61 W	6.00	6.35	62.8	45.8	17.0	...	:	:	:	:	:
5	51.07	.289	77	.890	.600	0.6	N 76 W	3.84	4.77	59.8	47.0	12.8	.117	0.5	:	:	:	:
6	52.97	.260	65	30.004	.744	0.2	N 67 W	2.04	4.79	62.2	43.8	18.4	...	:	:	:	:	:
7	53.43	.286	70	29.981	.695	0.3	S 77 W	1.82	3.68	62.2	46.0	16.2	...	:	:	:	:	:
8	54.23	.279	67	.976	.697	0.1	S 8 S E	1.84	2.14	63.2	41.9	21.3	...	:	:	:	:	:
9	59.10	.317	65	.899	.582	0.5	East	3.44	3.81	66.4	47.8	18.6	.665	3.0	:	:	:	:
10	63.27	.551	94	.622	.071	1.0	S 26 W	4.39	4.80	68.0	58.1	9.9	.100	3.0	:	:	:	:
11	S 87 W	12.40	13.31	75.4	59.4	16.0	.038	1.5	:	:	:	:
12	63.02	.367	65	.143	28.776	0.7	S 64 W	10.67	12.03 ⁿ	74.6	52.7	21.9	...	:	:	:	:	:
13	50.52	.211	57	.284	29.073	0.5	N 67 W	16.76	18.00	57.0	52.4	4.6	*	0.2	:	:	:	:
14	43.17	.130	50	.695	.565	0.3	N 55 W	12.94	13.82	51.2	40.4	10.8	...	:	:	:	:	:
15	43.08	.138	50	.996	.858	0.7	N 74 E	5.24	5.65	48.4	35.7	12.7	...	:	:	:	:	:
16	51.12	.268	70	.748	.479	1.0	N 63 E	8.30	8.46	54.2	43.0	11.2	...	:	:	:	:	:
17	53.93	.362	86	.628	.265	0.6	N 79 E	1.86	2.62	62.0	52.3	9.7	...	:	:	:	:	:
18	N 86 E	2.88	3.15	60.8	45.0	15.8	...	:	:	:	:	:
19	57.97	.422	87	.378	28.956	0.7	N 14 E	3.80	5.02	63.2	49.6	13.6	.110	3.0	:	:	:	:
20	52.07	.294	75	.603	29.309	1.0	N 37 E	7.02	7.18	56.0	50.0	6.0	.008	0.3	:	:	:	:
21	51.90	.352	90	.574	.222	1.0	N 64 E	13.56	13.80	57.2	48.5	8.7	1.185	13.5	:	:	:	:
22	56.82	.425	92	.556	.132	0.8	N 78 E	3.61	3.69	61.2	52.9	8.3	.250	0.5	:	:	:	:
23	58.68	.424	86	.666	.242	0.9	S 35 W	0.15	0.15	65.0	52.5	12.5	*	0.3	:	:	:	:
24	60.70	.447	85	.644	.197	0.8	N 16 E	1.25	2.61	67.5	56.9	10.6	...	:	:	:	:	:
25	S 43 W	0.40	0.65	65.2	56.6	8.6	...	:	:	:	:	:
26	58.87	.428	86	.598	.170	1.0	S 44 W	1.60	1.76	65.0	51.2	13.8	.045	1.7	:	:	:	:
27	61.67	.477	87	.557	.080	1.0	N 21 W	5.30	7.62	68.4	60.3	8.1	.007	0.8	:	:	:	:
28	57.47	.393	83	.830	.437	0.2	N 2 E	3.48	5.88	64.9	56.6	8.3	...	:	:	:	:	:
29	51.23	.290	77	.958	.669	0.4	N 85 E	4.08	4.25	59.8	49.8	10.0	...	:	:	:	:	:
30	58.62	.413	83	.735	.322	0.5	S 88 E	3.16	7.02	63.0	42.0	21.0	.530	4.7	:	:	:	:
	55.18	0.337	75	29.669	29.331	0.7	N 44 W	1.60	6.36	62.68	49.32	13.36	3.525	36.4	*	*	*	*

GENERAL METEOROLOGICAL ABSTRACT.—OCTOBER, 1859.

DAYS.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW	
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Resultant Direction.	Resultant Velocity. Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches. Approximate duration in hours.			
1	56.95	0.388	84	29.649	29.261	0.7	S 37° W	6.61 Miles 10.57 Miles	60.5 °	55.2 °	5.3 °	:	:	:	:
2	N 78° W	6.93 Miles 10.97 Miles	60.5 °	50.8 °	9.7 °	*	0.2	:	:
3	56.33	.336	73	.566	.231	0.0	S 30° W	7.46 Miles 7.70 Miles	63.5 °	37.5 °	26.0 °	:	:	:	:
4	60.40	.408	78	.546	.188	0.0	S 30° W	4.14 Miles 4.20 Miles	69.8 °	55.5 °	14.3 °	:	:	:	:
5	53.70	.333	81	.537	.204	0.4	N 80° W	8.08 Miles 11.72 Miles	68.5 °	51.4 °	17.1 °	:	:	:	:
6	44.35	.217	74	.702	.485	0.6	N 78° W	8.06 Miles 8.44 Miles	53.2 °	36.5 °	16.7 °	*	0.2	:	:
7	44.95	.235	78	.642	.407	1.0	N 2° E	4.82 Miles 5.99 Miles	57.0 °	36.5 °	20.5 °	.115	7.5	:	*
8	39.88	.178	72	.690	.512	0.7	N 22° E	7.95 Miles 8.53 Miles	44.7 °	37.0 °	7.7 °	.050	3.0	:	.115
9	N 50° E	0.81 Miles 4.53 Miles	46.4 °	31.0 °	15.4 °	:	:	:	0.2
10	44.07	.208	71	.790	.581	0.2	S 21° W	3.93 Miles 4.60 Miles	53.0 °	32.0 °	21.0 °	:	:	:	0.2
11	47.50	.220	67	.868	.648	0.7	N 34° W	3.58 Miles 4.56 Miles	57.4 °	39.2 °	18.2 °	:	:	:	0.2
12	46.58	.251	77	.823	.572	0.7	N 72° E	2.19 Miles 2.88 Miles	52.2 °	36.4 °	15.8 °	:	:	:	0.2
13	57.42	.367	78	.493	.127	0.8	S 32° W	8.48 Miles 10.09 Miles	63.8 °	48.0 °	15.8 °	.397	2.2	:	.397
14	50.73	.246	68	.505	.260	0.4	N 77° W	10.98 Miles 11.37 Miles	61.2 °	51.9 °	9.3 °	:	:	:	0.2
15	38.92	.178	76	.792	.614	0.5	N 57° W	4.35 Miles 4.58 Miles	53.0 °	37.0 °	16.0 °	*	0.1	:	0.1
16	S 71° E	5.15 Miles 5.65 Miles	50.9 °	33.2 °	17.7 °	*	0.2	:	0.2
17	S 40° W	6.43 Miles 7.31 Miles	61.2 °	45.8 °	15.4 °	.318	6.5	:	.318
18	46.37	.198	59	.413	.216	0.7	N 84° W	20.49 Miles 20.73 Miles	58.8 °	43.8 °	15.0 °	.010	1.0	:	.010
19	37.43	.158	71	.565	.407	1.0	N 36° W	6.56 Miles 7.43 Miles	43.4 °	34.7 °	8.7 °	.040	4.0	*	.040
20	32.12	.105	59	.652	.547	0.4	N 36° W	18.63 Miles 18.90 Miles	38.0 °	28.8 °	9.2 °	:	*	0.5	* 0.5
21	31.82	.119	70	.648	.528	0.2	N 49° W	11.88 Miles 12.25 Miles	39.2 °	26.0 °	13.2 °	:	*	0.5	0.5
22	33.75	.163	83	.525	.362	1.0	N 73° W	1.73 Miles 1.73 Miles	38.0 °	26.8 °	11.2 °	:	*	*	*
23	S 55° W	4.22 Miles 4.73 Miles	43.5 °	27.0 °	16.5 °	:	*	0.2	0.2
24	42.73	.223	81	.642	.419	1.0	N 88° W	5.95 Miles 7.13 Miles	46.5 °	35.4 °	11.1 °	.010	0.9	*	3.0
25	37.18	.131	59	.495	.364	0.7	N 23° W	10.61 Miles 11.31 Miles	41.5 °	36.8 °	4.7 °	:	:	:	:
26	27.87	.111	72	.399	.288	0.9	N 8° E	3.23 Miles 4.11 Miles	31.0 °	22.6 °	8.4 °	:	:	:	:
27	32.37	.128	69	.370	.243	0.4	N 62° W	10.68 Miles 11.27 Miles	38.2 °	22.3 °	15.9 °	:	:	:	:
28	37.52	.139	63	.483	.344	0.9	N 53° W	12.53 Miles 12.73 Miles	44.8 °	30.6 °	14.2 °	:	:	:	:
29	36.52	.146	68	.746	.600	0.9	N 44° W	8.36 Miles 8.51 Miles	40.6 °	33.6 °	7.0 °	:	:	:	:
30	N 58° W	4.40 Miles 4.52 Miles	40.8 °	30.8 °	10.0 °	:	:	:	:
31	37.25	.169	77	.822	.653	0.8	N 77° W	6.22 Miles 6.30 Miles	40.7 °	34.6 °	6.1 °	:	:	:	29.8

42.99 0.214 72 29.615 29.400 0.6 N 68° W 5.04 8.12 50.38 37.05 13.33 0.940 25.8 * 4.0 0.940 29.8

TORONTO METEOROLOGICAL OBSERVATIONS.

GENERAL METEOROLOGICAL ABSTRACT,—NOVEMBER, 1859.

Days.	DAILY MEANS		WIND.		EXTREME OF IMPETUOSITY.		RAIN.		SNOW.		RAINS AND MELTED SNOW.	
	Pressure of Air.	Humidity.	Pressure of Air.	Humidity.	Wind.	Wind.	Wind.	Wind.	Wind.	Wind.	Wind.	Wind.
1	.37-.27	0.159	72	29.733	29.574	0.9	N 55° W	6.72	7.2	61.0	31.8	9.2
2	.35-.03	.145	73	.788	.613	0.5	N 71° W	8.65	8.95	18.0	31.0	17.0
3	.37-.09	.167	75	30.026	.559	0.3	S 71° E	3.59	5.41	12.0	27.0	15.0
4	.51-.15	.279	72	.671	.392	0.9	S 41° W	7.21	7.14	61.5	27.5	21.0
5	.49-.07	.170	69	.837	.668	0.2	S 65° W	10.37	11.95	62.6	50.8	11.5
6												
7	.41-.05	.194	75	.963	.769	1.0	N 50° E	3.13	3.14	45.4	35.8	9.6
8	.46-.30	.242	81	.791	.549	1.0	S 78° E	2.10	2.47	52.0	45.0	17.0
9	.45-.40	.249	80	.657	.408	1.0	S 1° W	6.98	7.97	49.8	44.5	5.3
10	.35-.72	.191	91	.352	.161	0.9	N 14° W	6.61	8.58	39.12	36.58	2.4
11	.30-.80	.134	78	.681	.547	0.9	S 1° W	1.0	1.0	40.5	13.5	0.2
12	.41-.82	.250	93	.231	.281	1.0	S 72° W	48.5	28.4	20.1	1.135	20.5
13												
14	.29-.83	.123	74	.641	.29.518	0.8	S 72° W	18.31	18.80	36.8	29.0	7.8
15	.33-.70	.154	80	.916	.761	0.6	S 50° E	9.76	9.81	33.5	28.0	5.5
16	.41-.73	.195	73	.816	.621	0.7	S 13° E	1.82	2.77	36.4	27.7	8.7
17	.45-.23	.238	78	.742	.504	1.0	S 20° W	4.11	4.15	48.8	39.5	9.3
18	.46-.62	.269	83	.639	.370	0.9	N 33° E	7.67	9.16	51.0	39.2	11.8
19	.39-.82	.222	86	.224	.002	1.0	N 29° W	17.38	18.79	17.6	42.5	10.2
20												
21	.33-.14	.173	90	.727	.554	1.0	N 10° W	7.52	9.45	39.0	26.0	13.0
22	.41-.95	.220	83	.499	.279	1.0	S 80° W	15.60	17.25	43.6	21.8	8.4
23	.34-.73	.163	80	.903	.740	0.7	N 60° W	12.85	13.43	11.3	32.4	12.1
24	.27-.37	.127	84	.30.156	.30.029	0.7	N 26° E	4.09	6.58	31.8	27.0	4.2
25	.36-.35	.196	89	.29.463	.29.267	1.0	S 42° E	7.33	17.39	19.4	24.0	4.5
26	.40-.12	.172	69	.360	.188	0.9	S 77° W	17.31	17.50	42.2	33.0	9.2
27	.32-.30	.131	72	.589	.58	0.6	S 75° W	9.07	9.98	37.5	30.2	7.3
28	.36-.30	.161	74	.591	.433	1.0	S 86° W	12.09	12.32	37.0	28.8	8.2
29	.42-.43	.218	80	.539	.321	0.7	S 54° W	6.16	6.30	48.2	38.0	10.2
30												
	38.90	0.190	78	29.675	29.484	0.8	N S W	3.39	9.65	B.9532	77.11	19.5

GENERAL METEOROLOGICAL ABSTRACT,—DECEMBER, 1859.

Days.	DAILY MEANS.				WIND.		EXTREMES OF TEMPERATURE.			RAIN.		SNOW.		RAIN AND MELTED SNOW				
	Temperature of the Air.	Pressure of Vapour.	Relative Humidity.	Barometric Pressure.	Pressure of Dry Air.	Clouded Sky.	Miles.	Miles.	Resultant Velocity.	Mean Velocity.	Maximum.	Minimum.	Difference.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.	Approximate duration in hours.	Depth in Inches.
1	44.37	0.281	90	29.448	29.167	1.0	N 79 W	10.23	15.00	54.8	10.8	14.0	0.255	10.5	0.1	2.0	0.265	12.5
2	17.27	.082	84	.927	.845	1.0	N 37 W	12.51	13.02	23.8	17.5	6.3	2.5	11.0	.250	14.0
3	6.80	.049	81	30.272	30.223	0.8	N 12 E	14.00	14.54	17.0	0.8	16.2	2.0	7.0	.200	7.0
4	N 22 E	12.90	13.21	28.0	8.0	20.0	2.5	18.2	.200	18.0
5	34.23	.184	92	29.817	29.633	1.0	N 66 E	3.39	3.67	38.2	23.5	14.7	*	5.0	*	5.0
6	38.08	.218	94	.524	.306	1.0	N 68 W	4.73	10.51	42.0	34.2	7.8	.780	13.0	3.5	6.0	1.130	19.0
7	15.38	.080	86	.745	.665	0.7	S 88 W	8.48	8.59	22.0	19.8	2.2	2.5	8.0	.250	8.0
8	9.60	.056	82	.946	.890	0.1	S 70 W	5.58	5.66	18.8	4.0	14.8
9	22.25	.107	88	.674	.567	0.7	S 66 W	13.49	18.41	27.0	6.8	20.2	0.5	2.5	.050	2.5
10	15.60	.082	87	.904	.822	0.6	S 79 W	4.54	7.86	29.5	4.8	24.7
11	S 71 W	15.29	17.91	37.2	10.5	26.7	0.2	1.5	.020	1.5
12	8.35	.053	84	.543	.490	0.4	N 68 W	5.01	5.70	14.4	1.0	13.4	0.1	0.5	.010	0.5
13	13.65	.069	84	.869	.800	0.8	N 5 E	5.54	6.02	20.0	3.8	16.2	3.0	9.5	.300	9.5
14	15.80	.080	90	.828	.748	0.8	N 9 W	7.29	7.53	19.8	13.4	4.4	0.2	9.0	.020	9.0
15	17.48	.080	82	.816	.736	0.5	S 45 W	1.61	1.67	26.8	9.0	17.8	*	0.5	*	0.5
16	26.60	.124	85	.798	.674	0.7	N 16 E	3.36	4.07	32.2	10.4	24.8
17	29.03	.150	93	.543	.393	1.0	N 73 E	20.23	20.49	32.0	22.2	9.8	4.0	10.8	.100	10.8
18	S 69 E	4.21	11.01	33.0	28.5	4.5	6.0	14.5	.600	14.5
19	32.97	.161	87	.424	.260	1.0	S 63 W	8.05	8.08	35.0	31.0	4.0	0.4	3.0	.040	3.0
20	29.60	.151	92	.293	.142	1.0	N 40 W	5.34	5.84	32.2	29.8	2.4	1.5	16.0	.150	16.0
21	21.68	.099	85	.542	.443	1.0	S 88 W	13.16	13.33	24.8	19.2	5.6	0.2	1.6	.020	1.6
22	17.02	.085	89	.545	.461	0.7	N 88 W	6.78	6.82	21.0	15.8	5.2
23	14.12	.071	86	.408	.337	0.6	N 88 W	13.59	14.88	18.3	14.0	4.3	0.3	5.0	.030	5.0
24	7.78	.057	90	.610	.583	0.7	S 89 W	9.84	10.19	14.2	—1.9	16.1	0.2	1.5	.020	1.5
25	S 77 W	4.56	4.59	30.3	7.3	23.0	0.2	1.5	.020	1.5
26	N 48 W	10.77	12.21	31.3	23.2	8.1	*	1.0	*	1.0
27	6.07	.050	84	30.035	.985	0.2	N 18 E	11.65	12.18	14.9	5.6	9.3
28	-0.53	.038	88	30.073	30.035	1.0	N 45 E	18.13	18.18	2.5	3.0	5.5	3.5	13.0	.350	13.0
29	7.02	.055	89	29.599	29.544	1.0	N 48 E	13.57	14.07	14.0	-1.5	15.5	4.0	17.0	.400	17.0
30	16.05	.074	88	.439	.365	0.6	S 73 W	13.69	13.90	25.0	6.6	18.4
31	-1.08	.035	85	.785	.750	0.1	S 75 W	14.64	14.71	3.0	-6.0	9.0
	17.89	0.099	87	29.709	29.610	0.7	N 53 W	4.29	10.77	25.26	12.94	12.32	1.035	28.5	37.4	163.4	4.775	191.9

TORONTO METEOROLOGICAL OBSERVATIONS.

TORONTO METEOROLOGICAL OBSERVATIONS.

TABLE I.

MONTHLY MEANS OF THE TEMPERATURE OF THE AIR AT EACH OF THE SIX OBSERVATION HOURS, FROM
1854 TO 1859 INCLUSIVE.

Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.	
JANUARY.	1854	26.18	25.43	22.94	22.49	22.23	22.17	23.57
	1855	30.06	28.46	25.01	24.61	23.73	23.80	25.95
	1856	20.67	20.43	14.60	13.83	13.19	13.42	16.02
	1857	16.04	15.75	12.64	11.66	10.34	10.07	12.75
	1858	33.35	32.56	28.47	28.22	29.00	28.60	30.03
	1859	28.73	28.35	26.20	25.87	24.54	24.93	26.44
Means.		25.84	25.16	21.64	21.11	20.51	20.50	22.46

Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.	
FEBRUARY.	1854	25.00	25.49	20.91	19.99	17.39	17.75	21.09
	1855	21.89	20.34	13.91	12.49	11.57	12.24	15.41
	1856	21.82	21.77	14.65	12.84	11.10	11.97	15.69
	1857	31.41	30.97	28.63	28.88	25.28	25.99	28.53
	1858	20.92	21.02	16.54	16.08	13.42	13.92	16.98
	1859	29.12	29.09	25.82	25.23	23.67	23.28	26.04
Means.		25.03	24.78	20.08	19.25	17.07	17.53	20.62

Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.	
MARCH.	1854	34.96	34.99	29.14	28.45	27.28	29.23	30.68
	1855	34.11	32.94	28.02	27.18	23.05	25.47	28.46
	1856	28.49	28.15	22.49	21.43	17.77	20.03	23.06
	1857	32.98	33.09	27.40	26.36	22.62	24.46	27.82
	1858	33.54	33.46	27.19	26.13	24.09	26.21	28.44
	1859	39.14	39.68	36.32	35.53	33.10	34.25	36.34
Means.		33.87	33.72	28.43	27.51	24.65	26.61	29.13

TABLE I.—(*Continued.*)

MONTHLY MEANS OF THE TEMPERATURE OF THE AIR AT EACH OF THE SIX OBSERVATION HOURS, FROM
1854 TO 1859 INCLUSIVE.

	Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
APRIL.	1854	46.65	47.07	38.82	37.77	36.29	39.62	41.04
	1855	51.20	49.23	39.39	38.69	35.75	40.34	42.43
	1856	47.81	47.33	40.53	39.34	37.57	41.05	42.27
	1857	40.86	40.62	33.27	32.24	30.90	34.25	35.36
	1858	46.44	46.01	39.72	38.84	37.07	40.66	41.46
	1859	44.04	43.73	38.20	36.84	35.52	38.86	39.53
	Means.	46.17	45.66	38.32	37.29	35.52	39.13	40.35

	Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
MAY.	1854	58.67	58.12	48.41	46.74	47.93	53.33	52.20
	1855	61.54	60.39	48.11	46.52	48.78	53.06	53.07
	1856	54.95	54.77	48.95	47.17	46.82	50.49	50.52
	1857	53.77	53.37	47.14	45.51	44.45	48.98	48.87
	1858	53.31	52.88	47.15	46.07	45.86	48.12	48.90
	1859	60.70	60.80	52.72	51.16	50.37	55.23	55.16
	Means.	57.16	56.72	48.75	47.19	47.37	51.54	51.45

	Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
JUNE.	1854	71.70	70.78	59.39	58.23	59.86	64.78	64.12
	1855	66.66	65.82	56.43	55.13	55.81	59.75	59.93
	1856	67.76	67.73	59.36	57.69	58.07	62.02	62.11
	1857	61.85	61.60	54.84	53.24	53.52	56.47	56.92
	1858	72.28	71.52	63.53	61.88	61.87	65.84	66.15
	1859	64.25	63.83	55.81	53.17	54.31	58.44	58.30
	Means.	67.42	66.88	58.23	56.56	57.24	61.21	61.26

TORONTO METEOROLOGICAL OBSERVATIONS.

TABLE I.—(*Continued.*)

MONTHLY MEANS OF THE TEMPERATURE OF THE AIR AT EACH OF THE SIX OBSERVATION HOURS, FROM
1854 TO 1859 INCLUSIVE.

Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.	
JULY.	1854	81.86	80.25	67.10	65.50	67.09	72.99	72.47
	1855	73.78	73.57	64.67	62.98	64.70	67.97	67.95
	1856	77.46	77.08	66.30	64.65	64.27	69.62	69.90
	1857	73.76	72.50	64.69	63.40	63.71	68.53	67.76
	1858	73.55	73.57	65.23	63.80	63.32	67.67	67.86
	1859	72.39	72.05	63.80	62.79	62.70	67.47	66.87
	Means.	75.47	74.84	65.30	63.85	64.30	69.04	68.80

Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.	
AUGUST.	1854	78.24	76.24	63.46	61.84	61.24	67.16	68.03
	1855	71.21	70.76	60.97	58.87	58.21	64.34	64.06
	1856	70.58	70.51	60.48	58.82	57.90	63.27	63.59
	1857	71.96	71.63	62.75	61.29	59.40	64.85	65.31
	1858	73.97	74.20	65.37	63.38	61.62	67.14	67.61
	1859	72.96	73.18	63.71	62.34	60.87	66.60	66.61
	Means.	73.15	72.75	62.79	61.09	59.87	65.56	65.87

Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.	
SEPTEMBER.	1854	70.34	67.79	57.98	56.14	53.73	60.28	61.04
	1855	65.23	65.11	57.13	55.68	55.01	58.80	59.49
	1856	64.33	63.26	54.59	53.61	50.80	56.28	57.15
	1857	65.51	65.07	55.70	54.63	53.13	57.80	58.64
	1858	65.95	65.17	57.15	55.39	52.60	58.38	59.11
	1859	60.18	59.87	53.88	52.60	50.35	54.20	55.18
	Means.	65.26	64.38	56.07	54.67	52.60	57.62	58.43

TABLE I.—(*Continued.*)

MONTHLY MEANS OF THE TEMPERATURE OF THE AIR AT EACH OF THE SIX OBSERVATION HOURS, FROM 1854 TO 1859 INCLUSIVE.

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
OCTOBER.	1854	57.38	54.77	46.89	45.73	44.33	48.04	49.52
	1855	50.58	49.76	44.36	43.06	40.93	43.66	45.39
	1856	51.20	50.54	43.44	42.20	40.83	43.84	45.34
	1857	50.93	50.07	43.88	43.17	41.21	43.28	45.42
	1858	53.78	52.87	47.48	46.06	45.05	47.52	48.79
	1859	48.86	47.44	41.27	40.24	38.78	41.34	42.99
	Means.	52.12	50.91	44.55	43.41	41.85	44.61	46.24

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
NOVEMBER.	1854	40.56	39.48	35.69	34.39	35.43	35.50	36.84
	1855	42.68	41.52	37.66	36.41	36.35	36.86	38.58
	1856	40.46	39.38	36.54	36.02	35.58	36.35	37.39
	1857	36.99	36.67	32.82	31.57	31.20	31.97	33.54
	1858	36.58	35.95	33.95	33.58	32.30	32.62	34.16
	1859	42.17	41.19	38.63	38.01	36.43	36.95	38.90
	Means.	39.91	39.03	35.88	35.00	34.55	35.04	36.57

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
DECEMBER.	1854	25.78	24.43	20.99	21.18	19.04	19.88	21.88
	1855	30.46	29.41	26.30	25.28	24.77	24.73	26.83
	1856	25.35	24.94	22.09	21.85	21.56	21.52	22.88
	1857	34.97	34.34	30.52	30.08	30.60	30.63	31.86
	1858	29.29	29.00	26.47	26.04	27.12	26.46	27.40
	1859	21.03	20.71	17.23	15.74	16.52	16.12	17.89
	Means.	27.81	27.14	23.93	23.36	23.27	23.22	24.79

TORONTO METEOROLOGICAL OBSERVATIONS.

TABLE II.

MONTHLY AND ANNUAL MEANS OF THE TEMPERATURE OF THE AIR FURNISHED BY SIX DAILY OBSERVATIONS,
FROM 1854 TO 1859 INCLUSIVE.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1854	23.57	21.09	30.68	41.04	52.20	64.12	72.47	68.03	61.04	49.52	36.84	21.88	45.21
1855	25.95	15.41	28.46	42.43	53.07	59.93	67.95	64.06	59.49	45.39	38.58	26.83	43.96
1856	16.02	15.69	23.06	42.27	50.52	62.11	69.90	63.59	57.15	45.34	37.39	22.88	42.16
1857	12.75	28.53	27.82	35.36	48.87	56.92	67.76	65.31	58.64	45.42	33.54	31.86	42.73
1858	30.03	16.98	28.44	41.46	48.90	66.15	67.86	67.61	59.11	48.79	34.16	27.40	44.74
1859	26.44	26.04	36.34	39.53	55.16	58.30	66.87	66.61	55.18	42.99	38.90	17.89	44.19
Means	22.46	20.62	29.13	40.35	51.45	61.26	68.80	65.87	58.43	46.24	36.57	24.79	43.83

TABLE III.

DIFFERENCE OF THE MONTHLY AND ANNUAL MEANS OF THE TEMPERATURE OF THE AIR FROM 1854 TO 1859
INCLUSIVE, IN EXCESS OR DEFECT FROM THE NORMAL MONTHLY AND ANNUAL MEANS, BOTH BEING
DERIVED FROM SIX DAILY OBSERVATIONS.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1854	- 1.28	- 2.60	+ 0.45	- 0.18	+ 0.65	+ 3.03	+ 6.14	+ 2.31	+ 3.62	+ 4.53	+ 0.70	- 5.18	+ 1.02
1855	+ 1.10	- 8.28	- 1.77	+ 1.21	+ 1.52	- 1.16	+ 1.62	- 1.66	+ 2.07	+ 0.40	+ 2.44	- 0.23	- 0.23
1856	- 8.83	- 8.00	- 7.17	+ 1.05	- 1.03	+ 1.02	+ 3.57	- 2.13	- 0.27	+ 0.35	+ 1.25	- 4.18	- 2.03
1857	- 12.10	+ 4.84	- 2.41	- 5.86	- 2.68	- 4.17	+ 1.43	- 0.41	+ 1.22	+ 0.43	- 2.60	+ 4.80	- 1.46
1858	+ 5.18	- 6.71	- 1.79	+ 0.24	- 2.65	+ 5.06	+ 1.53	+ 1.89	+ 1.69	+ 3.80	- 1.98	+ 0.34	+ 0.55
1859	+ 1.59	+ 2.35	+ 6.11	- 1.69	+ 3.61	- 2.79	+ 0.54	+ 0.89	- 2.24	- 2.00	+ 2.76	- 9.17	0.00
Means	- 2.39	- 3.07	- 1.10	- 0.87	- 0.10	+ 0.17	+ 2.47	+ 0.15	+ 1.01	+ 1.25	+ 0.43	- 2.27	- 0.36

TABLE IV.

MONTHLY MEANS OF THE TEMPERATURE OF THE AIR AT EACH OF THE SIX OBSERVATION HOURS, FOR THE PERIOD 1854 TO 1859 INCLUSIVE.

Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
January	25.84	25.16	21.64	21.11	20.51	20.50	22.46
February	25.03	24.78	20.08	19.25	17.07	17.53	20.62
March	33.87	33.72	28.43	27.51	24.65	26.61	29.13
April	46.17	45.66	38.32	37.29	35.52	39.13	40.35
May	57.16	56.72	48.75	47.19	47.37	51.54	51.45
June	67.42	66.88	58.23	56.56	57.24	61.21	61.26
July	75.47	74.84	65.30	63.85	64.30	69.04	68.80
August	73.15	72.75	62.79	61.09	59.87	65.56	65.87
September	63.26	64.38	56.07	54.67	52.60	57.62	58.43
October	52.12	50.91	44.55	43.41	41.85	44.61	46.24
November	39.91	39.03	35.88	35.00	34.55	35.04	36.57
December	27.81	27.14	23.93	23.36	23.27	23.22	24.79
Means.....	49.10	48.50	42.00	40.86	39.90	42.63	43.83

TABLE V.

DIFFERENCES OF THE MEAN MONTHLY TEMPERATURE AT EACH OBSERVATION HOUR IN EXCESS OR DEFECT FROM THE NORMAL MEAN MONTHLY TEMPERATURE OF THE SAME HOUR, TOGETHER WITH THE MEANS OF THE SIX HOURLY DIFFERENCES.

Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Means.
January.....	-2.35	-2.48	-2.57	-2.16	-2.28	-2.49	-2.39
February	-3.78	-3.45	-2.55	-2.73	-2.72	-3.17	-3.07
March.....	-1.97	-1.48	-0.15	-0.42	-0.90	-1.69	-1.10
April	-1.34	-1.53	-0.34	-0.62	-0.27	-1.13	-0.87
May	-1.41	-1.93	+0.52	+0.63	+1.27	+0.33	-0.10
June.....	-0.76	-1.87	+1.00	+0.95	+1.47	+0.21	+0.17
July	+0.73	-0.15	+3.31	+4.02	+4.19	+2.74	+2.47
August.....	-0.45	-1.01	+0.84	+0.73	+0.66	+0.11	+0.15
September	+0.85	+0.21	+1.55	+1.20	+1.26	+1.02	+1.01
October.....	+1.18	+0.89	+1.47	+1.57	+1.33	+1.05	+1.25
November	-0.15	+0.02	+0.59	+0.67	+1.05	+0.41	+0.43
December	-2.60	-2.36	-2.69	-2.71	-1.45	-1.81	-2.27
Means.....	-1.00	-1.26	+0.08	+0.09	+0.30	-0.37	-0.36

TORONTO METEOROLOGICAL OBSERVATIONS.

TABLE VI.

MONTHLY MEAN DIFFERENCES WITHOUT REGARD TO SIGN BETWEEN THE NORMAL TEMPERATURE OF THE DAY AND HOUR AND THE OBSERVED TEMPERATURE OF THE SAME DAY AND HOUR, FOR EACH MONTH OF THE YEARS 1854 TO 1859 INCLUSIVE.

	January.	February	March.	April.	May.	June.	July.	August.	September	October.	November.	December	Mean of the Year.
1854	9.2	9.0	9.6	5.5	4.7	4.9	7.4	5.4	6.9	7.1	5.2	10.8	7.1
1855	7.1	12.4	6.2	6.2	4.7	5.8	5.0	4.9	6.5	6.2	6.5	7.8	6.6
1856	9.8	10.4	7.7	4.9	4.9	4.2	5.6	4.3	4.7	5.5	5.4	7.5	6.2
1857	13.5	11.5	7.0	6.6	5.7	5.4	4.9	3.7	5.6	5.1	6.6	6.4	6.8
1858	7.5	10.0	9.0	5.7	5.3	7.3	4.4	5.4	5.1	5.6	5.0	7.7	6.5
1859	9.4	7.4	7.7	4.2	5.6	6.6	5.9	3.5	6.5	6.7	6.2	12.4	6.8
Means	9.4	10.1	7.9	5.5	5.1	5.7	5.5	4.5	5.9	6.0	5.8	8.8	6.7

TABLE VII.

MONTHLY MEAN DIFFERENCES WITHOUT REGARD TO SIGN BETWEEN THE NORMAL TEMPERATURE OF THE DAY AND HOUR AND THE OBSERVED TEMPERATURE AT EACH OF THE SIX OBSERVATION HOURS, FOR THE PERIOD 1854 TO 1859 INCLUSIVE.

Toronto Astronomical Time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
January	9.0	8.9	9.2	9.5	9.8	9.9	9.4
February	9.1	8.9	10.3	10.5	11.0	10.7	10.1
March	7.3	7.3	7.5	7.8	8.9	8.4	7.9
April	6.9	6.7	4.8	4.9	4.7	5.2	5.5
May	6.1	5.9	4.7	4.7	4.5	5.0	5.1
June	6.4	6.6	5.3	5.3	5.0	5.4	5.7
July	5.8	5.7	5.4	5.6	5.5	5.2	5.5
August	4.3	4.3	4.5	4.9	4.8	4.4	4.5
September	6.2	5.9	5.9	5.9	6.0	5.4	5.9
October	6.1	5.6	5.9	6.0	6.5	6.0	6.0
November	5.6	5.3	5.8	6.1	6.2	6.0	5.8
December	8.3	8.3	8.7	8.8	9.3	9.3	8.8
Means.....	6.8	6.6	6.5	6.7	6.9	6.7	6.7

TABLE VIII.

MEAN DIFFERENCES WITHOUT REGARD TO SIGN BETWEEN THE TEMPERATURES OBSERVED AT 2 P.M. ON CONSECUTIVE DAYS, FOR EACH MONTH IN THE YEARS 1854 TO 1859 INCLUSIVE, THE EFFECT OF ANNUAL VARIATION BEING ELIMINATED.

Years.	January.	Feoruary.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Yearly Means.
1854	8.48	9.92	5.83	7.44	4.76	6.09	6.42	7.18	6.89	5.68	5.61	7.73	6.84
1855	6.70	5.14	4.52	6.91	6.01	5.80	4.92	4.61	6.41	5.59	4.88	5.54	5.59
1856	7.16	7.89	3.67	5.29	7.49	5.33	5.55	4.85	5.21	5.04	5.80	5.46	5.73
1857	7.92	8.39	7.54	4.50	5.56	5.14	3.48	4.08	6.33	3.47	4.22	4.35	5.42
1858	6.35	6.09	6.45	6.10	6.10	4.54	6.10	4.44	3.94	5.19	3.30	7.92	5.54
1859	7.67	5.96	4.22	5.35	4.96	6.94	5.61	3.23	3.94	5.49	6.71	10.36	5.87
Means.	7.38	7.24	5.37	5.91	5.82	5.64	5.35	4.73	5.45	5.08	5.09	6.89	5.83
Ratio to Mean of Year.	1.27	1.24	0.92	1.01	1.00	0.97	0.92	0.81	0.93	0.87	0.87	1.18	

TABLE IX.

SHEWING FOR EACH MONTH (FOR THE PERIOD 1854 TO 1859 INCLUSIVE) THE NUMBER OF CASES IN A HUNDRED WHEN THE CHANGE OF TEMPERATURE OBSERVED AT 2 P.M. ON CONSECUTIVE DAYS WAS INCREASING, WITH THE AVERAGE VALUES OF THE INCREASING AND OF THE DECREASING CHANGES.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December
Number in a hundred.	48	57	56	53	56	55	56	55	59	54	48	49
Ratio to mean of year.	0.89	1.06	1.04	0.98	1.04	1.02	1.04	1.02	1.09	1.00	0.89	0.91
Average increase.....	7.58	6.39	4.79	5.58	5.10	5.22	4.76	4.22	4.77	4.74	5.27	6.91
Ratio to mean of year.	1.39	1.17	0.88	1.03	0.94	0.96	0.87	0.78	0.88	0.87	0.97	1.27
Average decrease.....	7.20	8.36	6.12	6.29	6.72	6.15	6.10	5.35	6.43	5.47	4.92	6.88
Ratio to mean of year.	1.13	1.32	0.97	0.99	1.06	0.97	0.96	0.84	1.01	0.86	0.78	1.09

TABLE X.

GIVING FOR EACH OF THE SIXTEEN POINTS OF THE WIND'S DIRECTION, THE MEAN DIFFERENCE OF THE TEMPERATURE OF THE AIR FROM THE NORMAL AT THE HOUR OF OBSERVATION, WITH THE NUMBER OF OBSERVATIONS FROM WHICH THE MEANS ARE DERIVED, FOR THE YEARS 1853-59 INCLUSIVE.

The sign (+) indicates that the observed temperature was in excess, and (-) that it was in defect of the normal.

	N.		N.N.E.		N.E.		E.N.E.		E.		E.S.E.		S.E.		S.S.E.	
Years.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.
1853	142	-1.32	148	-1.33	108	+0.47	93	+0.86	90	+2.67	46	+2.54	64	+3.32	64	+2.67
1854	113	-3.32	77	-2.33	87	-2.05	87	+3.65	145	+3.71	103	+1.56	48	+2.31	56	+3.24
1855	168	-2.70	79	-5.65	69	-5.58	74	+2.26	136	+1.70	95	+1.59	42	+2.45	54	+2.54
1856	127	-4.39	61	-4.74	65	-0.67	68	-0.06	123	+0.64	69	-1.18	42	-1.31	39	+1.51
1857	102	-4.55	39	-0.21	60	-0.67	126	-0.41	108	-0.27	57	+0.40	46	+1.56	54	+1.41
1858	120	-0.18	57	-3.18	76	-1.44	175	-0.07	156	+1.90	49	+3.92	45	+1.73	60	+2.03
1859	104	-3.80	68	-5.62	75	-3.66	160	+3.62	179	+1.47	65	+0.12	35	+1.63	47	+2.27
1853-59	876	-2.80	529	-3.18	540	-1.81	783	+1.87	937	+1.73	484	+1.18	322	+1.79	374	+2.28

	S.		S.S.W.		S.W.		W.S.W.		W.		W.N.W.		N.W.		N.N.W.		Calm.	
Years.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.
1853	123	+4.13	129	+3.79	68	+1.19	95	+0.66	102	-1.28	76	-2.39	115	-3.38	156	-4.02	356	+1.73
1854	79	+3.80	112	+4.90	111	+6.38	109	+1.55	103	+2.10	125	-0.99	112	-3.88	163	-3.57	333	+2.23
1855	74	+3.05	118	+4.59	124	+3.78	137	+0.25	168	-2.76	132	-3.40	134	-1.50	146	-2.27	223	+0.85
1856	69	+2.13	122	+1.93	131	+1.23	191	-3.01	174	-4.91	170	-5.22	121	-4.35	144	-4.69	254	-0.25
1857	71	+2.04	139	+0.98	154	+0.03	160	-3.55	136	-4.74	129	-3.87	149	-4.25	165	-4.62	275	+0.93
1858	83	+3.31	93	+4.66	64	+7.06	111	+1.43	132	+0.29	144	-1.83	147	-3.35	150	-2.43	307	+2.02
1859	75	+0.73	144	+1.95	104	+5.03	123	+0.33	156	-1.79	137	-3.55	130	-4.15	145	-3.33	223	+1.13
1853-59	574	+2.89	857	+3.61	756	+3.45	926	-0.73	971	-2.18	913	-3.17	908	-3.54	1069	-3.58	1971	+1.33

TABLE XI.

MONTHLY AND YEARLY MEANS OF THE DIURNAL CHANGE OF TEMPERATURE (EXCLUSIVE OF THAT DUE TO ANNUAL VARIATION) FROM 6 A. M. TO 6 A. M. FOR THE PERIOD 1854 TO 1859 INCLUSIVE, ARRANGED ACCORDING TO THE DAILY RESULTANT DIRECTION OF THE WIND.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
N.	-5.1	-4.6	-0.8	-2.7	-2.0	-2.3	-1.6	-4.0	-3.7	-6.2	-3.8	-1.7	-3.3
N.E.	+3.3	+1.4	0.0	+2.2	+0.6	+0.7	-0.5	+3.2	+0.2	+1.2	-1.7	+4.3	+1.5
E.	+10.5	+9.0	+5.6	+2.9	+1.8	+0.3	+1.5	+1.7	+3.8	+3.4	+4.1	+4.8	+3.5
S.E.	+6.0	-17.8	+7.0	+4.8	+2.5	+2.8	+2.1	+3.7	+5.3	+5.4	+4.3	+10.2	+4.6
S.	+11.7	+1.6	+9.2	+2.1	+0.6	+1.6	+2.5	+1.8	+5.1	+3.7	+9.9	+18.0	+3.9
S.W.	+3.1	+7.4	+4.4	+0.4	+0.8	+1.5	+0.8	+2.6	+1.6	+3.0	+0.7	+0.1	+2.2
W.	-4.1	-1.8	-3.8	-2.4	-1.7	-0.4	-3.4	-2.0	-4.4	-3.0	-2.9	-3.4	-2.9
N.W.	-8.9	-7.1	-3.6	-3.4	-3.6	-3.6	-4.2	-3.4	-5.4	-2.4	-4.2	-4.5	-4.5

TABLE XII.

FREQUENCY OF INCREASING CHANGES OF TEMPERATURE—THE TOTAL NUMBER IN EACH MONTH AND DIRECTION BEING EXPRESSED BY 100.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
N.	36	41	33	40	32	22	29	13	33	29	36	48	34
N.E.	67	55	25	71	53	56	30	70	65	55	30	70	57
E.	92	81	93	80	71	50	67	68	74	66	90	84	75
S.E.	100	100	83	85	79	73	70	69	71	75	67	100	77
S.	86	40	87	64	63	75	78	68	83	62	83	100	74
S.W.	68	79	58	50	53	69	68	78	65	66	59	50	63
W.	36	42	30	33	42	48	31	39	32	44	40	31	37
N.W.	25	26	33	42	33	36	26	21	26	36	42	31	31

TABLE XIII.

AGGREGATE OF INCREASING CHANGES FOR EACH DIRECTION, THE JOINT AGGREGATE OF INCREASING AND DECREASING CHANGES FOR ANY ONE MONTH AND DIRECTION BEING EXPRESSED BY 100.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
N.	28	21	44	30	25	15	19	4	15	5	22	40	25
N.E.	74	57	50	71	58	61	34	83	52	61	37	76	63
E.	99	93	97	83	74	55	72	73	85	76	85	85	83
S.E.	100	100	94	91	84	80	84	94	87	85	75	100	88
S.	84	65	94	80	58	74	81	72	90	76	89	100	82
S.W.	67	84	79	55	58	74	62	79	63	71	55	51	67
W.	26	41	21	21	29	46	12	25	20	31	31	31	30
N.W.	13	15	21	22	18	14	8	10	8	30	20	26	18

TORONTO METEOROLOGICAL OBSERVATIONS.

TABLE XIV.

MONTHLY AND YEARLY MEANS OF THE DIURNAL CHANGE OF TEMPERATURE, WITHOUT REGARD TO SIGN
AND EXCLUDING THAT DUE TO ANNUAL VARIATION, FROM 6 A.M. TO 6 P.M. FOR THE PERIOD 1854 TO 1859,
ARRANGED ACCORDING TO THE DAILY RESULTANT DIRECTION OF THE WIND.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
N.	11.73	8.02	6.87	6.79	4.04	3.39	2.54	4.43	5.38	6.89	6.61	9.17	6.58
N.E.	6.80	10.44	5.58	5.29	3.82	3.06	1.63	4.75	6.05	5.15	6.68	8.17	5.75
E.	10.75	10.50	5.92	4.30	3.85	3.51	3.48	3.77	5.36	6.40	5.82	6.98	5.32
S.E.	6.00	17.80	7.98	5.92	3.61	4.55	3.10	4.21	7.06	7.79	8.50	10.20	5.93
S.	17.20	5.42	10.50	3.39	3.69	3.43	4.01	4.06	6.35	7.20	12.72	17.98	5.95
S.W.	9.18	10.85	7.69	4.31	4.95	3.01	3.49	4.54	6.41	7.24	7.14	5.21	6.36
W.	8.56	10.09	6.48	4.26	3.99	4.57	4.49	4.04	7.40	8.06	7.53	8.97	7.06
N.W.	12.03	9.95	6.33	5.90	5.67	5.06	5.02	4.21	6.49	6.22	7.00	9.33	6.99
Means	10.28	10.38	7.17	5.02	4.20	3.82	3.47	4.25	6.31	6.87	7.75	9.50	6.24

TABLE XV.

COMPARATIVE CHANGES OF TEMPERATURE IN THE SAME MONTH THAT ARE DUE TO DIFFERENT WINDS, BEING
THE NUMBERS IN TABLE XIV. EXPRESSED IN TERMS OF THE ARITHMETIC MEAN CHANGE IN THAT MONTH
FOR ALL WINDS.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
N.	1.14	0.77	0.96	1.35	0.96	0.89	0.73	1.04	0.85	1.00	0.85	0.97	1.05
N.E.	0.66	1.01	0.78	1.05	0.91	0.80	0.47	1.12	0.96	0.75	0.86	0.86	0.92
E.	1.05	1.01	0.83	0.86	0.92	0.92	1.00	0.89	0.85	0.93	0.75	0.73	0.85
S.E.	0.58	1.71	1.11	1.18	0.86	1.19	0.89	0.99	1.12	1.13	1.10	1.07	0.95
S.	1.67	0.52	1.46	0.68	0.88	0.90	1.16	0.96	1.01	1.05	1.64	1.89	0.95
S.W.	0.89	1.05	1.07	0.86	1.18	0.79	1.01	1.07	1.02	1.05	0.92	0.55	1.02
W.	0.83	0.97	0.90	0.85	0.95	1.20	1.29	0.95	1.17	1.17	0.97	0.94	1.13
N.W.	1.17	0.96	0.88	1.18	1.35	1.32	1.45	0.99	1.03	0.91	0.90	0.98	1.12

TABLE XVI.

COMPARATIVE DIURNAL CHANGES OF TEMPERATURE THAT ARE DUE IN DIFFERENT MONTHS TO THE SAME
WIND, BEING THE NUMBERS IN TABLE XIV. EXPRESSED IN TERMS OF THE ANNUAL ARITHMETIC MEAN
FOR THAT WIND.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
N.	1.86	1.27	1.09	1.07	0.64	0.54	0.40	0.70	0.85	1.09	1.05	1.45	
N.E.	1.21	1.86	0.99	0.94	0.68	0.55	0.29	0.85	1.08	0.92	1.19	1.45	
E.	1.83	1.78	1.01	0.73	0.65	0.60	0.59	0.64	0.91	1.09	0.99	1.19	
S.E.	0.83	2.46	1.10	0.82	0.50	0.63	0.43	0.58	0.98	1.08	1.18	1.41	
S.	2.15	0.68	1.31	0.42	0.46	0.43	0.50	0.51	0.79	0.90	1.59	2.25	
S.W.	1.49	1.76	1.25	0.70	0.80	0.49	0.57	0.74	1.04	1.17	1.16	0.84	
W.	1.31	1.54	0.99	0.65	0.61	0.70	0.69	0.62	1.13	1.23	1.15	1.37	
N.W.	1.74	1.44	0.91	0.85	0.82	0.73	0.72	0.61	0.94	0.90	1.01	1.35	

TABLE XVII.

MONTHLY MEANS OF THE DAILY MAXIMA, MINIMA, AND RANGES OF TEMPERATURE FOR THE YEARS
1854 TO 1859 INCLUSIVE.

MAXIMA.

Months.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1854	29.31	29.63	36.40	47.82	61.82	74.53	84.79	80.72	72.63	58.97	42.08	29.46
1855	32.83	23.19	36.52	52.93	65.40	68.89	76.75	74.61	68.44	52.60	45.50	32.91
1856	22.65	24.22	30.47	50.47	59.56	71.59	80.36	73.74	66.69	54.04	43.02	28.74
1857	19.46	35.66	35.25	43.36	57.17	65.48	76.79	74.45	67.48	51.93	39.94	35.75
1858	35.27	24.11	37.01	48.32	55.74	73.94	75.44	75.38	67.52	55.79	37.90	33.19
1859	30.46	31.85	42.10	46.54	63.40	66.93	74.65	75.01	62.68	50.38	43.95	25.26
Means.	28.33	28.11	36.29	48.24	60.51	70.23	78.13	75.65	67.57	53.95	42.07	30.88

MINIMA.

1854	13.53	9.15	22.94	30.69	37.90	49.84	58.46	55.26	49.09	41.32	28.13	14.38
1855	17.54	4.81	19.63	32.06	41.42	50.68	60.05	54.09	49.94	34.55	28.74	18.75
1856	6.02	3.57	12.87	33.39	40.63	52.39	59.04	52.95	45.66	35.22	28.74	15.55
1857	0.85	20.42	17.79	27.24	40.24	48.99	59.32	54.95	48.14	37.47	26.55	24.20
1858	23.73	10.85	21.93	34.15	41.68	56.41	59.98	59.21	50.79	43.41	30.03	21.37
1859	18.55	19.71	30.48	32.92	47.13	49.82	59.20	59.38	49.32	37.05	32.77	12.94
Means.	13.37	11.42	20.94	31.74	41.50	51.35	59.34	55.97	48.82	38.17	29.16	17.87

RANGES.

1854	8.78	20.47	13.38	17.13	23.92	24.69	26.33	25.46	23.50	17.65	13.94	15.08
1855	15.29	18.38	16.89	20.87	23.98	18.21	16.70	20.52	18.51	18.05	16.76	14.16
1856	16.63	20.65	17.60	17.08	18.93	19.20	21.32	20.79	21.03	18.82	14.27	13.19
1857	18.61	15.25	17.46	16.12	16.94	16.49	17.47	19.50	19.34	14.45	13.39	11.55
1858	11.54	13.26	15.08	14.16	14.06	17.54	15.45	16.17	16.73	12.37	7.87	11.82
1859	11.91	12.15	11.62	13.62	16.26	17.11	15.45	15.63	13.36	13.33	11.19	12.32
Means.	14.96	16.69	15.34	16.50	19.02	18.87	18.79	19.68	18.75	15.78	12.90	13.20

TORONTO METEOROLOGICAL OBSERVATIONS.

TABLE XVIII.

HIGHEST AND LOWEST TEMPERATURES IN EACH MONTH, AND MONTHLY RANGES OF TEMPERATURE FOR THE
YEARS 1854 TO 1859 INCLUSIVE.

MAXIMA.

Months.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.	
													Tempr.	Date.
1854	46.4	42.8	55.1	64.5	71.4	92.5	98.0	99.2	93.6	75.4	55.4	44.8	99.2	24th Aug.
1855	49.0	39.0	49.4	69.4	77.5	91.5	92.8	83.5	82.6	68.0	59.2	47.0	92.8	19th July.
1856	34.4	37.8	41.4	72.2	82.2	89.2	96.6	82.7	78.4	71.4	56.4	42.2	96.6	17th July.
1857	37.2	52.4	57.6	52.0	74.8	76.0	86.6	88.2	82.0	64.0	58.2	46.0	88.2	13th Aug.
1858	47.4	42.4	55.4	65.2	69.8	90.2	85.0	84.0	81.4	76.3	53.0	45.4	90.2	26th June
1859	43.2	46.2	54.2	64.8	79.6	86.4	88.0	82.2	75.4	69.8	62.6	54.8	88.0	12th July.
Means.	42.9	43.4	52.2	64.7	75.9	87.6	91.2	86.6	82.2	70.8	57.5	46.7	92.5	24th July.

MINIMA.

1854	—5.4	—10.8	—7.4	20.2	25.2	35.3	42.5	45.6	35.8	26.4	13.8	—7.0	—10.8	24th Jan.
1855	—5.4	—25.4	—2.9	10.7	33.0	36.2	49.2	40.0	33.0	22.6	15.5	—5.2	—25.4	5th Feb.
1856	—12.0	—18.7	—14.0	14.2	31.2	42.0	49.5	41.5	35.0	23.0	18.8	—9.1	—18.7	12th Feb.
1857	—20.1	—5.9	—5.5	5.9	26.0	35.0	47.0	46.0	34.1	26.5	3.5	4.7	—20.1	22nd Jan.
1858	—6.5	—7.3	—5.5	21.8	31.0	42.5	52.0	44.0	35.6	31.5	15.3	4.2	—7.3	17th Feb.
1859	—26.5	—2.1	—9.8	22.6	39.5	32.2	44.7	45.8	35.7	22.3	21.8	—6.0	—26.5	10th Jan.
Means.	—10.5	—11.0	—1.8	15.9	31.0	37.2	47.5	43.8	34.9	25.4	13.6	—3.1	—18.1	31st Jan.

MONTHLY RANGES.

1854	51.8	53.6	47.7	44.3	46.2	57.3	55.5	53.6	57.8	49.0	41.6	51.8	110.0	
1855	54.4	64.4	52.3	58.7	44.5	55.3	43.6	43.5	49.6	45.4	43.7	52.2	118.2	
1856	46.4	56.5	55.4	58.0	51.0	47.2	47.1	41.2	43.4	48.4	37.6	51.3	115.3	
1857	57.3	58.3	63.1	46.1	48.8	41.0	39.6	42.2	47.9	37.5	61.7	41.3	108.3	
1858	40.9	49.7	60.9	43.4	38.8	47.7	33.0	40.0	45.8	44.8	37.7	41.2	97.5	
1859	69.7	44.1	44.4	42.2	40.1	54.2	43.3	36.4	39.7	47.5	40.8	60.8	114.5	
Means.	53.4	54.4	54.0	48.8	44.9	50.4	43.7	42.8	47.4	45.4	43.9	49.8	110.6	

TABLE XIX.

MONTHLY MEANS OF THE BAROMETER AT EACH OF THE SIX OBSERVATION HOURS, FROM 1854 TO 1859 INCLUSIVE
Barometer at 32° = 27 inches + the number in the table.

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
JANUARY.	1854	2.583	2.601	2.624	2.615	2.602	2.617	2.607
	1855	2.630	2.645	2.664	2.655	2.617	2.626	2.639
	1856	2.645	2.653	2.685	2.679	2.669	2.687	2.670
	1857	2.714	2.713	2.734	2.729	2.762	2.765	2.736
	1858	2.648	2.662	2.713	2.714	2.656	2.660	2.675
	1859	2.652	2.665	2.683	2.675	2.689	2.698	2.677
	Means.	2.645	2.656	2.684	2.678	2.666	2.675	2.667

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
FEBRUARY.	1854	2.669	2.667	2.710	2.714	2.697	2.711	2.695
	1855	2.602	2.612	2.644	2.638	2.617	2.636	2.625
	1856	2.457	2.462	2.503	2.507	2.495	2.507	2.488
	1857	2.743	2.728	2.707	2.697	2.760	2.781	2.736
	1858	2.650	2.641	2.651	2.645	2.680	2.695	2.660
	1859	2.624	2.621	2.633	2.622	2.637	2.656	2.632
	Means.	2.624	2.622	2.641	2.637	2.648	2.664	2.639

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
MARCH.	1854	2.494	2.493	2.530	2.520	2.552	2.557	2.525
	1855	2.485	2.477	2.513	2.516	2.540	2.547	2.513
	1856	2.538	2.543	2.570	2.570	2.562	2.571	2.559
	1857	2.566	2.567	2.618	2.618	2.599	2.606	2.596
	1858	2.607	2.601	2.622	2.612	2.632	2.645	2.620
	1859	2.397	2.393	2.416	2.411	2.425	2.434	2.413
	Means.	2.515	2.512	2.545	2.541	2.552	2.560	2.538

TORONTO METEOROLOGICAL OBSERVATIONS.

TABLE XIX.—(*Continued.*)

MONTHLY MEANS OF THE BAROMETER AT EACH OF THE SIX OBSERVATION HOURS, FROM 1854 TO 1859 INCLUSIVE.
Barometer at $32^{\circ} = 27$ inches + the numbers in the table.

	Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
APRIL	1854	2.621	2.604	2.648	2.654	2.646	2.655	2.638
	1855	2.642	2.636	2.659	2.652	2.664	2.670	2.654
	1856	2.559	2.553	2.587	2.585	2.593	2.597	2.579
	1857	2.512	2.508	2.565	2.560	2.511	2.524	2.530
	1858	2.492	2.477	2.497	2.492	2.514	2.521	2.499
	1859	2.514	2.513	2.554	2.552	2.538	2.540	2.535
	Means.	2.557	2.548	2.585	2.583	2.578	2.584	2.572

	Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
MAY.	1854	2.548	2.536	2.577	2.577	2.574	2.584	2.566
	1855	2.646	2.633	2.635	2.634	2.675	2.685	2.651
	1856	2.577	2.564	2.576	2.568	2.596	2.612	2.582
	1857	2.528	2.516	2.532	2.523	2.553	2.560	2.535
	1858	2.571	2.568	2.589	2.589	2.587	2.600	2.584
	1859	2.657	2.638	2.647	2.643	2.680	2.694	2.660
	Means.	2.588	2.576	2.593	2.589	2.611	2.622	2.596

	Toronto Astronomical Time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
JUNE	1854	2.544	2.534	2.551	2.546	2.562	2.573	2.551
	1855	2.502	2.489	2.514	2.509	2.532	2.535	2.513
	1856	2.542	2.524	2.543	2.544	2.565	2.573	2.548
	1857	2.416	2.406	2.430	2.430	2.436	2.442	2.427
	1858	2.586	2.572	2.602	2.603	2.630	2.642	2.606
	1859	2.609	2.600	2.631	2.626	2.620	2.632	2.620
	Means.	2.533	2.521	2.545	2.543	2.558	2.566	2.544

TABLE XIX.—(*Continued*)

MONTHLY MEANS OF THE BAROMETER AT EACH OF THE SIX OBSERVATION HOURS, FROM 1854 TO 1859 INCLUSIVE.

Barometer at 32° = 27 inches + the numbers in the table.

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
JULY.	1854	2.628	2.607	2.629	2.637	2.669	2.672	2.640
	1855	2.603	2.589	2.612	2.615	2.619	2.628	2.611
	1856	2.584	2.562	2.576	2.577	2.619	2.629	2.591
	1857	2.581	2.568	2.589	2.589	2.594	2.608	2.588
	1858	2.598	2.583	2.599	2.597	2.625	2.630	2.605
	1859	2.638	2.628	2.644	2.640	2.667	2.672	2.648
	Means.	2.605	2.589	2.608	2.609	2.632	2.640	2.614

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
AUGUST.	1854	2.639	2.623	2.642	2.641	2.669	2.673	2.648
	1855	2.642	2.629	2.650	2.651	2.672	2.675	2.653
	1856	2.507	2.501	2.524	2.525	2.531	2.537	2.521
	1857	2.583	2.574	2.594	2.600	2.604	2.612	2.594
	1858	2.608	2.597	2.620	2.617	2.633	2.642	2.619
	1859	2.591	2.578	2.600	2.600	2.609	2.617	2.599
	Means.	2.595	2.584	2.605	2.606	2.620	2.626	2.606

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
SEPTEMBER.	1854	2.688	2.674	2.697	2.695	2.722	2.730	2.701
	1855	2.713	2.696	2.707	2.705	2.751	2.755	2.721
	1856	2.580	2.580	2.606	2.601	2.616	2.618	2.600
	1857	2.696	2.686	2.710	2.707	2.733	2.740	2.712
	1858	2.636	2.620	2.643	2.639	2.677	2.686	2.650
	1859	2.655	2.649	2.672	2.668	2.676	2.692	2.669
	Means.	2.661	2.651	2.672	2.669	2.696	2.703	2.675

TORONTO METEOROLOGICAL OBSERVATIONS.

TABLE XIX.—(*Continued*)

MONTHLY MEANS OF THE BAROMETER, AT EACH OF THE SIX OBSERVATION HOURS, FROM 1854 TO 1859 INCLUSIVE.
Barometer at 32° = 27 inches + the numbers in the table.

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
OCTOBER.	1854	2.677	2.675	2.703	2.699	2.699	2.719	2.696
	1855	2.535	2.538	2.555	2.540	2.566	2.576	2.551
	1856	2.689	2.684	2.713	2.713	2.715	2.727	2.707
	1857	2.647	2.649	2.671	2.672	2.677	2.686	2.667
	1858	2.668	2.668	2.689	2.681	2.684	2.697	2.681
	1859	2.589	2.596	2.634	2.634	2.609	2.625	2.615
	Means.	2.634	2.635	2.661	2.657	2.658	2.672	2.653

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
NOVEMBER.	1854	2.426	2.436	2.448	2.443	2.427	2.455	2.439
	1855	2.637	2.639	2.667	2.673	2.677	2.694	2.664
	1856	2.621	2.636	2.659	2.657	2.641	2.639	2.642
	1857	2.487	2.497	2.540	2.544	2.530	2.545	2.524
	1858	2.616	2.622	2.631	2.628	2.622	2.640	2.627
	1859	2.653	2.659	2.666	2.657	2.699	2.713	2.675
	Means.	2.573	2.582	2.602	2.600	2.599	2.614	2.595

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
DECEMBER.	1854	2.572	2.583	2.600	2.598	2.581	2.591	2.587
	1855	2.697	2.701	2.701	2.695	2.701	2.718	2.702
	1856	2.694	2.707	2.717	2.719	2.708	2.723	2.711
	1857	2.599	2.612	2.649	2.647	2.597	2.609	2.619
	1858	2.668	2.688	2.718	2.715	2.683	2.695	2.694
	1859	2.686	2.693	2.719	2.717	2.711	2.729	2.709
	Means.	2.653	2.664	2.684	2.682	2.663	2.677	2.670

TABLE XX.

MONTHLY AND ANNUAL MEANS OF THE BAROMETER, FURNISHED BY SIX DAILY OBSERVATIONS.
1854 TO 1859 INCLUSIVE.

Barometer at 32° = 27 inches + the numbers in the table.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1854	2.607	2.695	2.525	2.638	2.566	2.551	2.640	2.648	2.701	2.696	2.439	2.587	2.608
1855	2.639	2.625	2.513	2.654	2.651	2.513	2.611	2.653	2.721	2.551	2.664	2.702	2.625
1856	2.670	2.488	2.559	2.579	2.582	2.548	2.591	2.521	2.600	2.707	2.642	2.711	2.600
1857	2.736	2.736	2.596	2.530	2.535	2.427	2.588	2.594	2.712	2.667	2.524	2.619	2.605
1858	2.675	2.660	2.620	2.499	2.584	2.606	2.605	2.619	2.650	2.681	2.627	2.694	2.627
1859	2.677	2.632	2.413	2.535	2.660	2.620	2.648	2.599	2.669	2.615	2.675	2.709	2.621
Mean.	2.607	2.639	2.538	2.572	2.596	2.544	2.614	2.606	2.675	2.653	2.595	2.670	2.614

TABLE XXI.

DIFFERENCES OF THE MONTHLY AND ANNUAL MEANS OF THE BAROMETER, FOR 1854 TO 1859 INCLUSIVE,
IN EXCESS OR DEFECT FROM THE ASSUMED NORMAL MONTHLY AND ANNUAL MEANS, BOTH BEING
DERIVED FROM SIX DAILY OBSERVATIONS.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1854	-.017	+.086	-.091	-.008	.000	-.027	+.049	+.014	+.056	+.035	-.184	-.054	-.012
1855	+.015	+.016	-.103	+.008	+.085	-.065	+.020	+.019	+.076	-.110	+.041	+.061	+.005
1856	+.046	-.121	-.057	-.067	+.016	-.030	.000	-.113	-.045	+.046	+.019	+.070	-.020
1857	+.112	+.127	-.020	-.116	-.031	-.151	-.003	-.040	+.067	+.006	-.099	-.022	-.015
1858	+.051	+.051	+.004	-.147	+.018	+.028	+.014	-.015	+.005	+.020	+.004	+.053	+.007
1859	+.053	+.023	-.203	-.111	+.094	+.042	+.057	-.035	+.024	-.046	+.052	+.068	+.001
Mean.	-.043	+.030	-.078	-.074	+.030	-.034	+.023	-.028	+.030	-.008	-.028	+.029	-.006

TORONTO METEOROLOGICAL OBSERVATIONS.

TABLE XXII.

MONTHLY MEANS OF THE BAROMETER AT EACH OF THE SIX OBSRVATION HOURS, FOR THE PERIOD
1854 TO 1859 INCLUSIVE.

Barometer at 32° = 27 inches + the numbers in the table.

Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
January	2.645	2.656	2.684	2.678	2.666	2.675	2.667
February	2.624	2.622	2.641	2.637	2.648	2.664	2.639
March	2.515	2.512	2.545	2.541	2.552	2.560	2.537
April	2.557	2.549	2.585	2.583	2.578	2.584	2.572
May	2.588	2.576	2.593	2.589	2.611	2.622	2.596
June	2.533	2.521	2.545	2.543	2.558	2.566	2.544
July	2.605	2.589	2.608	2.609	2.632	2.640	2.614
August	2.595	2.584	2.605	2.606	2.620	2.626	2.606
September	2.661	2.651	2.672	2.669	2.696	2.703	2.675
October	2.634	2.635	2.661	2.657	2.658	2.672	2.653
November	2.573	2.582	2.602	2.600	2.599	2.614	2.595
December	2.653	2.664	2.684	2.682	2.663	2.677	2.671
	2.599	2.595	2.619	2.616	2.623	2.634	2.614

TABLE XXIII.

DIFFERENCES OF THE MEAN MONTHLY READINGS OF THE BAROMETER AT EACH OBSERVATION HOUR, IN EXCESS OR DEFECT FROM THE ASSUMED NORMAL FOR THE HOUR, TOGETHER WITH THE MEANS OF THE SIX HOURLY DIFFERENCES.

Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
January	+0.043	+0.043	+0.053	+0.049	+0.039	+0.033	+0.043
February	+ .028	+ .027	+ .028	+ .043	+ .033	+ .024	+ .031
March	- .085	- .083	- .078	- .078	- .069	- .078	- .079
April	- .082	- .077	- .055	- .049	- .081	- .093	- .073
May	+ .033	+ .036	+ .028	+ .027	+ .029	+ .030	+ .031
June	- .039	- .037	- .027	- .025	- .037	- .039	- .034
July	+ .022	+ .019	+ .022	+ .022	+ .028	+ .025	+ .023
August	- .034	- .030	- .024	- .023	- .025	- .030	- .028
September	+ .025	+ .027	+ .029	+ .033	+ .032	+ .030	+ .028
October	- .011	- .008	- .004	- .006	- .008	- .014	- .009
November	- .035	- .030	- .019	- .026	- .028	- .030	- .028
December	+ .032	+ .032	+ .044	+ .046	+ .013	+ .011	+ .030
	-0.008	-0.007	0.000	+0.001	-0.007	-0.011	-0.005

TABLE XXIV.

MONTHLY MEAN DIFFERENCES WITHOUT REGARD TO SIGN BETWEEN THE OBSERVED READING OF THE BAROMETER AND THE ASSUMED NORMAL PROPER TO THE DAY AND HOUR, FOR EACH MONTH OF THE YEARS 1854 TO 1859 INCLUSIVE.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Mean of the Year.
1854	0.257	0.265	0.274	0.189	0.135	0.127	0.112	0.091	0.157	0.249	0.275	0.225	0.196
1855	.315	.170	.231	.160	.138	.124	.104	.139	.152	.168	.210	.244	.180
1856	.223	.227	.165	.183	.145	.106	.112	.140	.153	.206	.201	.236	.175
1857	.240	.242	.141	.205	.149	.179	.113	.132	.149	.147	.343	.226	.189
1858	.239	.212	.208	.238	.152	.085	.120	.134	.175	.200	.134	.205	.175
1859	.220	.176	.316	.203	.188	.138	.163	.081	.187	.129	.208	.216	.185
Means	0.249	0.215	0.223	0.196	0.151	0.126	0.121	0.119	0.162	0.183	0.228	0.225	0.183

TABLE XXV.

MONTHLY MEAN DIFFERENCES WITHOUT REGARD TO SIGN BETWEEN THE OBSERVED READING OF THE BAROMETER AND THE ASSUMED NORMAL FOR THE DAY AND HOUR, AT EACH OF THE SIX OBSERVATION HOURS, FOR THE PERIOD 1854 TO 1859 INCLUSIVE.

Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
January.....	0.255	0.247	0.237	0.237	0.259	0.250	0.249
February.....	.222	.218	.211	.213	.213	.217	.215
March226	.220	.217	.220	.222	.230	.223
April.....	.202	.195	.179	.179	.206	.216	.196
May.....	.154	.147	.139	.143	.162	.163	.151
June.....	.132	.126	.116	.114	.134	.136	.126
July.....	.125	.120	.112	.114	.127	.128	.121
August.....	.123	.119	.113	.114	.123	.126	.119
September.....	.166	.160	.157	.160	.164	.167	.162
October185	.179	.173	.179	.190	.192	.183
November.....	.229	.222	.228	.229	.230	.232	.228
December230	.228	.222	.220	.225	.226	.225
Means.....	.187	.182	.175	.177	.188	.191	.183

TORONTO METEOROLOGICAL OBSERVATIONS.

TABLE XXVI.

MEAN DIFFERENCES, WITHOUT REGARD TO SIGN, BETWEEN THE HEIGHTS OF THE BAROMETER OBSERVED AT 2 P.M. ON CONSECUTIVE DAYS, FOR EACH MONTH IN THE YEARS 1854 TO 1859 INCLUSIVE.

Years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Yearly Means.
1854	0.302	0.368	0.256	0.225	0.149	0.097	0.142	0.127	0.172	0.216	0.250	0.219	0.210
1855	.246	.165	.278	.194	.107	.135	.111	.141	.158	.129	.249	.311	.185
1856	.236	.243	.187	.222	.154	.106	.110	.106	.128	.153	.199	.365	.184
1857	.261	.205	.231	.207	.116	.126	.097	.145	.166	.131	.256	.286	.188
1858	.303	.238	.237	.193	.222	.139	.145	.135	.167	.168	.158	.298	.200
1859	.265	.228	.333	.221	.159	.155	.133	.086	.169	.129	.270	.271	.201
Means.	0.269	0.211	0.254	0.210	0.155	0.127	0.123	0.124	0.160	0.155	0.230	0.292	0.195
Ratio to Mean of Year.	1.38	1.24	1.30	1.08	0.79	0.65	0.63	0.64	0.82	0.79	1.18	1.50	...

TABLE XXVII.

NUMBER OF CASES IN A HUNDRED IN EACH MONTH (FOR THE PERIOD 1854 TO 1859 INCLUSIVE) WHEN THE HEIGHT OF THE BAROMETER OBSERVED AT 2 P.M. ON CONSECUTIVE DAYS WAS INCREASING, WITH THE AVERAGE VALUES OF THE INCREASING AND OF THE DECREASING CHANGES.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Number in a hundred..	52	50	52	49	49	49	50	57	46	48	50	53
Ratio to Mean of Year..	1.03	0.99	1.03	0.97	0.97	0.97	0.99	1.13	0.91	0.95	0.99	1.05
Average increase	0.262	0.243	0.243	0.215	0.158	0.126	0.125	0.114	0.171	0.159	0.233	0.275
Ratio to Mean of Year..	1.35	1.25	1.25	1.11	0.82	0.65	0.65	0.59	0.88	0.82	1.20	1.42
Average decrease.....	0.276	0.210	0.266	0.203	0.153	0.127	0.122	0.136	0.151	0.150	0.227	0.310
Ratio to Mean of Year..	1.40	1.22	1.35	1.05	0.78	0.64	0.62	0.69	0.77	0.76	1.15	1.58

TABLE XXVIII.

MEAN DIFFERENCES OF THE READING OF THE BAROMETER FROM THE NORMAL AT THE HOUR OF OBSERVATION, FOR EACH OF THE SIXTEEN POINTS OF THE WIND'S DIRECTION, WITH THE NUMBER OF OBSERVATIONS FROM WHICH THE MEANS ARE DERIVED, FOR THE YEARS 1853-59 INCLUSIVE.

The sign (+) indicates that the observed reading was in excess, and (—) that it was in defect of the normal.

	N.		N.N.E.		N.E.		E.N.E.		E.		E.S.E.		S.E.		S.S.E.	
Years.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.
1853	142	+0.059	148	+0.025	108	+0.060	93	+0.024	90	+0.019	46	+0.095	64	+0.072	64	+0.057
1854	113	+ .128	77	+ .139	87	+ .084	87	- .062	145	- .012	103	+ .001	48	+ .028	56	+ .027
1855	168	+ .073	79	+ .093	69	+ .058	74	+ .068	136	+ .047	95	+ .047	42	+ .055	54	+ .063
1856	127	+ .074	61	+ .117	65	- .013	68	- .022	123	- .011	69	+ .001	42	+ .035	39	+ .055
1857	102	+ .046	39	+ .038	60	+ .015	126	- .023	108	+ .014	57	+ .004	46	- .069	54	+ .021
1858	120	+ .069	57	+ .070	76	+ .060	175	- .011	156	+ .033	49	+ .014	45	+ .101	60	+ .053
1859	104	+ .073	68	+ .106	75	+ .079	160	- .009	179	+ .017	65	+ .078	35	+ .057	47	+ .022
1853-59	876	+ .069	529	+ .079	540	+ .052	783	- .008	937	+ .016	484	+ .031	322	+ .041	374	+ .043

	S.		S.S.W.		S.W.		W.S.W.		W.		W.N.W.		N.W.		N.N.W.		Calms.	
Years.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.	No.	Diff.
1853	123	-0.011	129	-0.030	68	-0.097	95	0.000	102	-0.042	76	-0.030	115	-0.027	156	+0.004	356	+0.021
1854	79	+ .059	112	- .068	111	- .163	109	- .131	103	- .089	125	- .049	112	- .035	163	+ .012	333	+ .017
1855	74	+ .010	118	- .062	124	- .115	137	- .083	168	- .068	152	- .050	134	- .023	146	+ .022	223	+ .027
1856	69	- .010	122	- .046	131	- .119	191	- .076	174	- .066	170	- .054	121	- .033	144	- .017	254	+ .021
1857	71	- .018	139	- .082	154	- .098	160	- .086	136	- .035	129	- .012	149	- .008	165	+ .025	275	+ .039
1858	83	+ .045	93	- .086	64	- .149	111	- .064	132	- .064	144	- .007	147	- .001	150	+ .030	307	+ .049
1859	75	+ .048	144	- .035	104	- .073	123	- .100	156	- .062	137	- .083	130	- .020	145	+ .059	223	+ .042
1853-59	574	+ .016	857	- .057	756	- .115	926	- .079	971	- .061	913	- .043	908	- .017	1069	+ .019	1971	+ .030

TABLE XXIX.

MONTHLY AND YEARLY MEANS OF THE DIURNAL CHANGE IN THE READINGS OF THE BAROMETER (CORRECTED TO TEMPERATURE 32°) FROM 6 A.M. TO 6 A.M. FOR THE PERIOD 1854 TO 1859 INCLUSIVE, ARRANGED ACCORDING TO THE DAILY RESULTANT DIRECTION OF THE WIND.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
N.	- .062	+ .079	- .006	+ .153	+ .095	+ .118	+ .039	+ .109	+ .153	+ .106	+ .161	+ .050	+ .097
N.E.	- .268	- .167	- .154	- .023	- .057	- .066	- .003	- .064	- .001	- .032	- .103	- .249	- .102
E.	- .388	- .331	- .353	- .198	- .101	- .104	- .053	- .094	- .122	- .179	- .217	- .309	- .179
S.E.	- .325	- .390	- .269	- .197	- .101	- .135	- .058	- .172	- .293	- .138	- .347	- .570	- .197
S.	- .283	- .206	- .243	- .058	- .076	- .038	- .065	- .063	- .111	- .058	- .200	- .233	- .099
S.W.	- .059	- .155	- .060	+ .030	+ .008	- .001	- .018	+ .015	- .052	- .054	- .056	+ .015	- .036
W.	+ .213	+ .122	+ .203	+ .140	+ .129	+ .077	+ .093	+ .094	+ .117	+ .118	+ .185	+ .150	+ .144
N.W.	+ .255	+ .172	+ .150	+ .203	+ .157	+ .124	+ .160	+ .102	+ .144	+ .114	+ .252	+ .227	+ .170

TABLE XXX.

FREQUENCY OF INCREASING CHANGES IN EACH MONTH, THE TOTAL NUMBER IN EACH DIRECTION BEING 100.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
N.	79	64	67	80	68	56	57	80	89	79	93	52	72
N.E.	11	36	38	41	40	33	60	30	41	40	30	15	34
E.	13	6	10	19	31	28	36	30	15	3	3	16	20
S.E.	20	0	0	15	13	18	35	8	0	11	8	0	15
S.	0	20	0	29	24	25	30	40	8	38	33	0	23
S.W.	35	29	35	70	53	57	36	47	44	41	38	56	44
W.	80	72	72	75	75	74	73	82	80	79	84	76	77
N.W.	89	82	81	91	84	76	96	84	83	69	92	83	84

TABLE XXXI.

AGGREGATE OF INCREASING CHANGES FOR EACH DIRECTION, THE JOINT AGGREGATE OF INCREASING AND DECREASING CHANGES IN THE MONTH FOR ANY ONE DIRECTION BEING EXPRESSED BY 100.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
N.	67	70	51	80	79	85	71	87	90	80	92	63	76
N.E.	1	20	23	44	31	18	48	24	50	33	22	12	23
E.	2	2	2	9	19	15	26	14	7	1	1	4	8
S.E.	0	0	0	10	2	6	19	0	0	10	1	0	4
S.	0	5	0	29	20	25	20	27	9	16	12	0	15
S.W.	38	20	37	58	53	50	40	57	28	35	39	55	40
W.	88	75	89	84	88	79	90	87	92	84	91	81	85
N.W.	93	88	90	94	88	90	99	90	92	79	90	89	90

TABLE XXXII.

MONTHLY AND YEARLY MEANS OF THE DIURNAL CHANGE, WITHOUT REGARD TO SIGN, IN THE READINGS OF THE BAROMETER (CORRECTED TO TEMPERATURE 32°) FROM 6 A.M. TO 6 P.M., FOR THE PERIOD 1851 TO 1859, ARRANGED ACCORDING TO THE DAILY RESULTANT DIRECTION OF THE WIND.

	January	February	March	April	May	June	July	August	September	October	November	December	Year.
N.	0.186	0.196	0.283	0.253	0.164	0.172	0.095	0.148	0.190	0.177	0.190	0.188	0.187
N.E.	.276	.279	.289	.203	.147	.103	.097	.122	.145	.094	.184	.325	.191
E.	.405	.342	.369	.241	.163	.149	.108	.131	.142	.183	.222	.336	.212
S.E.	.326	.390	.269	.245	.106	.152	.093	.173	.293	.173	.357	.570	.214
S.	.283	.231	.242	.139	.127	.077	.109	.137	.135	.086	.265	.234	.141
S.W.	.244	.257	.238	.180	.147	.090	.087	.105	.116	.183	.251	.151	.176
W.	.277	.249	.258	.205	.170	.131	.117	.125	.139	.174	.229	.243	.207
N.W.	.294	.230	.188	.233	.208	.155	.162	.127	.173	.193	.313	.292	.213
Means.	.236	.272	.267	.212	.154	.129	.108	.134	.167	.158	.251	.292	.193

TABLE XXXIII.

COMPARATIVE DIURNAL CHANGES IN THE HEIGHT OF THE BAROMETER IN THE SAME MONTH THAT ARE DUE TO DIFFERENT WINDS, BEING THE NUMBERS IN TABLE XXXII. EXPRESSED IN TERMS OF THE MEAN CHANGE IN THAT MONTH FOR ALL WINDS.

	January	February	March	April	May	June	July	August	September	October	November	December	Year.
N.	0.65	0.72	1.06	1.19	1.06	1.33	0.88	1.10	1.14	1.12	0.73	0.64	0.97
N.E.	0.97	1.03	1.08	0.96	0.95	0.80	0.90	0.91	0.87	0.59	0.73	1.11	0.99
E.	1.42	1.26	1.38	1.14	1.06	1.16	1.00	0.98	0.85	1.16	0.88	1.15	1.10
S.E.	1.14	1.43	1.01	1.16	0.69	1.18	0.86	1.23	1.75	1.09	1.42	1.95	1.11
S.	0.99	0.85	0.91	0.66	0.82	0.60	1.01	1.62	0.81	0.54	1.06	0.80	0.73
S.W.	0.85	0.94	0.89	0.85	0.95	0.70	0.81	0.73	0.70	1.16	1.00	0.52	0.91
W.	0.97	0.92	0.97	0.97	1.10	1.02	1.08	0.93	0.83	1.10	0.91	0.83	1.07
N.W.	1.03	0.85	0.70	1.10	1.35	1.20	1.50	0.95	1.04	1.22	1.25	1.00	1.11

TABLE XXXIV.

COMPARATIVE DIURNAL CHANGES IN THE HEIGHT OF THE BAROMETER THAT ARE DUE IN DIFFERENT MONTHS TO THE SAME WIND, BEING THE NUMBERS IN TABLE XXXII. EXPRESSED IN TERMS OF THE ANNUAL ARITHMETIC MEAN FOR THAT WIND.

	January	February	March	April	May	June	July	August	September	October	November	December
N.	0.99	1.05	1.51	1.35	0.88	0.92	0.51	0.79	1.02	0.95	1.62	1.01
N.E.	1.46	1.48	1.53	1.07	0.78	0.54	0.51	0.65	0.77	0.50	0.97	1.72
E.	1.74	1.47	1.58	1.03	0.70	0.64	0.46	0.56	0.61	0.78	0.95	1.44
S.E.	1.24	1.49	1.03	0.94	0.40	0.58	0.35	0.66	1.12	0.66	1.36	2.17
S.	1.65	1.34	1.41	0.81	0.74	0.45	0.63	0.80	0.78	0.50	1.54	1.36
S.W.	1.43	1.50	1.39	1.05	0.86	0.63	0.51	0.61	0.68	1.07	1.47	0.88
W.	1.44	1.29	1.34	1.06	0.88	0.68	0.61	0.65	0.72	0.90	1.19	1.26
N.W.	1.37	1.07	0.88	1.09	0.97	0.72	0.76	0.59	0.81	0.90	1.46	1.36

TORONTO METEOROLOGICAL OBSERVATIONS.

TABLE XXXV.

HIGHEST AND LOWEST READINGS, AND MONTHLY RANGES OF THE BAROMETER IN EACH MONTH FROM
1854 TO 1859 INCLUSIVE.

Barometer at 32° = 27 inches + the numbers in the table.

H I G H E S T.

Years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year. Barom.	Date.
1854	3.219	3.172	3.098	3.233	2.986	2.955	2.885	2.845	3.142	3.121	3.196	3.245	3.245	23rd Dec.
1855	3.552	3.088	3.079	2.998	2.902	2.811	2.833	3.019	3.092	2.923	3.131	3.201	3.552	8th Jan.
1856	3.280	3.086	3.082	3.099	2.969	2.798	2.814	2.797	3.013	3.200	3.048	3.480	3.480	18th Dec.
1857	3.168	3.361	3.006	3.006	2.896	2.707	2.848	2.860	3.076	2.994	3.281	3.258	3.361	10th Feb.
1858	3.408	3.060	3.159	3.006	3.198	2.891	2.915	2.939	3.098	3.042	2.970	3.351	3.408	8th Jan.
1859	3.311	3.002	3.255	3.046	2.986	2.966	3.141	2.811	3.049	2.962	3.252	3.392	3.392	3rd Dec.
Means.	3.323	3.128	3.113	3.065	2.990	2.855	2.911	2.879	3.078	3.040	3.146	3.321	3.406	

L O W E S T.

1854	1.693	2.002	1.788	2.045	2.066	2.287	2.308	2.384	2.302	1.731	1.685	1.917	1.685	25th Nov.
1855	1.717	2.172	1.792	2.233	2.283	1.942	2.337	2.130	2.247	1.945	1.983	1.459	1.459	9th Dec.
1856	2.186	1.778	1.828	2.081	2.125	2.207	2.241	2.174	2.149	2.217	1.902	1.450	1.459	14th Dec.
1857	2.181	2.152	2.115	1.898	2.199	1.952	2.255	2.155	2.248	2.289	1.452	1.852	1.452	19th Nov.
1858	1.973	1.940	1.849	2.011	2.032	2.147	2.290	2.231	2.167	2.000	2.190	2.008	1.849	21st Mar.
1859	1.934	1.877	1.286	1.993	2.224	2.260	2.159	2.306	2.038	2.018	1.881	2.201	1.286	19th Mar.
Means.	1.947	1.987	1.776	2.044	2.155	2.133	2.265	2.230	2.192	2.033	1.849	1.816	1.532	

M O N T H L Y R A N G E S.

1854	1.526	1.170	1.310	1.188	0.920	0.668	0.577	0.461	0.840	1.390	1.511	1.328	1.560	
1855	1.835	0.916	1.287	0.765	0.619	0.869	0.496	0.889	0.845	0.978	1.148	1.742	2.093	
1856	1.094	1.308	1.254	1.018	0.844	0.591	0.603	0.623	0.864	0.983	1.146	2.021	2.021	
1857	0.987	1.209	0.891	1.108	0.697	0.755	0.593	0.705	0.828	0.705	1.829	1.406	1.909	
1858	1.435	1.120	1.310	0.995	1.166	0.744	0.625	0.708	0.931	1.042	0.780	1.343	1.559	
1859	1.377	1.125	1.969	1.053	0.762	0.706	0.982	0.505	1.011	0.944	1.371	1.191	2.166	
Means.	1.376	1.141	1.337	1.021	0.835	0.722	0.646	0.649	0.886	1.007	1.297	1.505	1.875	

TABLE XXXVI.

MONTHLY MEANS OF THE PRESSURE OF DRY AIR AT EACH OF THE SIX OBSERVATION HOURS, FOR THE YEARS 1854 TO 1859 INCLUSIVE.

Pressure of Dry Air at 32° = 27 inches + the numbers in the table.

	Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
JANUARY.	1854	2.454	2.473	2.502	2.494	2.485	2.499	2.485
	1855	.494	.515	.539	.530	.498	.510	.514
	1856	.551	.564	.607	.604	.596	.613	.589
	1857	.626	.621	.651	.647	.683	.690	.653
	1858	.507	.529	.583	.581	.518	.530	.542
	1859	.530	.546	.559	.548	.554	.569	.551
	Means.	2.527	2.541	2.573	2.567	2.556	2.569	2.556
FEBRUARY.	Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
	1854	2.546	2.544	2.601	2.608	2.595	2.611	2.584
	1855	.498	.514	.558	.556	.537	.557	.537
	1856	.362	.370	.423	.435	.424	.436	.409
	1857	.594	.581	.556	.543	.619	.641	.589
	1858	.564	.555	.569	.564	.606	.622	.580
	1859	.509	.502	.512	.499	.522	.547	.515
	Means.	2.512	2.511	2.536	2.534	2.551	2.569	2.536
MARCH.	Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
	1854	2.324	2.325	2.379	2.372	2.408	2.407	2.369
	1855	.343	.332	.379	.385	.424	.424	.381
	1856	.433	.438	.469	.470	.471	.480	.460
	1857	.438	.441	.493	.495	.482	.483	.472
	1858	.489	.478	.499	.493	.514	.531	.501
	1859	.227	.228	.243	.241	.259	.271	.245
	Means.	2.376	2.374	2.410	2.409	2.426	2.433	2.405

TORONTO METEOROLOGICAL OBSERVATIONS.

TABLE XXXVI.—(*Continued*)

MONTHLY MEANS OF THE PRESSURE OF DRY AIR AT EACH OF THE SIX OBSERVATION HOURS, FOR THE YEARS 1854 TO 1859 INCLUSIVE.

Pressure of Dry Air at 32° = 27 inches + the numbers in the table.

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
APRIL	1854	2.402	2.382	.2439	.2451	.2460	.2449	.2430
	1855	.422	.424	.453	.446	.472	.459	.446
	1856	.336	.337	.392	.396	.402	.396	.376
	1857	.348	.344	.413	.407	.364	.370	.374
	1858	.317	.307	.312	.311	.347	.345	.323
	1859	.355	.362	.398	.400	.381	.391	.381
	Means.	2.363	2.359	2.401	2.402	2.404	2.402	2.388
Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
MAY	1854	2.236	2.216	2.309	2.316	2.308	2.285	2.278
	1855	.369	.357	.386	.383	.428	.437	.393
	1856	.313	.299	.313	.307	.354	.356	.324
	1857	.259	.253	.273	.271	.322	.311	.282
	1858	.328	.329	.348	.348	.353	.364	.345
	1859	.342	.329	.349	.354	.396	.399	.361
	Means.	2.308	2.297	2.330	2.330	2.360	2.359	2.331
Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
JUNE	1854	2.067	2.069	2.149	2.149	2.148	2.121	2.217
	1855	.050	.049	.128	.134	.151	.135	.108
	1856	.071	.062	.125	.142	.156	.145	.117
	1857	.042	.028	.095	.098	.095	.084	.074
	1858	.079	.068	.158	.161	.192	.186	.141
	1859	.230	.231	.295	.300	.273	.262	.265
	Means.	2.090	2.084	2.158	2.164	2.169	2.156	2.137

TABLE XXXVI.—(*Continued*)

MONTHLY MEANS OF THE PRESSURE OF DRY AIR, AT EACH OF THE SIX OBSERVATION HOURS, FOR THE YEARS 1854 TO 1859 INCLUSIVE.

Pressure of Dry Air at 32° = 27 inches + the numbers in the table.

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
JULY.	1854	.2024	.2025	.2115	.2140	.2152	.2085	.2090
	1855	.032	.033	.107	.132	.094	.088	.081
	1856	.075	.059	.091	.104	.147	.134	.102
	1857	.029	.024	.084	.091	.099	.081	.068
	1858	.084	.074	.128	.138	.169	.154	.125
	1859	.140	.143	.188	.190	.205	.197	.177
	Means.	2.064	2.060	2.119	2.133	2.144	2.123	2.107

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
AUGUST.	1854	2.124	2.109	2.173	2.185	2.238	2.189	2.170
	1855	.156	.157	.215	.237	.268	.222	.209
	1856	.057	.059	.122	.131	.130	.113	.102
	1857	.077	.086	.139	.152	.174	.135	.127
	1858	.103	.113	.142	.156	.187	.150	.142
	1859	.108	.122	.139	.153	.163	.132	.136
	Means.	2.104	2.108	2.155	2.169	2.193	2.157	2.148

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
SEPTEMBER.	1854	2.213	2.198	2.270	2.295	2.349	2.298	2.271
	1855	.290	.275	.290	.311	.369	.355	.315
	1856	.214	.221	.255	.256	.294	.256	.249
	1857	.261	.255	.336	.337	.380	.348	.319
	1858	.235	.220	.258	.261	.326	.292	.266
	1859	.305	.300	.324	.330	.368	.361	.331
	Means.	2.253	2.245	2.289	2.298	2.348	2.318	2.292

TABLE XXXVI.—(*Continued.*)

MONTHLY MEANS OF THE PRESSURE OF DRY AIR AT EACH OF THE SIX OBSERVATION HOURS, FOR THE YEARS 1854 TO 1859 INCLUSIVE.

Pressure of Dry Air at $32^{\circ} = 27$ inches + the numbers in the table.

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
OCTOBER.	1854	.2355	.2361	.2426	.2432	.2442	.2433	.2408
	1855	.273	.281	.303	.296	.338	.334	.304
	1856	.447	.441	.483	.491	.492	.494	.475
	1857	.381	.388	.434	.437	.452	.450	.424
	1858	.406	.409	.436	.431	.433	.439	.426
	1859	.363	.392	.418	.420	.400	.409	.400
Means.		2.371	2.379	2.417	2.418	2.426	2.426	2.406
Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
NOVEMBER.	1854	.2240	.2251	.2268	.2268	.2249	.2277	.2259
	1855	.441	.440	.481	.493	.489	.504	.475
	1856	.447	.461	.481	.479	.455	.456	.463
	1857	.326	.332	.386	.390	.375	.392	.367
	1858	.453	.463	.470	.466	.457	.477	.464
	1859	.454	.470	.472	.464	.517	.531	.484
Means.		2.394	2.403	2.426	2.427	2.424	2.439	2.419
Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
DECEMBER.	1854	.2457	.2470	.2490	.2487	.2478	.2490	.2479
	1855	.570	.578	.577	.572	.579	.600	.579
	1856	.577	.596	.611	.614	.596	.612	.601
	1857	.439	.455	.506	.505	.450	.463	.470
	1858	.539	.557	.594	.591	.553	.567	.567
	1859	.576	.585	.625	.629	.614	.632	.610
Means.		2.526	2.540	2.567	2.566	2.545	2.561	2.551

TABLE XXXVII.

MONTHLY AND ANNUAL MEANS OF THE PRESSURE OF DRY AIR FURNISHED BY SIX DAILY OBSERVATIONS
FOR 1854 TO 1859 INCLUSIVE.

Pressure of Dry Air at $32^{\circ} = 27$ inches + the numbers in the table.

	January	February	March	April	May	June	July	August	September	October	November	December	Year.
1854	2.485	2.584	2.369	2.430	2.278	2.117	2.090	2.170	2.271	2.408	2.259	2.479	2.328
1855	.514	.537	.381	.446	.393	108	.081	.209	.315	.304	.475	.579	.362
1856	.589	.409	.460	.376	.324	.117	.102	.102	.249	.475	.463	.601	.356
1857	.653	.589	.472	.374	.282	.074	.068	.127	.319	.424	.367	.470	.352
1858	.541	.580	.501	.323	.345	.141	.125	.142	.266	.426	.464	.567	.368
1859	.551	.515	.245	.381	.361	.265	.177	.136	.331	.400	.484	.610	.371
Means	2.556	2.536	2.405	2.388	2.331	2.137	2.107	2.148	2.292	2.406	2.419	2.551	2.356

TABLE XXXVIII.

MONTHLY MEANS OF THE PRESSURE OF DRY AIR AT EACH OF THE SIX OBSERVATION HOURS, FOR THE PERIOD 1854 TO 1859 INCLUSIVE.

Pressure of Dry Air at $32^{\circ} = 27$ inches + the numbers in the table.

Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
January.....	2.527	2.541	2.573	2.567	2.556	2.569	2.556
February.....	.512	.511	.536	.534	.551	.569	.536
March.....	.376	.374	.410	.409	.426	.433	.405
April.....	.363	.359	.401	.402	.404	.402	.388
May.....	.308	.297	.330	.330	.360	.359	.331
June.....	.090	.084	.158	.164	.169	.156	.137
July.....	.064	.060	.119	.133	.144	.123	.107
August.....	.104	.108	.155	.169	.193	.157	.148
September.....	.253	.245	.289	.298	.348	.318	.292
October.....	.371	.379	.417	.418	.426	.426	.406
November.....	.394	.403	.426	.427	.424	.439	.419
December526	.540	.567	.566	.545	.561	.551
Means.....	2.324	2.325	2.365	2.368	2.379	2.376	2.356

TABLE XXXIX.

MONTHLY MEANS OF THE PRESSURE OF VAPOUR AT EACH OF THE SIX OBSERVATION HOURS, FOR THE YEARS 1854 TO 1859 INCLUSIVE.

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
JANUARY.	1854	0.129	0.128	0.122	0.121	0.116	0.116	0.122
	1855	.136	.129	.126	.125	.119	.117	.125
	1856	.093	.089	.078	.075	.073	.074	.080
	1857	.088	.088	.083	.082	.079	.075	.083
	1858	.141	.133	.129	.132	.138	.130	.134
	1859	.123	.119	.124	.127	.135	.128	.126
Means.		0.118	0.114	0.110	0.110	0.110	0.107	0.112

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
FEBRUARY.	1854	0.118	0.124	0.108	0.106	0.102	0.104	0.110
	1855	.104	.099	.086	.081	.080	.079	.088
	1856	.094	.092	.079	.072	.070	.070	.080
	1857	.149	.147	.151	.154	.142	.139	.147
	1858	.086	.086	.081	.082	.074	.073	.080
	1859	.115	.119	.121	.123	.115	.109	.117
Means.		0.111	0.111	0.104	0.103	0.097	0.096	0.104

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
MARCH.	1854	0.170	0.168	0.151	0.149	0.144	0.151	0.156
	1855	.143	.145	.134	.131	.116	.123	.132
	1856	.105	.105	.102	.100	.092	.092	.099
	1857	.128	.127	.125	.123	.117	.123	.124
	1858	.117	.123	.123	.119	.117	.114	.119
	1859	.171	.165	.173	.170	.167	.162	.168
Means.		0.139	0.139	0.135	0.132	0.126	0.127	0.133

TABLE XXXIX.—(*Continued.*)

MONTHLY MEANS OF THE PRESSURE OF VAPOUR AT EACH OF THE SIX OBSERVATION HOURS, FOR THE YEARS 1854 TO 1859 INCLUSIVE.

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
APRIL.	1854	0.219	0.222	0.209	0.203	0.187	0.206	0.207
	1855	.220	.212	.206	.207	.192	.211	.208
	1856	.223	.216	.195	.190	.191	.201	.203
	1857	.164	.164	.152	.153	.147	.154	.156
	1858	.175	.170	.184	.182	.166	.176	.176
	1859	.159	.151	.156	.152	.157	.149	.154
	Means.	0.193	0.189	0.184	0.181	0.173	0.183	0.184
Toronto Astronomical time.		2 h.	4 h.	10 h.	10 h.	18 h.	20 h.	Monthly Means.
MAY.	1854	0.312	0.320	0.269	0.260	0.266	0.299	0.288
	1855	.277	.275	.249	.252	.247	.248	.258
	1856	.264	.265	.263	.261	.242	.256	.259
	1857	.270	.263	.259	.252	.230	.249	.254
	1858	.243	.239	.242	.241	.234	.236	.239
	1859	.315	.309	.298	.289	.284	.296	.298
	Means.	0.280	0.278	0.263	0.259	0.251	0.264	0.266
Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
JUNE.	1854	0.476	0.465	0.401	0.397	0.414	0.451	0.434
	1855	.452	.440	.386	.375	.381	.401	.406
	1856	.471	.461	.418	.402	.409	.428	.432
	1857	.374	.378	.335	.332	.341	.358	.353
	1858	.507	.504	.444	.442	.437	.456	.465
	1859	.379	.369	.336	.327	.347	.370	.355
	Means.	0.443	0.436	0.387	0.379	0.388	0.411	0.407

TABLE XXXIX.—(Continued.)

MONTHLY MEANS OF THE PRESSURE OF VAPOUR AT EACH OF THE SIX OBSERVATION HOURS, FOR THE YEARS 1854 TO 1859 INCLUSIVE.

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.	
JULY	1854	0.603	0.582	0.515	0.497	0.518	0.587	0.550	
	1855	.571	.557	.504	.483	.525	.540	.530	
	1856	.510	.503	.485	.473	.472	.495	.489	
	1857	.552	.544	.505	.497	.495	.527	.520	
	1858	.514	.509	.470	.459	.456	.476	.481	
	1859	.498	.485	.456	.450	.461	.476	.471	
Means.		0.541	0.530	0.489	0.476	0.488	0.517	0.507	
AUGUST	Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
	1854	0.516	0.514	0.469	0.456	0.431	0.484	0.478	
	1855	.486	.471	.436	.414	.403	.453	.444	
	1856	.450	.442	.402	.395	.401	.424	.419	
	1857	.506	.488	.455	.447	.431	.476	.467	
	1858	.505	.484	.478	.461	.446	.493	.478	
	1859	.483	.456	.461	.447	.446	.484	.463	
Means.		0.491	0.476	0.450	0.437	0.426	0.469	0.458	
SEPTEMBER	Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
	1854	0.475	0.476	0.426	0.399	0.373	0.431	0.430	
	1855	.423	.421	.417	.394	.382	.400	.406	
	1856	.366	.359	.351	.345	.322	.361	.351	
	1857	.435	.431	.375	.370	.353	.393	.393	
	1858	.401	.399	.384	.378	.350	.394	.384	
	1859	.350	.349	.348	.338	.308	.330	.337	
Means.		0.408	0.406	0.383	0.371	0.348	0.385	0.384	

TABLE XXXIX.—(*Continued.*)

MONTHLY MEANS OF THE PRESSURE OF VAPOUR AT EACH OF THE SIX OBSERVATION HOURS, FOR THE YEARS 1854 TO 1859 INCLUSIVE.

	Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means
OCTOBER.	1854	0.323	0.315	0.277	0.268	0.256	0.286	0.288
	1855	.262	.257	.251	.244	.228	.241	.247
	1856	.242	.243	.225	.222	.222	.231	.231
	1857	.267	.261	.236	.235	.225	.236	.243
	1858	.262	.260	.252	.250	.252	.258	.256
	1859	.226	.204	.216	.214	.209	.216	.214
	Means.	0.264	0.257	0.243	0.239	0.232	0.245	0.247
NOVEMBER.	Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
	1854	0.186	0.185	0.180	0.175	0.175	0.178	0.180
	1855	.196	.199	.186	.180	.188	.190	.190
	1856	.174	.174	.178	.179	.186	.183	.179
	1857	.161	.166	.154	.154	.155	.153	.157
	1858	.163	.159	.161	.162	.165	.163	.162
	1859	.199	.189	.194	.193	.183	.182	.190
	Means.	0.180	0.179	0.175	0.174	0.175	0.175	0.176
DECEMBER.	Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
	1854	0.115	0.113	0.110	0.110	0.101	0.101	0.109
	1855	.127	.123	.124	.123	.121	.118	.123
	1856	.117	.110	.107	.106	.112	.110	.110
	1857	.160	.157	.143	.142	.147	.145	.149
	1858	.129	.131	.124	.123	.130	.128	.128
	1859	.110	.108	.094	.088	.097	.097	.099
	Means.	0.126	0.124	0.117	0.115	0.118	0.117	0.120

TORONTO METEOROLOGICAL OBSERVATIONS.

TABLE XL.

MONTHLY MEANS OF THE RELATIVE HUMIDITY AT EACH OF THE SIX OBSERVATION HOURS, FOR THE YEARS 1854 TO 1859 INCLUSIVE.

Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
JANUARY.	1854	82	84	86	86	85	83
	1855	76	78	85	86	86	83
	1856	76	73	79	79	81	80
	1857	84	86	90	91	91	89
	1858	71	70	79	82	83	80
	1859	73	72	81	84	90	85
Means.	77	77	83	85	86	83	82
FEBRUARY.	1854	83	82	86	87	89	86
	1855	76	76	82	83	83	80
	1856	69	70	80	79	81	78
	1857	77	78	85	85	91	87
	1858	71	71	81	82	80	78
	1859	69	70	81	85	86	82
Means.	74	74	83	84	85	82	80
MARCH.	1854	79	78	88	89	89	86
	1855	72	76	85	86	86	83
	1856	64	65	78	79	82	76
	1857	67	65	78	80	86	85
	1858	55	58	75	74	79	71
	1859	68	65	77	78	85	79
Means.	68	68	80	81	84	80	77

TABLE XL.—(*Continued.*)

MONTHLY MEANS OF THE RELATIVE HUMIDITY AT EACH OF THE SIX OBSERVATION HOURS, FOR THE YEARS 1854 TO 1859 INCLUSIVE.

	Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
APRIL.	1854	69	68	86	87	86	83	80
	1855	56	59	83	84	85	80	75
	1856	68	68	77	78	83	77	75
	1857	63	63	79	82	82	77	74
	1858	54	54	73	74	73	67	66
	1859	53	52	66	69	75	62	63
	Means.	61	61	77	79	81	74	72

	Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
MAY.	1854	64	66	79	81	79	74	74
	1855	51	53	74	79	72	62	65
	1856	64	63	75	78	75	70	71
	1857	66	66	78	82	78	71	74
	1858	59	59	74	76	74	70	69
	1859	58	57	72	74	75	66	67
	Means.	60	61	75	78	76	69	70

	Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
JUNE.	1854	64	64	80	82	81	75	74
	1855	69	70	83	84	84	77	78
	1856	71	69	84	85	86	79	79
	1857	69	71	79	82	83	79	77
	1858	60	62	73	77	75	68	69
	1859	60	59	72	77	77	71	69
	Means.	66	66	78	81	81	75	74

TORONTO METEOROLOGICAL OBSERVATIONS.

TABLE XL.—(*Continued*)

MONTHLY MEANS OF THE RELATIVE HUMIDITY, AT EACH OF THE SIX OBSERVATION HOURS, FOR THE
YEARS 1854 TO 1859 INCLUSIVE.

		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
JULY	Toronto Astronomical time.							
	1854	56	57	78	80	79	74	71
	1855	70	67	82	84	87	81	79
	1856	56	56	76	78	79	69	69
	1857	67	70	83	86	85	77	78
	1858	62	61	74	76	77	70	70
	1859	61	60	75	76	78	69	70
Means.		62	62	78	80	81	73	73
AUGUST	Toronto Astronomical time.							
	1854	55	58	80	82	80	74	72
	1855	64	63	81	82	82	75	74
	1856	62	61	77	80	85	74	73
	1857	66	65	81	83	86	78	77
	1858	59	57	75	77	79	72	70
	1859	59	55	76	78	82	72	70
Means.		61	60	78	80	82	74	73
SEPTEMBER	Toronto Astronomical time.							
	1854	63	69	87	87	87	81	79
	1855	67	67	86	86	86	79	79
	1856	61	62	81	82	85	79	75
	1857	67	68	83	85	86	80	78
	1858	60	62	79	83	84	77	74
	1859	65	66	81	82	82	76	76
Means.		64	66	83	84	85	79	77

TABLE XL.—(*Continued.*)

MONTHLY MEANS OF THE RELATIVE HUMIDITY AT EACH OF THE SIX OBSERVATION HOURS, FOR THE YEARS 1854 TO 1859 INCLUSIVE.

Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
OCTOBER	1854	68	73	85	85	87	84	80
	1855	69	69	83	85	85	81	78
	1856	63	65	77	80	85	79	75
	1857	70	71	80	81	84	80	78
	1858	62	63	75	77	80	75	72
	1859	59	57	78	81	82	77	72
Means.		65	66	80	81	84	79	76
Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
NOVEMBER	1854	71	74	83	85	83	83	80
	1855	69	73	78	80	82	82	77
	1856	68	71	80	82	85	82	78
	1857	71	73	77	80	80	78	77
	1858	72	72	79	81	86	83	79
	1859	72	72	80	81	83	81	78
Means.		71	73	79	81	83	82	78
Toronto Astronomical time.		2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
DECEMBER	1854	74	77	83	84	83	80	80
	1855	70	71	80	82	81	80	77
	1856	79	78	83	82	86	85	82
	1857	76	77	82	82	83	82	80
	1858	75	78	82	82	83	84	81
	1859	83	84	87	88	89	90	87
Means.		76	78	83	83	84	83	81

TABLES XLI. AND XLII.

MONTHLY AND ANNUAL MEANS OF THE PRESSURE OF VAPOUR AND RELATIVE HUMIDITY FURNISHED BY
SIX DAILY OBSERVATIONS, FOR 1854 TO 1859 INCLUSIVE.

PRESSURE OF VAPOUR.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1854	0.122	0.110	0.156	0.207	0.288	0.434	0.550	0.478	0.430	0.288	0.180	0.109	0.279
1855	.125	.088	.132	.208	.258	.406	.530	.444	.406	.247	.190	.123	.263
1856	.080	.080	.099	.203	.259	.432	.489	.419	.351	.231	.179	.110	.244
1857	.083	.147	.124	.156	.254	.353	.520	.467	.393	.243	.157	.149	.254
1858	.134	.080	.119	.176	.239	.465	.481	.478	.384	.256	.162	.128	.259
1859	.126	.117	.168	.154	.298	.355	.471	.463	.337	.214	.190	.099	.249
Means.	0.112	0.104	0.133	0.184	0.266	0.407	0.507	0.458	0.384	0.247	0.176	0.120	0.258

RELATIVE HUMIDITY.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1854	84	86	85	80	74	74	71	72	79	80	80	80	79
1855	82	80	81	75	65	78	79	74	79	78	77	77	77
1856	78	76	74	75	71	79	69	73	75	75	78	82	75
1857	89	84	77	74	74	77	78	77	78	78	77	80	79
1858	78	77	69	66	69	69	70	70	74	72	79	81	73
1859	81	79	75	63	67	69	70	70	75	72	78	87	74
Means.	82	80	77	72	70	74	73	73	77	76	78	81	76

TABLES XLIII. AND XLIV.

MONTHLY MEANS OF THE PRESSURE OF VAPOUR, AND RELATIVE HUMIDITY AT EACH OF THE SIX
OBSERVATION HOURS, FOR THE PERIOD 1854 TO 1859 INCLUSIVE.

Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
January.....	0.118	0.114	0.110	0.110	0.110	0.107	0.112
February.....	.111	.111	.104	.103	.097	.096	.104
March.....	.139	.139	.135	.132	.126	.127	.133
April.....	.193	.189	.184	.181	.173	.183	.184
May.....	.280	.278	.263	.250	.251	.264	.266
June.....	.443	.436	.387	.379	.388	.411	.407
July.....	.541	.530	.489	.476	.488	.517	.507
August.....	.491	.476	.450	.437	.426	.469	.458
September.....	.408	.406	.383	.371	.348	.385	.384
October.....	.264	.257	.243	.239	.232	.245	.247
November.....	.180	.179	.173	.174	.173	.175	.176
December.....	.126	.124	.117	.115	.118	.117	.120
Means.....	0.275	0.270	0.253	0.248	0.244	0.258	0.258

Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
January.....	77	77	83	85	86	83	82
February.....	74	74	83	84	85	82	80
March.....	68	68	80	81	84	80	77
April.....	61	61	77	79	81	74	72
May.....	60	61	75	78	76	69	70
June.....	66	66	78	81	81	75	74
July.....	62	62	78	80	81	73	73
August.....	61	60	78	80	82	74	73
September.....	64	66	83	84	85	79	77
October.....	65	66	80	81	84	79	76
November.....	71	73	79	81	83	82	78
December.....	76	78	83	83	84	83	81
Means.....	67	68	80	81	83	78	76

TABLE XLV.

MONTHLY MEANS OF THE EXTENT OF SKY CLOUDED, AT EACH OF THE SIX OBSERVATION HOURS, (THE HEMISPHERE BEING UNITY), FOR THE YEARS 1854 TO 1859 INCLUSIVE.

Toronto time.	JANUARY.						FEBRUARY.							
	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
1854	0.80	0.85	0.72	0.69	0.80	0.85	0.78	0.78	0.73	0.65	0.70	0.65	0.72	0.71
1855	.83	.81	.83	.76	.81	.73	.79	.77	.68	.63	.71	.76	.73	.71
1856	.69	.68	.62	.59	.66	.73	.66	.60	.64	.39	.41	.60	.63	.55
1857	.63	.73	.64	.65	.71	.74	.68	.75	.72	.61	.68	.77	.79	.72
1858	.57	.53	.48	.47	.82	.78	.61	.75	.69	.69	.62	.70	.68	.69
1859	.79	.86	.60	.59	.69	.77	.72	.76	.83	.66	.61	.75	.81	.74
Means.	.72	.74	.67	.62	.75	.77	.71	.73	.72	.60	.62	.71	.73	.69
MARCH.													APRIL.	
1854	0.61	0.65	0.61	0.50	0.67	0.66	0.62	0.64	0.67	0.57	0.61	0.61	0.69	0.63
1855	.78	.74	.63	.59	.68	.61	.67	.49	.51	.52	.52	.53	.48	.51
1856	.56	.56	.47	.50	.51	.50	.52	.65	.60	.50	.47	.68	.71	.60
1857	.63	.60	.52	.60	.66	.64	.61	.67	.62	.42	.44	.50	.57	.54
1858	.59	.54	.46	.46	.47	.48	.50	.72	.70	.59	.63	.60	.67	.65
1859	.66	.66	.53	.54	.77	.76	.65	.65	.61	.52	.52	.60	.66	.59
Means.	.64	.63	.54	.53	.63	.61	.60	.64	.62	.52	.53	.59	.63	.59
MAY.													JUNE.	
1854	0.50	0.57	0.26	0.22	0.39	0.36	0.38	0.57	0.67	0.40	0.35	0.47	0.48	0.49
1855	.49	.52	.37	.33	.53	.55	.46	.70	.71	.50	.59	.68	.69	.64
1856	.60	.61	.60	.57	.58	.55	.59	.58	.43	.35	.46	.46	.51	.47
1857	.75	.80	.50	.51	.55	.58	.61	.75	.72	.55	.57	.70	.83	.69
1858	.77	.83	.52	.51	.75	.75	.69	.57	.55	.46	.45	.40	.42	.48
1859	.44	.38	.27	.44	.49	.45	.41	.55	.46	.42	.42	.57	.55	.50
Means.	.59	.62	.42	.43	.55	.54	.52	.62	.59	.45	.47	.55	.58	.55

TABLE XLV.—(Continued.)

MONTHLY MEANS OF THE EXTENT OF SKY CLOUDED, AT EACH OF THE SIX OBSERVATIONS, FOR THE YEARS 1854 TO 1859 INCLUSIVE.

Toronto time.	JULY.						AUGUST.						Monthly Means.	
	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	
1854	0.38	0.46	0.29	0.31	0.35	0.33	0.35	0.47	0.47	0.43	0.31	0.46	0.51	0.44
1855	.63	.57	.47	.51	.63	.72	.59	.58	.59	.35	.34	.34	.46	.44
1856	.47	.49	.24	.36	.45	.34	.39	.63	.55	.25	.35	.59	.53	.48
1857	.51	.55	.30	.33	.55	.51	.46	.53	.49	.35	.48	.55	.42	.47
1858	.57	.52	.42	.43	.53	.54	.50	.49	.43	.35	.29	.45	.49	.42
1859	.48	.48	.47	.44	.51	.36	.46	.44	.39	.32	.35	.45	.48	.40
Means.	.51	.51	.37	.40	.50	.47	.46	.52	.49	.34	.35	.47	.48	.44
SEPTEMBER.							OCTOBER.							
1854	0.44	0.45	0.45	0.34	0.56	0.58	0.47	0.59	0.59	0.48	0.56	0.73	0.71	0.61
1855	.49	.47	.30	.40	.47	.46	.45	.69	.65	.61	.60	.72	.79	.68
1856	.55	.55	.50	.48	.47	.41	.49	.52	.53	.42	.40	.48	.47	.47
1857	.49	.49	.30	.37	.45	.45	.43	.64	.64	.61	.54	.66	.61	.62
1858	.50	.49	.30	.31	.41	.47	.41	.65	.59	.56	.57	.61	.63	.60
1859	.70	.72	.61	.63	.61	.65	.65	.68	.65	.55	.48	.73	.77	.64
Means.	.53	.53	.42	.42	.50	.50	.48	.63	.61	.54	.53	.65	.66	.60
NOVEMBER.							DECEMBER.							
1854	0.81	0.78	0.72	0.62	0.79	0.77	0.75	0.84	0.70	0.77	0.82	0.81	0.82	0.79
1855	.72	.65	.50	.49	.60	.62	.60	.72	.74	.59	.62	.64	.70	.67
1856	.85	.83	.74	.76	.78	.91	.81	.77	.77	.67	.74	.82	.80	.76
1857	.83	.78	.61	.52	.63	.66	.67	.71	.75	.67	.69	.77	.78	.73
1858	.91	.84	.80	.83	.71	.77	.81	.87	.87	.79	.83	.79	.82	.83
1859	.86	.81	.79	.79	.83	.78	.81	.75	.80	.64	.66	.75	.76	.73
Means.	.83	.78	.69	.67	.72	.75	.74	.78	.77	.69	.73	.76	.78	.75

TABLE XLVI.

MONTHLY AND ANNUAL MEANS OF THE EXTENT OF THE SKY CLOUDED FROM SIX DAILY OBSERVATIONS,
FOR 1854 TO 1859 INCLUSIVE.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1854	0.78	0.71	0.62	0.63	0.38	0.49	0.35	0.44	0.47	0.61	0.75	0.79	0.59
1855	.79	.71	.67	.51	.46	.64	.59	.44	.45	.68	.60	.67	.60
1856	.66	.55	.52	.60	.59	.47	.39	.48	.49	.47	.81	.76	.57
1857	.68	.72	.61	.54	.61	.69	.46	.47	.43	.62	.67	.73	.60
1858	.61	.69	.50	.65	.69	.48	.50	.42	.41	.60	.81	.83	.60
1859	.72	.74	.65	.59	.41	.50	.46	.40	.65	.64	.81	.73	.61
Means.	0.71	0.69	0.60	0.59	0.52	0.55	0.46	0.44	0.48	0.60	0.74	0.75	0.59

TABLE XLVII.

MONTHLY MEANS OF THE EXTENT OF SKY CLOUDED AT EACH OBSERVATION HOUR, FOR THE PERIOD
1854 TO 1859 INCLUSIVE.

Toronto Astronomical time.	2 h.	4 h.	10 h.	12 h.	18 h.	20 h.	Monthly Means.
January.....	0.72	0.74	0.67	0.62	0.75	0.77	0.71
February.....	.73	.72	.60	.62	.71	.73	.69
March.....	.64	.63	.54	.53	.63	.61	.60
April.....	.64	.62	.52	.53	.59	.63	.59
May.....	.59	.62	.42	.43	.55	.54	.52
June.....	.62	.59	.45	.47	.55	.58	.55
July.....	.51	.51	.37	.40	.50	.47	.46
August.....	.52	.49	.34	.35	.47	.48	.44
September.....	.53	.53	.42	.42	.50	.50	.48
October.....	.63	.61	.54	.53	.65	.66	.60
November.....	.83	.78	.69	.67	.72	.75	.74
December.....	.78	.77	.69	.73	.76	.78	.75
Means.....	0.65	0.63	0.52	0.52	0.62	0.62	0.59

TABLE XLVIII.
MEAN CLOUDED SKY FOR EACH OF THE SIXTEEN POINTS OF THE WINDS DIRECTION, WITH THE NUMBER OF OBSERVATIONS FROM WHICH THE MEANS ARE DERIVED, FOR THE YEARS 1853-59 INCLUSIVE.

Year.	N.		N.N.E.		N.E.		E.N.E.		E.		E.S.E.		S.E.		S.S.E.	
	No.	Clouded Sky.	No.	Clouded Sky.	No.	Clouded Sky.	No.	Clouded Sky.	No.	Clouded Sky.	No.	Clouded Sky.	No.	Clouded Sky.	No.	Clouded Sky.
1853	142	0.53	148	0.65	108	0.83	93	0.77	90	0.65	46	0.55	64	0.55	64	0.40
1854	113	0.43	77	0.62	87	0.71	87	0.83	145	0.69	103	0.65	48	0.59	56	0.43
1855	168	0.48	79	0.59	69	0.68	74	0.80	136	0.74	95	0.74	42	0.68	54	0.58
1856	127	0.44	61	0.69	65	0.70	68	0.73	123	0.84	69	0.57	42	0.58	39	0.57
1857	102	0.51	39	0.67	60	0.80	126	0.91	108	0.70	57	0.70	46	0.65	54	0.58
1858	120	0.55	57	0.70	76	0.70	175	0.84	156	0.72	49	0.68	45	0.46	60	0.45
1859	104	0.59	68	0.62	75	0.77	160	0.73	179	0.62	65	0.55	35	0.49	47	0.50
1853-59	876	0.50	529	0.65	540	0.74	783	0.80	937	0.70	484	0.64	322	0.57	374	0.49

Year.	S.		S.S.W.		S.W.		W.S.W.		W.		W.N.W.		N.W.		N.N.W.		Calms.	
	No.	Clouded Sky.	No.	Clouded Sky.	No.	Clouded Sky.	No.	Clouded Sky.	No.	Clouded Sky.	No.	Clouded Sky.	No.	Clouded Sky.	No.	Clouded Sky.	No.	Clouded Sky.
1853	123	0.49	129	0.56	68	0.54	95	0.70	102	0.54	76	0.49	115	0.53	156	0.46	356	0.52
1854	79	0.39	112	0.59	111	0.70	109	0.68	103	0.69	125	0.50	112	0.53	163	0.48	333	0.56
1855	74	0.57	118	0.56	124	0.68	137	0.59	168	0.59	132	0.60	134	0.61	146	0.53	223	0.57
1856	69	0.46	122	0.59	131	0.67	191	0.64	174	0.49	170	0.50	121	0.47	144	0.46	254	0.50
1857	71	0.55	139	0.55	154	0.68	160	0.61	136	0.52	129	0.47	149	0.48	165	0.44	275	0.61
1858	83	0.46	93	0.56	64	0.61	111	0.66	132	0.61	144	0.55	147	0.56	150	0.50	307	0.53
1859	75	0.45	144	0.65	104	0.74	123	0.66	156	0.69	137	0.58	130	0.53	145	0.52	223	0.56
1853-59	574	0.48	857	0.58	756	0.67	926	0.64	971	0.57	913	0.53	908	0.53	1069	0.48	1971	0.55

TORONTO METEOROLOGICAL OBSERVATIONS.

TABLE XLIX.

COMPARATIVE VIEW OF THE ANNUAL VARIATIONS OF CERTAIN METEOROLOGICAL ELEMENTS DERIVED FROM THE SERIES 1842-48, AND FROM THE SERIES 1854-59.

Months.	Temperature.		Barometer.		Pressure of Dry Air.		Pressure of Vapour.		Relative Humidity.	
	1842	1854	1842	1854	1842	1854	1842	1854	1842	1854
	1848	1859	1848	1859	1848	1859	1848	1859	1848	1859
January	-19.00	-21.44	- .003	+ .053	+ .139	+ .200	- .142	- .146	+ 5	+ 6
February	-21.05	-23.09	- .007	+ .025	+ .149	+ .180	- .156	- .154	- 2	+ 4
March	-14.51	-14.58	+ .001	- .076	+ .131	+ .049	- .130	- .125	- 3	+ 1
April	- 1.68	- 3.47	+ .036	- .042	+ .093	+ .032	- .057	- .074	- 6	- 4
May	+ 8.59	+ 7.52	- .056	- .018	- .089	- .025	+ .033	+ .008	- 5	- 6
June	+16.37	+17.35	- .044	- .070	- .182	- .219	+ .138	+ .149	- 2	- 2
July	+21.67	+24.88	- .032	.000	- .235	- .249	+ .204	+ .249	- 4	- 3
August	+21.42	+22.08	+ .017	- .008	- .213	- .208	+ .230	+ .200	+ 1	- 3
September	+13.27	+14.65	+ .026	+ .061	- .092	- .064	+ .118	+ .126	+ 2	+ 1
October	- 0.12	+ 2.42	+ .042	+ .039	+ .064	+ .050	- .022	- .011	+ 4	0
November	- 8.08	- 7.26	+ .005	- .019	+ .083	+ .063	- .078	- .082	+ 6	+ 2
December	-16.89	-19.03	+ .022	+ .056	+ .155	+ .195	- .133	- .138	+ 3	+ 5

TABLE L.

COMPARATIVE VIEW OF THE ANNUAL MEANS OF THE DIURNAL VARIATIONS AT THE SIX OBSERVATION HOURS FOR THE SAME TWO SERIES.

Hours.	Temperature.		Barometer.		Pressure of Dry Air.		Pressure of Vapour.		Relative Humidity.	
	1842	1854	1842	1854	1842	1854	1842	1854	1842	1854
	1848	1859	1848	1859	1848	1859	1848	1859	1848	1859
2	+ 5.90	+ 5.25	- .013	- .015	- .040	- .032	+ .028	+ .017	- 9	- 9
4	+ 5.56	+ 4.65	- .018	- .019	- .041	- .031	+ .024	+ .012	- 9	- 8
10	- 2.30	- 1.85	- .001	+ .005	+ .011	+ .009	- .012	- .005	+ 3	+ 4
12	- 3.42	- 3.99	- .005	+ .002	+ .012	+ .012	- .017	- .010	+ 5	+ 5
18	- 4.56	- 3.95	+ .010	+ .009	+ .032	+ .023	- .022	- .014	+ 7	+ 7
20	- 1.21	- 1.22	- .025	+ .020	+ .025	+ .020	.000	.000	+ 2	+ 2

TABLES LI.

RESULTANT DIRECTION, RESULTANT VELOCITY, AND MEAN VELOCITY OF THE WIND FOR EACH MONTH.

RESULTANT DIRECTION.

	January	February	March	April	May	June	July	August	September	October	November	December	Year
1854	N 77 W N	7 E N 53 W N	50 E	N 90 E N	24 E	N 131 W N	64 W N	22 W N	45 W N	90 W N	44 W N	45 W	
1855	N 73 W N	40 W N	88 W N	36 W N	1 W N	69 W N	161 W N	63 W N	20 E N	82 W N	66 W N	92 W N	64 W
1856	N 75 W N	81 W N	71 W N	29 E N	4 E	N 159 W N	79 W N	50 W N	161 W N	76 W N	95 W N	93 W N	71 W
1857	N 70 W N	102 W N	63 W N	60 W N	23 W N	49 W N	112 E N	77 W N	68 W N	19 W N	119 W N	89 W N	74 W
1858	N 71 W N	72 W N	58 W N	14 W N	42 E N	160 E N	15 E N	69 W N	106 W N	34 W N	25 W N	18 W N	41 W
1859	N 99 W N	54 W N	64 W N	36 W N	72 E N	77 W N	56 W N	36 W N	44 W N	68 W N	81 W N	53 W N	61 W
1854 to 1859	N 77 W N	67 W N	70 W N	23 W N	29 E N	73 W N	66 W N	58 W N	61 W N	62 W N	85 W N	70 W N	62 W

RESULTANT VELOCITY.

	January	February	March	April	May	June	July	August	September	October	November	December	Year
1854	2.44	1.73	3.39	2.57	0.49	0.71	0.37	1.76	1.33	1.52	3.44	4.30	1.47
1855	1.91	4.34	4.76	3.99	2.76	1.33	0.73	1.04	1.29	4.91	3.18	5.29	2.47
1856	5.24	7.70	7.68	1.64	3.99	0.90	1.57	2.88	1.98	2.15	2.95	4.62	3.03
1857	4.96	3.68	6.63	4.15	1.14	1.15	0.81	1.51	1.61	2.93	5.45	2.51	2.54
1858	2.33	3.22	5.45	1.64	3.33	0.25	1.13	1.57	1.53	0.36	3.14	1.66	1.59
1859	3.17	2.72	1.96	2.33	1.59	1.95	1.48	1.62	1.69	5.04	3.39	4.29	2.24
1854 to 1859	3.29	3.45	4.89	2.14	1.91	0.69	0.41	1.68	1.16	2.60	3.13	3.42	2.18

MEAN VELOCITY.

	January	February	March	April	May	June	July	August	September	October	November	December	Year
1854	6.91	6.91	8.03	6.81	5.38	4.15	4.03	4.60	4.04	4.57	7.54	8.56	5.96
1855	7.26	8.17	9.95	7.57	5.93	5.79	6.47	6.97	7.61	9.88	10.81	11.38	8.14
1856	10.69	10.71	11.39	6.05	9.81	5.30	5.84	7.03	6.53	6.97	8.75	11.56	8.31
1857	10.31	9.82	10.84	10.24	8.13	7.69	4.74	6.36	5.55	6.24	9.25	6.84	7.99
1858	7.40	9.12	8.56	9.57	9.39	5.53	5.76	6.50	5.69	5.96	8.87	9.36	7.64
1859	8.76	8.50	10.39	10.79	5.70	7.19	5.81	5.96	6.36	8.12	9.65	10.77	8.17
1854 to 1859	8.56	8.87	9.86	8.50	7.37	5.91	5.44	6.24	5.96	6.81	9.15	9.75	7.70

TABLE LII.

MONTHLY AND ANNUAL RESULTANT DIRECTIONS OF THE WIND AT EACH HOUR OF TORONTO
ASTRONOMICAL TIME, FOR THE PERIOD 1854 TO 1853 INCLUSIVE.

TABLE LIII.

MONTHLY AND YEARLY RESULTANT VELOCITIES OF THE WIND FOR EACH HOUR OF TORONTO ASTRONOMICAL TIME, FOR THE PERIOD 1854 TO 1859 INCLUSIVE, THE VELOCITIES BEING IN MILES PER HOUR.

Hours.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
0	4.71	4.34	5.97	1.17	1.49	2.35	2.97	2.67	2.35	3.54	4.40	4.39	2.61
1	4.69	4.17	6.14	1.50	1.17	2.45	2.90	2.92	2.10	3.29	4.75	4.46	2.71
2	4.45	3.94	6.26	1.68	0.98	2.34	2.73	2.73	2.05	3.34	4.15	4.24	2.70
3	3.92	3.98	6.26	1.92	1.03	1.70	1.97	2.29	1.75	3.21	4.07	3.94	2.56
4	3.48	3.76	6.27	1.99	1.37	1.42	1.16	1.96	1.70	3.39	3.77	3.89	2.60
5	3.02	2.94	5.99	2.45	1.89	0.96	0.75	2.50	1.43	2.85	3.10	3.75	2.48
6	3.10	3.13	5.48	2.68	2.29	0.86	0.69	2.50	1.38	2.47	2.83	3.82	2.44
7	3.05	3.29	5.10	2.47	2.27	1.14	0.69	2.21	1.47	2.47	2.59	3.92	2.38
8	3.02	3.28	4.93	2.84	2.04	1.19	0.80	2.30	1.58	2.45	2.53	4.00	2.35
9	2.55	3.12	5.15	3.38	1.95	1.50	1.05	2.37	1.60	2.34	2.44	3.98	2.38
10	2.73	2.92	4.60	3.17	2.02	1.66	1.46	2.24	1.92	2.15	2.53	3.88	2.36
11	2.88	2.80	4.39	2.79	2.28	1.58	1.64	2.03	1.82	2.00	2.38	3.80	2.28
12	2.77	2.92	4.24	3.01	2.21	1.68	1.81	2.08	1.69	1.92	2.61	3.53	2.25
13	2.73	3.42	4.29	3.07	2.39	1.73	2.05	2.25	1.80	2.04	2.52	2.94	2.32
14	2.92	3.35	3.95	3.01	2.69	1.53	2.05	2.15	1.96	2.23	2.64	2.76	2.33
15	2.81	3.23	3.92	2.84	2.43	1.40	2.01	2.31	1.90	2.21	2.75	2.67	2.25
16	2.71	3.34	3.97	2.95	2.24	1.16	1.93	2.12	1.73	2.06	2.62	2.55	2.15
17	2.74	3.23	3.75	3.10	2.47	1.31	1.79	2.10	1.61	2.16	2.43	2.44	2.11
18	2.74	3.73	3.80	3.25	3.52	1.34	1.74	2.26	1.58	2.10	2.66	2.41	2.23
19	3.02	3.57	4.21	3.09	3.54	0.97	1.54	2.09	1.72	2.43	2.58	2.27	2.22
20	3.30	3.53	4.50	2.63	3.39	0.84	0.69	2.25	1.43	3.09	2.75	2.85	2.22
21	3.77	4.00	5.09	1.92	2.56	1.12	0.57	1.95	1.24	3.14	3.52	3.11	2.24
22	3.90	3.98	5.38	1.17	1.82	1.62	1.82	1.77	1.41	3.18	4.17	3.87	2.18
23	4.45	4.30	5.71	0.92	1.49	2.08	2.48	2.49	2.01	3.33	4.43	3.93	2.37
Period of 24 hours.	3.29	3.45	4.89	2.14	1.91	0.69	0.41	1.68	1.16	2.60	3.13	3.42	2.18

TABLE LIV.

MONTHLY AND YEARLY MEAN VELOCITIES OF THE WIND FOR EACH HOUR OF TORONTO ASTRONOMICAL TIME,
FOR THE PERIOD 1854 TO 1859 INCLUSIVE, THE VELOCITIES BEING IN MILES PER HOUR.

Hours.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
0	10.43	10.69	12.00	11.29	10.33	8.80	8.76	8.99	9.27	10.33	11.57	10.97	10.29
1	10.54	10.54	12.29	11.12	10.28	9.06	8.52	9.45	8.94	10.22	11.79	11.05	10.32
2	10.45	10.13	12.50	10.99	10.05	8.89	8.74	9.72	9.21	9.98	11.86	10.69	10.27
3	9.86	9.95	12.28	10.66	9.67	8.85	8.18	9.52	8.80	9.39	10.94	10.02	9.84
4	9.23	9.72	12.56	10.43	9.41	8.57	7.63	9.11	7.86	8.50	10.28	9.97	9.44
5	8.63	8.54	11.18	9.13	8.02	7.25	6.39	7.84	6.09	6.65	9.06	9.60	8.20
6	8.66	8.57	10.24	8.15	6.99	5.98	5.01	6.41	5.09	5.87	8.83	9.64	7.45
7	8.73	8.88	9.87	7.17	6.23	4.88	3.68	5.16	4.64	5.77	8.27	9.63	6.91
8	8.38	8.99	9.41	7.22	5.91	4.41	3.31	4.95	4.45	5.73	8.31	9.63	6.72
9	7.74	8.08	9.22	7.06	5.26	4.19	3.39	4.63	4.68	5.29	8.02	9.23	6.40
10	7.91	7.69	8.53	6.82	5.06	4.17	3.82	4.62	4.66	5.42	7.98	9.44	6.34
11	7.76	7.73	8.28	6.58	5.13	3.94	3.61	4.08	4.29	5.08	7.93	9.70	6.18
12	7.90	7.84	8.12	6.58	4.92	4.11	4.00	3.98	4.09	4.92	7.95	9.63	6.17
13	7.65	8.19	8.04	6.56	4.99	3.84	3.82	4.16	4.40	5.00	7.82	9.21	6.14
14	7.48	8.11	7.85	6.82	5.34	3.82	4.07	4.18	4.48	5.41	7.89	9.43	6.24
15	7.42	7.86	7.93	6.71	5.03	3.77	3.83	4.29	4.39	5.25	8.13	9.48	6.17
16	7.49	8.13	8.32	6.67	4.97	3.93	3.65	4.15	4.16	5.09	8.26	9.14	6.16
17	7.32	7.99	8.12	7.06	5.42	4.01	3.58	4.24	4.19	5.17	8.09	9.22	6.20
18	7.94	8.62	8.36	7.50	7.27	4.61	4.01	4.56	4.29	4.91	8.08	9.25	6.62
19	7.65	8.06	8.64	8.44	8.03	5.10	4.72	4.79	5.11	5.50	7.91	8.49	6.87
20	8.08	8.57	9.45	9.31	9.02	6.17	5.73	6.43	6.04	6.87	8.70	9.57	7.83
21	8.83	9.55	10.44	9.77	9.47	7.01	6.70	7.31	7.28	8.10	9.61	9.95	8.67
22	9.35	10.13	11.17	10.81	9.91	8.04	7.38	8.15	7.99	9.03	10.82	10.48	9.44
23	9.90	10.32	11.75	11.27	10.25	8.56	7.97	9.00	8.72	9.83	11.45	10.50	9.96
Period of 24 hours	8.56	8.87	9.86	8.50	7.37	5.91	5.44	6.24	5.96	6.81	9.15	9.75	7.70

TABLE LV.

MEAN VELOCITY OF THE WIND, FOR EACH OF THE SIXTEEN POINTS OF THE WIND'S DIRECTION, WITH THE NUMBER OF OBSERVATIONS FROM WHICH THE MEANS ARE DERIVED, FOR THE YEARS 1853-59 INCLUSIVE.

	N.		N.N.E.		N.E.		E.N.E.		E.		E.S.E.		S.E.		S.S.E.	
Years.	No.	Velocity.	No.	Velocity.	No.	Velocity.	No.	Velocity.	No.	Velocity.	No.	Velocity.	No.	Velocity.	No.	Velocity.
1853	142	Miles. 6.60	148	Miles. 4.68	108	Miles. 5.72	93	Miles. 6.09	90	Miles. 5.23	46	Miles. 4.77	64	Miles. 4.65	64	Miles. 4.91
1854	113	6.44	77	5.95	87	7.20	87	6.00	145	7.40	103	6.48	48	4.31	56	5.01
1855	168	7.53	79	6.45	69	7.39	74	7.94	136	9.61	95	6.38	42	5.71	54	6.35
1856	127	9.22	61	7.43	65	6.71	68	9.47	123	10.34	69	6.21	42	6.00	39	6.87
1857	102	7.22	39	5.86	60	6.92	126	9.18	108	7.62	57	5.34	46	6.22	54	5.50
1858	120	6.72	57	6.03	76	7.15	175	11.26	156	9.16	49	6.75	45	5.08	60	5.90
1859	104	7.34	68	7.44	75	7.86	160	8.86	179	8.35	65	5.75	35	4.90	47	6.06
1853-59	876	7.31	529	6.03	540	6.92	783	8.77	937	8.40	484	6.05	322	5.22	374	5.73

	S.		S.S.W.		S.W.		W.S.W.		W.		W.N.W.		N.W.		N.N.W.	
Years.	No.	Velocity.	No.	Velocity.	No.	Velocity.	No.	Velocity.	No.	Velocity.	No.	Velocity.	No.	Velocity.	No.	Velocity.
1853	123	Miles. 5.84	129	Miles. 5.67	68	Miles. 6.02	95	Miles. 5.71	102	Miles. 6.90	76	Miles. 9.02	115	Miles. 7.63	156	Miles. 8.08
1854	79	5.20	112	6.18	111	8.06	109	7.83	103	9.08	125	9.30	112	11.34	163	9.29
1855	74	7.75	118	7.22	124	8.16	137	10.29	168	11.23	132	10.88	134	11.13	146	11.16
1856	69	6.67	122	8.12	131	8.93	191	11.80	174	10.94	170	11.06	121	10.03	144	11.05
1857	71	7.45	139	8.38	154	8.37	160	10.23	136	10.84	129	10.78	149	11.56	165	10.73
1858	83	6.85	93	8.50	64	8.08	111	9.86	132	11.47	144	10.42	147	11.40	150	8.61
1859	75	6.49	144	8.14	104	7.67	123	10.81	156	12.10	137	12.82	130	12.62	145	8.56
1853-59	574	6.53	857	7.46	756	8.05	926	9.85	971	10.72	913	10.89	908	10.90	1069	9.63

TORONTO METEOROLOGICAL OBSERVATIONS.

TABLE LVII.

RATIOS SHEWING THE COMPARATIVE DURATION OF DIFFERENT WINDS IN EACH
IN THE MONTH EXPRESSED IN TERMS OF THE

	N.	N.N.E.	N.E.	E.N.E.	E.	E.S.E.	S.E.	S.S.E.	S.
January.....	1.15	0.74	0.96	0.72	0.75	0.44	0.23	0.21	0.25
February.....	1.24	0.85	0.73	0.68	0.96	0.37	0.20	0.28	0.37
March.....	0.68	0.33	0.34	1.10	1.01	0.44	0.46	0.24	0.47
April.....	1.29	0.96	0.84	1.40	1.71	0.89	0.48	0.52	0.75
May.....	1.31	0.50	0.71	1.90	2.08	1.03	0.56	0.57	1.08
June.....	0.91	0.44	0.66	1.34	1.85	0.84	0.51	0.59	1.40
July.....	1.06	0.70	0.59	1.10	1.40	0.99	0.72	1.18	1.39
August.....	1.20	0.85	0.65	0.77	1.10	0.66	0.75	0.67	1.15
September.....	1.20	0.84	0.78	1.04	1.14	0.64	0.69	0.72	0.96
October.....	0.99	0.66	0.85	1.02	1.12	0.47	0.22	0.45	0.91
November.....	0.75	0.65	0.68	1.21	1.47	0.49	0.43	0.43	0.42
December.....	1.29	1.10	1.02	0.86	0.72	0.42	0.22	0.19	0.18
	1.09	0.72	0.73	1.09	1.28	0.64	0.46	0.50	0.78

TABLE LVIII.

RATIOS SHEWING THE COMPARATIVE DURATION OF EACH SEPARATE WIND IN
TERMS OF THE ANNUAL MEANS

	N.	N.N.E.	N.E.	E.N.E.	E.	E.S.E.	S.E.	S.S.E.	S.
January.....	1.06	1.03	1.31	0.66	0.59	0.69	0.50	0.42	0.32
February.....	1.14	1.18	1.00	0.62	0.75	0.58	0.44	0.56	0.48
March.....	0.62	0.46	0.46	1.00	0.79	0.69	1.00	0.48	0.60
April.....	1.18	1.34	1.14	1.28	1.34	1.39	1.05	1.03	0.97
May.....	1.20	0.70	0.97	1.74	1.63	1.61	1.24	1.13	1.38
June.....	0.84	0.61	0.90	1.22	1.45	1.31	1.12	1.17	1.82
July.....	0.97	0.98	0.80	1.00	1.09	1.55	1.58	2.34	1.78
August.....	1.10	1.18	0.88	0.70	0.86	1.03	1.65	1.33	1.49
September.....	1.10	1.17	1.06	0.95	0.89	1.00	1.51	1.43	1.23
October.....	0.91	0.92	1.16	0.93	0.88	0.73	0.48	0.89	1.18
November.....	0.69	0.90	0.93	1.11	1.15	0.77	0.94	0.85	0.54
December.....	1.18	1.53	1.39	0.79	0.56	0.66	0.48	0.38	0.23

TABLE LVI.

SEPARATE MONTH, BEING THE ABSOLUTE DURATIONS OF THE DIFFERENT WINDS
MONTHLY MEAN DURATION FOR ALL WINDS.

S.S.W.	S.W.	W.S.W.	W.	W.N.W.	N.W.	N.N.W.	Calms.	
0.78	1.58	2.61	1.78	1.00	1.18	1.38	1.23	January.
1.90	1.18	2.01	2.08	1.47	1.19	1.58	0.83	February.
0.90	1.39	1.27	1.81	2.27	2.05	1.44	0.80	March.
1.03	0.73	0.71	0.93	1.13	1.12	1.51	1.00	April.
1.30	0.70	0.36	0.49	0.79	0.97	1.69	0.96	May.
1.63	1.35	0.60	0.90	0.84	1.20	1.18	0.76	June.
1.61	0.72	0.46	0.53	0.86	1.00	1.48	1.22	July.
1.27	0.83	0.51	0.92	1.38	1.49	1.69	1.11	August.
1.60	0.98	0.65	0.78	1.05	1.12	1.55	1.56	September.
1.05	1.01	0.90	1.35	1.67	1.37	1.29	1.67	October.
0.86	1.50	2.08	1.78	1.34	1.01	1.03	0.89	November.
0.49	1.42	2.61	1.98	1.11	1.08	1.29	1.02	December.
1.12	1.12	1.23	1.28	1.24	1.23	1.41	1.09	

TABLE LVII.

THE DIFFERENT MONTHS, BEING THE NUMBERS IN TABLE LVI. EXPRESSED IN
GIVEN AT THE FOOT OF EACH COLUMN.

S.S.W.	S.W.	W.S.W.	W.	W.N.W.	N.W.	N.N.W.	Calms.	
0.70	1.42	2.12	1.39	0.81	0.96	0.98	1.13	January.
0.89	1.06	1.63	1.63	1.19	0.97	1.12	0.76	February.
0.80	1.25	1.03	1.41	1.83	1.67	1.02	0.73	March.
0.92	0.65	0.58	0.73	0.91	0.91	1.07	0.92	April.
1.16	0.63	0.29	0.38	0.64	0.79	1.20	0.88	May.
1.46	1.21	0.49	0.70	0.68	0.97	0.84	0.70	June.
1.44	0.64	0.37	0.41	0.69	0.81	1.05	1.20	July.
1.13	0.74	0.41	0.72	1.11	1.21	1.20	1.02	August.
1.34	0.88	0.53	0.61	0.85	0.91	0.96	1.43	September.
0.94	0.91	0.73	1.06	1.31	1.11	0.91	1.53	October.
0.77	1.34	1.69	1.39	1.08	0.82	0.73	0.82	November.
0.44	1.27	2.12	1.55	0.90	0.88	0.92	0.94	December.

TABLE LVIII.

RATIOS SHEWING THE COMPARATIVE DURATION OF DIFFERENT WINDS FOR EACH
IN TERMS OF THE MEAN DURATION

Toronto Astronomical time.	N.	N.N.E.	N.E.	E.N.E.	E.	E.S.E.	S.E.	S.S.E.	S.
0	0.61	0.33	0.43	0.86	1.61	1.02	0.78	0.96	1.65
1	0.55	0.28	0.44	0.93	1.54	1.04	0.80	0.99	1.65
2	0.50	0.29	0.43	0.86	1.78	1.05	0.70	0.94	1.62
3	0.54	0.28	0.39	0.96	1.76	1.12	0.69	0.96	1.31
4	0.61	0.31	0.45	1.01	1.84	1.00	0.71	0.81	1.16
5	0.74	0.34	0.53	1.14	1.72	0.86	0.54	0.75	1.00
6	0.70	0.40	0.59	1.30	1.58	0.67	0.46	0.66	0.97
7	0.83	0.44	0.68	1.32	1.38	0.71	0.38	0.51	0.71
8	0.94	0.53	0.66	1.24	1.30	0.51	0.46	0.39	0.54
9	1.08	0.68	0.73	1.22	1.18	0.46	0.33	0.41	0.44
10	1.27	0.80	0.77	1.22	1.04	0.43	0.37	0.35	0.40
11	1.46	0.88	0.85	1.00	1.05	0.41	0.38	0.31	0.39
12	1.59	0.97	0.86	1.08	0.88	0.41	0.31	0.25	0.37
13	1.54	1.14	0.98	1.01	0.79	0.35	0.31	0.25	0.39
14	1.62	1.26	1.02	0.98	0.84	0.35	0.27	0.23	0.37
15	1.72	1.24	0.97	1.01	0.82	0.34	0.27	0.21	0.42
16	1.66	1.18	0.98	1.12	0.76	0.33	0.21	0.27	0.35
17	1.62	1.18	1.03	1.16	0.77	0.34	0.19	0.33	0.37
18	1.54	1.17	1.07	1.13	0.86	0.33	0.24	0.29	0.39
19	1.46	1.07	1.02	1.18	1.07	0.35	0.27	0.24	0.41
20	1.19	0.86	0.92	1.34	1.36	0.54	0.35	0.27	0.44
21	0.96	0.64	0.84	1.18	1.55	0.75	0.46	0.37	0.66
22	0.79	0.53	0.53	1.04	1.57	0.93	0.70	0.62	1.12
23	0.62	0.43	0.44	0.96	1.52	1.06	0.80	0.78	1.52

TABLE LVIII.

SEPARATE HOUR, BEING THE ABSOLUTE DURATIONS FOR THE HOUR EXPRESSED
OF ALL WINDS FOR THE SAME HOUR.

S.S.W.	S.W.	W.S.W.	W.	W.N.W.	N.W.	N.N.W.	Calms.	Toronto Astronomical time.
1.82	1.16	1.05	1.23	1.14	1.10	1.00	0.25	0
1.87	1.16	1.12	1.19	1.12	1.14	0.96	0.22	1
1.91	1.04	1.16	1.23	1.08	1.04	1.08	0.27	2
1.83	1.11	1.12	1.23	1.08	1.05	1.22	0.36	3
1.57	1.21	1.09	1.22	1.06	1.12	1.27	0.55	4
1.48	1.30	1.11	1.13	1.20	1.04	1.28	0.86	5
1.24	1.34	1.20	1.13	1.13	1.29	1.35	0.99	6
1.11	1.37	1.28	1.10	1.31	1.21	1.55	1.11	7
0.70	1.36	1.34	1.29	1.25	1.22	1.66	1.46	8
0.77	1.06	1.35	1.29	1.31	1.31	1.69	1.68	9
0.68	1.00	1.34	1.46	1.28	1.24	1.67	1.67	10
0.74	0.94	1.38	1.40	1.22	1.30	1.66	1.63	11
0.68	0.95	1.34	1.34	1.26	1.29	1.59	1.82	12
0.65	0.90	1.40	1.30	1.22	1.35	1.61	1.80	13
0.74	0.90	1.38	1.24	1.35	1.44	1.52	1.49	14
0.68	0.95	1.26	1.23	1.38	1.35	1.62	1.52	15
0.67	0.99	1.22	1.28	1.48	1.28	1.65	1.56	16
0.65	0.92	1.22	1.33	1.38	1.33	1.70	1.47	17
0.69	1.05	1.14	1.22	1.38	1.31	1.60	1.60	18
0.75	1.08	1.22	1.34	1.32	1.25	1.48	1.49	19
0.96	1.25	1.26	1.42	1.24	1.25	1.40	0.96	20
1.28	1.29	1.26	1.40	1.28	1.31	1.12	0.64	21
1.55	1.22	1.21	1.29	1.20	1.24	1.06	0.41	22
1.69	1.17	1.05	1.26	1.12	1.14	1.06	0.39	23

TABLE LIX.

RATIOS SHEWING THE COMPARATIVE DURATION OF EACH SEPARATE WIND
EXPRESSED IN TERMS OF THE MEAN DURA-

Toronto Astronomical time.	N.	N.N.E.	N.E.	E.N.E.	E.	E.S.E.	S.E.	S.S.E.	S.
0	0.56	0.46	0.59	0.79	1.26	1.59	1.71	1.90	2.12
1	0.51	0.39	0.61	0.85	1.21	1.62	1.75	1.96	2.12
2	0.46	0.40	0.59	0.79	1.40	1.64	1.53	1.86	2.08
3	0.50	0.39	0.53	0.88	1.38	1.75	1.51	1.90	1.70
4	0.56	0.43	0.61	0.92	1.44	1.56	1.55	1.60	1.49
5	0.68	0.47	0.72	1.04	1.34	1.34	1.18	1.48	1.29
6	0.64	0.56	0.80	1.19	1.24	1.05	1.01	1.30	1.25
7	0.76	0.61	0.93	1.21	1.08	1.11	0.83	1.01	0.91
8	0.86	0.74	0.90	1.13	1.02	0.80	1.01	0.77	0.69
9	0.99	0.94	0.99	1.12	0.96	0.72	0.72	0.81	0.57
10	1.17	1.11	1.05	1.12	0.82	0.67	0.80	0.69	0.51
11	1.34	1.23	1.16	0.91	0.82	0.64	0.83	0.61	0.50
12	1.46	1.35	1.17	0.99	0.69	0.64	0.67	0.49	0.48
13	1.41	1.59	1.34	0.92	0.62	0.55	0.67	0.49	0.50
14	1.49	1.75	1.39	0.90	0.66	0.55	0.59	0.45	0.48
15	1.58	1.73	1.32	0.92	0.60	0.53	0.59	0.41	0.54
16	1.52	1.64	1.34	1.02	0.60	0.52	0.46	0.53	0.44
17	1.49	1.64	1.40	1.06	0.60	0.53	0.41	0.65	0.47
18	1.41	1.63	1.46	1.03	0.68	0.51	0.52	0.57	0.50
19	1.34	1.49	1.39	1.08	0.84	0.55	0.59	0.47	0.53
20	1.09	1.20	1.25	1.23	1.07	0.84	0.77	0.53	0.57
21	0.88	0.89	1.14	1.08	1.22	1.17	1.01	0.73	0.85
22	0.73	0.74	0.72	0.95	1.23	1.45	1.53	1.23	1.44
23	0.57	0.60	0.61	0.88	1.19	1.66	1.75	1.54	1.96

TABLE LIX.

IN THE DIFFERENT HOURS, BEING THE ABSOLUTE DURATIONS AT THE HOUR
TION OF THE SAME WIND FOR ALL HOURS.

S.S.W.	S.W.	W.S.W.	W.	W.N.W.	N.W.	N.N.W.	Calm.	Toronto Astronomical time.
1.62	1.04	0.85	0.97	0.92	0.89	0.71	0.23	0
1.67	1.04	0.91	0.94	0.99	0.93	0.68	0.20	1
1.70	0.93	0.95	0.97	0.87	0.85	0.77	0.25	2
1.63	1.00	0.91	0.97	0.87	0.85	0.87	0.33	3
1.40	1.09	0.89	0.96	0.85	0.91	0.9	0.50	4
1.32	1.17	0.90	0.89	0.97	0.85	0.91	0.79	5
1.11	1.20	0.98	0.89	0.91	1.04	0.96	0.90	6
0.99	1.23	1.04	0.87	1.06	0.98	1.10	1.02	7
0.78	1.22	1.09	1.02	1.01	0.99	1.18	1.34	8
0.69	0.95	1.10	1.02	1.05	1.06	1.20	1.54	9
0.61	0.90	1.09	1.18	1.03	1.01	1.19	1.53	10
0.66	0.84	1.12	1.06	0.98	1.06	1.18	1.49	11
0.61	0.85	1.09	1.03	1.01	1.04	1.13	1.67	12
0.58	0.81	1.14	0.98	0.98	1.09	1.14	1.65	13
0.66	0.81	1.12	0.97	1.09	1.17	1.08	1.36	14
0.61	0.85	1.03	0.97	1.11	1.09	1.15	1.39	15
0.60	0.89	0.99	1.01	1.19	1.04	1.17	1.43	16
0.58	0.83	0.99	1.05	1.11	1.08	1.20	1.35	17
0.62	0.94	0.93	0.96	1.11	1.06	1.13	1.47	18
0.67	0.97	0.99	1.06	1.07	1.01	1.05	1.37	19
0.86	1.12	1.03	1.12	1.00	1.01	0.99	0.88	20
1.14	1.16	1.03	1.10	1.03	1.06	0.80	0.59	21
1.38	1.10	0.98	1.02	0.97	1.01	0.75	0.38	22
1.51	1.05	0.85	1.00	0.90	0.93	0.75	0.36	23

TABLE LX.

THE NUMBER OF DAYS IN WHICH RAIN FELL, ITS APPROXIMATE DURATION IN HOURS, AND DEPTH IN INCHES, FOR EACH MONTH OF THE YEARS 1854—1859 INCLUSIVE.

NUMBER OF DAYS.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1854	7	5	9	12	11	9	9	5	14	15	13	5	114
1855	5	2	5	8	6	17	13	7	12	14	8	6	103
1856	0	0	0	13	14	13	8	12	13	10	10	6	99
1857	3	11	4	10	15	21	15	13	11	10	14	7	134
1858	6	1	10	13	17	12	13	11	8	17	12	11	131
1859	6	6	15	9	11	16	12	11	15	11	12	3	127
Mean of the Six Years.	4	4	7	11	12	15	12	10	12	13	12	6	118
Mean of Fifteen Years.	5	4	6	9	12	12	10	10	9	12	11	6	106

APPROXIMATE DURATION IN HOURS.

1854	39	25	63	42	40	26	29	5	50	45	34	19	417
1855	10	20	20	23	31	75	37	8	44	47	57	29	401
1856	0	0	0	63	89	28	10	24	55	28	42	26	365
1857	6	73	11	40	95	66	43	67	32	42	74	64	613
1858	33	1	31	81	104	47	31	56	22	49	85	44	584
1859	39	17	76	37	51	29	40	41	36	26	94	28	514
Mean of the Six Years.	21	23	33	48	68	45	32	34	40	39	64	35	482

DEPTH IN INCHES.

1854	1.270	1.460	2.425	2.685	4.630	1.460	4.805	0.455	5.375	1.495	1.115	0.590	27.765
1855	0.525	1.770	1.485	2.030	2.565	4.670	3.245	1.455	5.585	2.485	4.590	1.845	31.650
1856	0.000	0.000	0.000	2.780	4.580	3.200	1.120	1.680	4.105	0.875	1.375	1.790	21.505
1857	*	3.050	0.335	1.755	4.145	5.060	3.475	5.265	2.640	1.040	3.235	3.205	33.205
1858	1.152	*	0.917	1.642	6.367	2.943	3.072	3.890	0.735	1.797	3.879	1.657	28.051
1859	1.449	0.455	4.054	2.527	3.410	4.085	2.611	3.990	3.525	0.940	5.193	1.035	33.274
Mean of the Six Years.	0.733	1.123	1.536	2.235	4.283	3.470	3.055	2.789	3.661	1.439	3.231	1.687	29.242
Mean of Fifteen Years.	1.203	0.953	1.405	2.434	3.537	2.969	3.222	2.820	4.050	2.562	3.266	1.536	29.867

In Tables LX to LXII, the sign * denotes that the amount of Rain or Snow was too small for measurement, and the sign † that its duration was less than half an hour.

TABLE LXI.

THE NUMBER OF DAYS IN WHICH SNOW FELL, ITS APPROXIMATE DURATION IN HOURS, AND DEPTH IN INCHES,
FOR EACH MONTH OF THE YEARS 1854 TO 1859 INCLUSIVE.

NUMBER OF DAYS.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1854	11	15	3	4	3	4	12	52
1855	13	14	11	3	2	5	6	10	64
1856	14	8	12	3	1	2	9	20	69
1857	16	11	15	11	1	2	9	14	79
1858	11	16	6	2	1	13	18	67
1859	19	14	8	8	...	2	4	9	23	87
Mean of the six years.	14	13	9	5	1	3	8	16	69
Mean of fifteen years.	11	12	9	3	1	2	6	13	57

APPROXIMATE DURATION IN HOURS.

1854	42	61	10	9	+	17	63	202
1855	70	98	44	8	7	10	11	55	303
1856	88	51	75	3	+	2	30	62	311
1857	88	34	49	42	1	11	46	52	323
1858	45	96	11	3	+	48	74	277
1859	96	67	13	21	...	2	4	13	163	379
Mean of the six years.	71	68	34	14	1	5	28	78	299

DEPTH IN INCHES.

1854	7.5	18.0	2.8	2.7	*	1.3	17.2	49.5
1855	23.3	21.8	18.1	1.6	0.9	0.8	3.0	29.5	90.6
1856	13.6	9.7	16.2	0.1	*	0.1	9.5	16.3	65.5
1857	21.8	11.7	11.3	12.9	*	0.2	6.9	9.0	73.8
1858	4.0	26.7	0.2	0.1	*	4.0	10.4	45.4
1859	16.4	8.3	1.0	1.2	...	*	*	0.6	37.4	64.9
Mean of the six years.	14.4	16.0	8.3	3.1	0.1	0.2	4.2	20.0	66.3
Mean of fifteen years.	12.1	17.7	9.4	2.6	0.1	0.3	2.7	16.6	61.5

TABLE LXII.

NUMBER OF DAYS IN WHICH EITHER RAIN OR SNOW FELL, THEIR APPROXIMATE DURATION IN HOURS, AND DEPTH IN INCHES, FOR EACH MONTH OF THE YEARS 1854 TO 1859 INCLUSIVE; ONE INCH OF SNOW BEING RECKONED AS EQUIVALENT TO ONE-TENTH OF AN INCH OF RAIN.

NUMBER OF DAYS.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
1854	18	20	12	16	11	9	9	5	14	18	17	17	166
1855	18	16	16	11	8	17	13	7	12	19	14	16	167
1856	14	8	12	16	15	13	8	12	13	12	19	26	168
1857	19	22	19	21	16	21	15	13	11	12	23	21	213
1858	17	17	16	15	17	12	13	11	8	18	25	29	198
1859	25	20	23	17	11	18	12	11	15	15	21	26	214
Mean of the six years.	18	17	16	16	13	15	12	10	12	16	20	22	187
Mean of fifteen years.	16	16	15	12	13	12	10	10	9	14	17	19	163

APPROXIMATE DURATION IN HOURS.

1854	81	86	73	51	49	26	29	5	50	45	51	82	619
1855	80	118	64	31	38	75	37	8	44	57	68	84	704
1856	88	51	75	66	89	28	10	24	55	30	72	88	676
1857	94	107	60	82	96	66	43	67	32	53	120	116	936
1858	78	97	42	84	104	47	31	56	22	49	133	118	861
1859	135	84	89	58	51	31	40	41	36	30	107	191	893
Mean of the six years.	93	90	67	62	70	45	32	34	40	44	92	113	782

DEPTH IN INCHES.

1854	2.020	3.260	2.705	2.955	4.630	1.460	4.805	0.455	5.375	1.495	1.245	2.310	32.715
1855	2.855	3.950	3.295	2.190	2.655	4.070	3.245	1.455	5.585	2.565	4.890	4.795	41.550
1856	1.360	0.970	1.620	2.790	4.580	3.200	1.120	1.680	4.165	0.885	2.325	3.420	28.055
1857	2.180	4.220	1.465	3.045	4.145	5.060	3.475	5.265	2.640	1.060	3.925	4.105	49.585
1858	1.552	2.670	0.937	1.652	6.367	2.943	3.072	3.890	0.735	1.797	4.279	2.697	32.591
1859	3.089	1.285	4.154	2.647	3.410	4.085	2.611	3.990	3.525	0.940	5.253	4.775	39.764
Mean of the six years.	2.176	2.726	2.363	2.546	4.298	3.470	3.055	2.789	3.661	1.457	3.653	3.684	35.877
Mean of fifteen years.	2.503	2.723	2.345	2.694	3.367	2.969	3.222	2.820	4.050	2.592	3.536	3.196	36.017

TABLE LXIII.

COMPARATIVE DURATION OF THE SEVERAL WINDS DURING THE DAYS IN ANY PART OF WHICH RAIN OR SNOW FELL, FROM OBSERVATIONS IN THE YEARS 1853 TO 1859 INCLUSIVE.

	Absolute duration of the several winds in hours.				Relative duration of each wind on days of precipitation, as compared with its duration on all days.				Ratios of the numbers in (5) (6) and (7) to their respective means for all winds.		
	During days of Rain.	During days of Snow.	During days of Rain or Snow.	During days with and without Rain or Snow. (3)	Rain.	Snow.	Rain or Snow. Ratio of (3) to (4).	RAIN.	SNOW.	RAIN OR SNOW.	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
N.	969	909	1758	3968	0.248	0.233	0.450	0.72	1.21	0.90	
N.N.E.	687	705	1286	2579	.265	.273	.499	0.77	1.41	1.00	
N.E.	961	766	1566	2635	.365	.291	.594	1.06	1.51	1.19	
E.N.E.	2142	533	2501	3929	.545	.136	.637	1.58	0.70	1.27	
E.	2375	526	2656	4572	.519	.115	.581	1.50	0.60	1.16	
E.S.E.	977	330	1190	2298	.425	.144	.518	1.23	0.75	1.04	
S.E.	606	212	743	1647	.368	.129	.451	1.07	0.67	0.90	
S.S.E.	681	165	781	1818	.375	.091	.430	1.09	0.47	0.86	
S.	965	239	1152	2795	.345	.086	.412	1.00	0.45	0.82	
S.S.W.	1533	350	1838	4021	.382	.087	.457	1.11	0.45	0.91	
S.W.	1421	800	2120	4006	.355	.200	.539	1.03	1.04	1.06	
W.S.W.	1297	1372	2430	4415	.294	.311	.550	0.85	1.61	1.10	
W.	1249	1509	2578	4571	.273	.330	.564	0.79	1.71	1.13	
W.N.W.	1157	1161	2150	4455	.260	.261	.483	0.76	1.35	0.97	
N.W.	1160	1060	2005	4426	.262	.226	.453	0.76	1.17	0.91	
N.N.W.	1258	1223	2317	5061	.249	.241	.458	0.72	1.25	0.92	
Calms.	1283	504	1703	3921	.327	.129	.434	0.95	0.67	0.87	

TABLE LXIV.

COMPARATIVE DURATION OF THE SEVERAL WINDS DURING THE HOURS IN ANY PART OF WHICH RAIN OR SNOW FELL, FROM OBSERVATIONS IN THE YEARS 1857 TO 1859, INCLUSIVE.

	Absolute duration of the several winds expressed in hours.			Relative duration of each wind during the hours in which rain or snow fell, as compared with its duration on all days.			Ratios of the numbers in (5) (6) and (7) to their respective means for all winds.			Ratios from Table LXIII corresponding to those in columns (8) (9) and (10) of Table LXIV.			
	During Rain.	During Snow.	During Rain or Snow.	With and without Rain or Snow.	Rain.	Snow.	Rain or Show.	Rain.	Snow.	Rain or Show.	Rain.	Snow.	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	Rain.	Snow.	
N.	92	105	195	1489	0.062	0.071	0.131	0.68	1.24	0.81	0.72	1.21	0.90
N.N.E.	118	109	217	750	.153	130	.282	1.68	2.27	1.91	0.77	1.41	1.00
N.E.	102	143	245	1622	.100	.140	.240	1.10	2.45	1.63	1.06	1.51	1.19
E.N.E.	471	139	604	2149	.219	.065	.281	2.41	1.14	1.91	1.58	0.70	1.27
E.	288	82	364	2192	.131	.037	.166	1.44	0.65	1.13	1.50	0.60	1.16
E.S.E.	116	28	144	876	.132	.032	.164	1.45	0.56	1.11	1.23	0.75	1.04
S.E.	68	31	97	661	.103	.047	.146	1.12	0.82	0.99	1.07	0.67	0.90
S.S.E.	75	36	110	781	.096	.046	.141	1.05	0.80	0.96	1.09	0.47	0.86
S.	94	21	115	1166	.081	.018	.099	0.89	0.32	0.67	1.00	0.45	0.82
S.S.W.	172	49	221	1799	.096	.027	.123	1.05	0.47	0.86	1.11	0.45	0.91
S.W.	129	85	212	1760	.073	.048	.120	0.80	0.84	0.84	1.03	1.04	1.06
W.S.W.	103	113	215	1945	.053	.058	.110	0.58	1.01	0.75	0.85	1.61	1.10
W.	107	110	216	1975	.054	.056	.109	0.59	0.98	0.74	0.79	1.71	1.13
W.N.W.	92	125	217	2044	.045	.061	.106	0.49	1.07	0.72	0.76	1.35	0.97
N.W.	80	91	170	2027	.039	.045	.084	0.43	0.79	0.57	0.76	1.17	0.91
N.N.W.	115	125	239	2213	.052	.056	.108	0.57	0.98	0.73	0.72	1.25	0.92
Calms.	85	48	133	1388	.061	.035	.096	0.67	0.61	0.65	0.95	0.67	0.87

TABLE LXV.

COMPARATIVE DURATION OF THE SEVERAL WINDS DURING THE DAYS IN ANY PART OF WHICH SNOW FELL, FROM OBSERVATIONS IN THE YEARS 1853 TO 1859 INCLUSIVE; THE SNOW STORMS BEING ARRANGED IN FOUR CLASSES ACCORDING TO THE AMOUNT OF SNOW, AND EACH CLASS BEING TAKEN TO INCLUDE ALL THE HIGHER CLASSES.

Snow generally	Absolute duration of the several winds in hours.					Relative duration of each wind on days of snow as compared with its duration on all days.				Ratios of the numbers in (6), (7), (8) and (9) to the respective means for all winds.			
	(1)	Snow 1 inch and upwards.	Snow 3 inches and upwards.	Snow 6 inches and upwards.	During days with and without snow	Ratio of (1) to (5)	Ratio of (2) to (5)	Ratio of (3) to (5)	Ratio of (4) to (5)	Snow generally	1 inch and upwards.	3 inches and upwards.	6 inches and upwards.
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
N.	909	236	97	11	3908	0.233	0.060	0.025	0.003	1.21	1.15	1.18	0.83
N.N.E.	705	294	119	19	2579	.273	.114	.046	.007	1.41	2.19	2.17	1.94
N.E.	766	403	190	38	2635	.291	.153	.072	.014	1.51	2.94	3.40	3.89
E.N.E.	533	269	171	34	3929	.136	.068	.044	.009	0.70	1.31	2.08	2.50
E.	526	236	128	27	4572	.115	.052	.028	.006	0.60	1.00	1.32	1.67
E.S.E.	330	125	74	22	2298	.144	.054	.032	.010	0.75	1.04	1.51	2.78
S.E.	212	75	27	4	1647	.129	.046	.017	.002	0.67	0.88	0.86	0.56
S.S.E.	165	43	12	1	1818	.091	.024	.007	.001	0.47	0.46	0.33	0.28
S.	239	62	15	0	2795	.086	.022	.005	.000	0.45	0.42	0.24	0.09
S.S.W.	350	102	14	4	4021	.087	.025	.003	.001	0.45	0.48	0.14	0.28
S. W.	800	147	27	7	4000	.209	.037	.007	.002	1.04	0.71	0.33	0.56
W.S.W.	1372	161	50	10	4415	.311	.036	.011	.002	1.61	0.69	0.52	0.56
W.	1509	212	56	3	4571	.330	.046	.012	.001	1.71	0.85	0.57	0.28
W.N.W.	1161	165	45	3	4455	.261	.037	.010	.001	1.35	0.71	0.47	0.28
N.W.	1000	176	64	5	4426	.226	.040	.014	.001	1.17	0.77	0.66	0.28
N.N.W.	1223	261	107	2	5061	.241	.052	.021	.000	1.25	1.00	0.99	0.00
Calms.	504	81	28	2	3921	.129	.021	.007	.001	0.67	0.40	0.33	0.28

TABLE LXVI.

COMPARATIVE DURATION OF THE SEVERAL WINDS DURING THE HOURS IN ANY PART OF WHICH SNOW FELL, FROM OBSERVATIONS IN THE YEARS 1857 TO 1859 INCLUSIVE; THE SNOW STORMS BEING ARRANGED IN FOUR CLASSES ACCORDING TO THE AMOUNT OF SNOW, AND EACH CLASS BEING TAKEN TO INCLUDE ALL THE HIGHER CLASSES.

	Absolute duration of the several winds expressed in hours.					Relative duration of each wind during the hours in which snow fell, as compared with the duration on all days.				Ratios of the numbers in (6), (7), (8) and (9), to their respective means for all winds.			
	Snow generally.	Snow 1 inch and upwards.	Snow 3 inches and upwards.	Snow 6 inches and upwards.	During days with and without Snow.	Ratio of (1) to (5).	Ratio of (2) to (5).	Ratio of (3) to (5).	Ratio of (4) to (5).	Snow generally.	1 inch and upwards.	3 inches and upwards.	6 inches and upwards.
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
N.	105	43	9	0	1489	0.071	0.029	0.006	0.000	1.24	1.07	0.59	0.00
N.N.E.	100	72	10	2	770	.130	.094	.013	.003	2.27	3.48	1.29	2.04
N.E.	143	117	60	11	1022	.140	.114	.059	.011	2.45	4.22	5.84	7.48
E.N.E.	139	89	64	14	2149	.065	.041	.030	.007	1.14	1.52	2.97	4.76
E.	82	58	34	8	2192	.037	.026	.016	.003	0.65	0.96	1.58	2.04
E.S.E.	28	15	11	0	876	.032	.017	.013	.000	0.56	0.63	1.29	.00
S.E.	31	14	2	0	661	.047	.021	.003	.000	0.82	0.78	0.29	.00
S.S.E.	36	9	4	0	781	.046	.012	.005	.000	0.80	0.44	0.49	.00
S.	21	7	3	0	1166	.018	.006	.003	.000	0.32	0.22	0.29	.00
S.S.W.	49	20	7	0	1799	.027	.011	.004	.000	0.47	0.41	0.39	.00
S.W.	85	26	5	0	1760	.048	.015	.003	.000	0.84	0.56	0.29	.00
W.S.W.	113	19	6	0	1945	.058	.010	.003	.000	1.01	0.37	0.29	.00
W.	110	16	5	0	1975	.056	.008	.003	.000	0.98	0.30	0.29	.00
W.N.W.	125	21	2	0	2044	.061	.010	.001	.000	1.07	0.37	0.10	.00
N.W.	91	25	2	0	2027	.045	.012	.001	.000	0.79	0.44	0.10	.00
N.N.W.	125	47	10	0	2213	.056	.021	.005	.000	0.98	0.78	0.49	.00
Calms.	48	13	6	1	1388	.035	.010	.004	.001	0.61	0.37	0.39	0.68